

SAFETY DATA SHEET

1 Identification of the substance or preparation and of the company/undertaking

Product Name: Toner used in Xerox Cartridges for Lexmark E120 printers
 Datasheet Number: 3-1239 1. 0. 0
 Product Part Number: 106R01560
 Chemical Name: None



Name of Supplier: Xerox Ltd.
 Address of Supplier: Xerox Environment, Health & Safety
 Bessemer Road
 Welwyn Garden City
 Herts. AL7 1BU
 UK
 Telephone: ++44 (0)1707 353434
 Fax: ++44 (0)1707 353914
 Responsible Person: Manager, Environment, Health and Safety
 Email: ehs-europe@xerox.com
 Emergency Telephone: Not applicable

2 Hazards identification

- There are no significant hazards associated with this product

3 Composition/information on ingredients

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*	Symbols
Polyester resin	70-85 %	-	-	None	None
Magnetite	7-15 %	1317-61-9	215-277-5	None	None
Carbon black	3-8 %	1333-86-4	215-609-9	None	None
Wax	1-5 %	-	-	None	None
Silica	1-5 %	-	-	None	None
Salicylic acid derivative	<2 %	42405-40-3	403-360-0	R11, R22, R50/53	F, Xn, N

*See Section 16

4 First aid measures

Contact with skin

- Wash with soap and cold water

Contact with eyes

- Flush with water

Ingestion

- Give 200-300mls (half pint) water to drink

Inhalation

- Remove patient to fresh air

5 Fire-fighting measures

- Flash point - not applicable
 - Products of combustion include oxides of carbon and toxic organic fumes
 - In case of fire use water spray, foam or carbon dioxide
-

6 Accidental release measures

Immediate Actions

- Toner, as with any fine dust, if suspended in air in the right proportion, can present an explosion hazard. Therefore, if a cloud is formed by accident, all sources of ignition should be removed until the spill is dealt with.

Clean Up Actions

- Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove
-

7 Handling and storage

Handling

- No special precautions are required for this product

Storage

- Keep in a cool, dry place
-

8 Exposure controls and personal protection

Exposure Limits

- Xerox Exposure Limits: 2.5 mg/m³ (8hr TWA) total inhalable dust; 0.4 mg/m³ (8hr TWA) total respirable dust

Exposure controls

- No special precautions are required for this product

Occupational exposure controls

- No special precautions are required for this product
-

9 Physical and chemical properties

- Appearance: Black powder
 - Odour: Odourless
 - pH - not applicable
 - Boiling point - not applicable
 - Vapour pressure - not applicable
 - Vapour density - not applicable
 - Melting point: >110°C
 - Insoluble in water
 - Density (water=1)1.0-1.2
 - Flash point - not applicable
-

10 Stability and reactivity

- Stable
-

11 Toxicological information

Inhalation

- Tests on toners containing similar materials indicate no evidence of acute inhalation toxicity

Contact with skin

- Tests on toners containing similar materials indicate no evidence of acute dermal toxicity; non-irritating and non-sensitising in human patch test

Contact with eyes

- Tests on other toners containing the toner constituents indicate non-irritation to the eye

Ingestion

- Tests on toners containing similar materials indicate no evidence of acute oral toxicity

Carcinogenicity

- Carcinogens: None present

Mutagenicity

- No evidence of mutagenic effects
-

12 Ecological information

Ecotoxicity

- On available data, substance is not harmful to aquatic life
- IC50 (algae) >100 mg/l (72 hr)

Mobility

- Insoluble in water

Persistence and Biodegradability

- Not readily biodegradable

Bioaccumulation Potential

- Bioaccumulation is insignificant

Other Adverse Effects

- Presents little or no hazard to the environment
-

13 Disposal considerations

Classification

- European Waste Code: 08 03 18

Disposal considerations

- No special precautions are required for this product
 - Landfill is the recommended method of disposal
 - If incineration is to be carried out, care must be exercised to prevent dust clouds forming
-

14 Transport information

- Not classified as hazardous for transport
-

15 Regulatory information

Classification and labelling

- Not classified as hazardous for supply
- No transport or user labelling is required

Risk Phrases

- Not applicable

Safety Phrases

- Not applicable
-

16 Other information

Text of R and S phrase codes used in this safety data sheet:- R11: Highly Flammable; R22: Harmful if swallowed; R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.