

Safety Data Sheet

SDS #: A-0009A

Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

Issuing Date 1985-	-05-14	Revis	ion Date	2015-	02-16						Version 1 Active
1. Product and	Company Ident	ification									
Trade Name		2020, 23 300, 34							3107, 3	3109,	
Part no. 006R00 006R90124, 006	· · · · · · · · · · · · · · · · · · ·), 006R001	139, 006	8R004	08, 000	6R00	506, 00	6R0052	25, 006	6R0053	37,
Color Pure substance/pre	=	ack eparation									
Identified uses		Xerographic printing									
Manufacturer		erox Corpora ochester, NY									
Emergency telepho	ne Sa	afety Informa	tion U.S. (8	800) 27	5-9376						

Emergency telephoneSafety Information US: (800) 275-9376
Chemical Emergency only (Chemtrec) (800) 424-9300

2. Hazards Identification Emergency Overview The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health. Color Appearance Physical state Odor Black Powder Solid Faint

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

OSHA Hazard Classification	This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.		
	While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.		
Label elements			
Signal Word	None		



Page 2/7

SDS # : A-0009A

Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

Harrand Oferformente	None required
Hazard Statements	None required
Precautionary Statements	None required
Potential Health Effects	
Principle Routes of Exposure Acute toxicity	Inhalation
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.
Aggravated medical conditions Environmental hazard	None under normal use conditions The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. Composition/Information on Ingredients

Chemical Name	CAS-No	Weight %
Polyester resin	39382-25-7	65-75
Magnetite	1317-61-9	20-30
Carbon Black	1333-86-4	<5-10

4. First Aid Measures	
General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to physician	Treat symptomatically
Protection of first-aiders	No special protective equipment required

5.	Fire-F	Fightinc	Measures

Flammable properties	Not flammable. Will not readily ignite
Flash point	Not applicable
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire



Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

Page 3/7

Specific hazards arising from the chemical

Hazardous combustion products	Hazardous decomposition products due to incomplete combustion Carbon oxides Nitrogen oxides (NOx)
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures				
Personal Precautions	Avoid breathing dust			
Environmental Precautions	No special environmental precautions required			
Methods for containment	Prevent dust cloud			
Methods for cleaning up	Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.			
Other Information	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.			
7. Handling and Storage				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice Avoid dust accumulation in enclosed space Prevent dust cloud			
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place Store at room temperature			
Hygiene measures	None under normal use condtions			
8. Exposure Controls/Personal Protection				

Exposure guidelines Product information

ACGIH TLV TWA	10 mg/m ³ (inhalable particles)
ACGIH TLV TWA	3 mg/m ³ (respirable dust)
OSHA PEL TWA	15 mg/m ³ (total dust)
OSHA PEL TWA	5 mg/m ³ (respirable dust)
Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)



Page 4/7

Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Biological standards

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Occupational Exposure Controls

Engineering measures None under normal use conditions

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. Physical and Chemical Properties

Appearance	Powder	Odor	Faint
Odor threshold	Not applicable	Physical state	Solid
рН	Not applicable	Color	Black
Flash point	Not applicable	Boiling	Not applicable
		point/range	
Softening point	49 - 60 °C / 120 - 140 °F	Autoignition	Not applicable
		temperature	

Flammability Limits in Air

Not applicable

Explosive properties

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Vapor pressure	Not applicable
Vapor density	Not applicable
Water solubility	Negligible
Viscosity	Not applicable
Partition coefficient	Not applicable
Evaporation rate	Not applicable
Melting point/range	Not determined
Freezing point	Not applicable
Decomposition temperature	Not determined
Specific gravity	~ 1



Page 5/7

Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

10. Stability and Reactivity No dangerous reaction known under conditions of normal use Reactivity Stability Stable under normal conditions Incompatible products None **Conditions to Avoid** Prevent dust cloud Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard Hazardous Decomposition Products None under normal use Hazardous polymerization Hazardous polymerization does not occur. Hazardous reactions None under normal processing

11. Toxicological Information

Carbon Black

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute toxicity

Product information			
Irritation	No skin irri	itation, No eye irritation	
LD50 Oral	> 5 g/kg	(rat)	
LD50 Dermal	> 5 g/kg	(rabbit)	
LC50 Inhalation:	> 5 mg/L	. (rat, 4 hr)	
Eyes	No known	effect	
Skin	No known	effect	
Inhalation	No known	effect	
Ingestion	No known	effect	
Chronic toxicity			
Product information			
Chronic effects	No known	effects under normal use conditions	
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.		
Aggravated medical conditions	None unde	er normal use conditions	
Carcinogenicity	See "Othe	r Information" in this section.	
Chemical Name		IARC	NTP

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

2B

Other toxic effects

Product information
Sensitization
Mutagenic effects
Target organ effects

No sensitization responses were observed. Not mutagenic in AMES Test None known



Page 6/7

SDS # : A-0009A

Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

Other adverse effects	None known
Aspiration Hazard	Not applicable

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. Disposal Consideration	6
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	Dispose of in accordance with local regulations.
14. Transport Information	

Note

This material is not subject to regulation as a hazardous material for shipping.

15. Regulatory Information

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.



Magnetic Toner/Dry Ink/Magnetic Dry Imager -Black

Page 7/7

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12(b) does not apply to this product.

U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS-No	California Prop. 65
Carbon Black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Not subject to WHMIS classification

16. Other Information	
Issuing Date	1985-05-14
Revision Date	2015-02-16
Revision Note	Out-of-date for Canada Updated for OSHA HazCom 2012

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end