

Page 1/7

Safety Data Sheet

SDS #: A-1089

Toner Cartridge -Black/Cyan/Magenta/Yellow

Issuing Date 2011-02-10	Revis	ion Date 2017-01-13	Version 7
1. PRODUCT AND CC	IMPANY IDENTIFIC	ATION	
Trade Name Tone	•	haser 6000, Phaser 6010, Phas /orkCentre 6025, WorkCentre 6	
· · · · · · · · · · · · · · · · · · ·		29, 106R01630, 106R01631, 106 02758, 106R02759, 106R02760, 1	
Color Pure substance/mixture	Cyan, Black, M Mixture	Cyan, Black, Magenta, Yellow Mixture	
Identified uses	Xerographic pr	nting	
Manufactured by		Xerox Corporation Rochester, NY 14644	
Emergency telephone	-	tion US: (800) 275-9376 rgency only (Chemtrec) (800) 424-9300	
2. HAZARDS IDENTIF	ICATION		
	En	ergency Overview	

The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health.

Color	Appearance	Physical state	Odor
Cyan, Black, Magenta, Yellow	Powder	Solid	Faint

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

 OSHA Hazard Classification
 This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

 While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to

employees and other users of this product.

Label elements



SDS # : A-1089

Toner Cartridge -Black/Cyan/Magenta/Yellow

Signal Word None **Hazard Statements** None required **Precautionary Statements** None required **Potential Health Effects Principle Routes of Exposure** Inhalation **Acute Toxicity** No known effect Eves No known effect Skin Inhalation No known effect Ingestion No known effect Chronic effects Main symptoms Overexposure may cause: mild respiratory irritation similar to nuisance dust. Aggravated Medical Conditions None under normal use conditions Environmental hazard The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product Description

This formulation represents multiple colors and the component list includes multiple pigments. The actual toner formulation for each color will differ only in the pigment used.

Chemical Name	CAS No.	Weight %
Resin	Proprietary	70-80
Paraffin wax	8002-74-2	5-10
Carbon black	1333-86-4	5-10
Magenta Pigment	980-26-7	0-7
Cyan Pigment	147-14-8	0-7
Yellow Pigment	6358-31-2	0-7
Amorphous silica	7631-86-9	1-5
Titanium dioxide	13463-67-7	<2

4. FIRST AID MEASURES

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to physician	Treat symptomatically
Protection of first-aiders	No special protective equipment required

Page 2/7



SDS # : A-1089

Toner Cartridge -Black/Cyan/Magenta/Yellow

Page 3/7

5. FIRE-FIGHTING MEASURES				
Flammable properties	Not flammable. Will not readily ignite			
Flash point	Not applicable			
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam			
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire			
Specific hazards arising from the chemical Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard				
Hazardous combustion products Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)				
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard			
Protective Equipment and Precautions for Firefighters				

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions	Avoid breathing dust	
Environmental Precautions	No special environmental precautions required	
Methods for containment	Prevent dust cloud	
Methods for cleaning up	Prevent dust cloud, Sweep up or vacuum up spillage and collect in suitable container for disposal, Use non-sparking tools and equipment	
Other information	The environmental impact of this product has not been fully investigated, However, this preparation is not expected to present significant adverse environmental effects	
7. HANDLING AND STORAGE		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud	
Technical measures and storage conditions	Keep container tightly closed in a dry and well-ventilated place, Store at room temperature	
Hygiene measures	None under normal use conditions	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Exposure guidelines No information available Product Information		



SDS #: A-1089

Toner Cartridge -Black/Cyan/Magenta/Yellow

ACGIH TLV TWA **OSHA PEL TWA OSHA PEL TWA Xerox Exposure Limit** Xerox Exposure Limit

3 mg/m³ (respirable dust) 15 mg/m³ (total dust) 5 mg/m³ (respirable dust) 2.5 mg/m³ (total dust) 0.4 mg/m³ (respirable dust)

Other information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Occupational exposure controls

Engineering measures

None under normal use conditions

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor threshold pH Flash point Autoignition temperature	Powder Not applicable Not applicable Not applicable Not applicable		Odor Physical state Color Boiling point/range	Faint Solid Cyan, Black, Magenta, Yellow Not applicable 49 - 60 °C 120 - 140 °F	/
Flammability Lim	nits in Air	Not applicable			
Explosive proper Vapor pressure Vapor density Water solubility Viscosity Partition coefficie Evaporation rate Melting point/ran Freezing point Decomposition to Specific gravity	ent Ige	Fine dust dispersed in ai source is a potential dus Not applicable Not applicable Not applicable Not applicable Not applicable Not determined Not determined Not determined ~ 1		entrations, and in the presence of ar	n ignition

Page 4/7



SDS #: A-1089 Toner Cartridge -Black/Cyan/Magenta/Yellow

10. STABILITY AND REACTIVITY		
Reactivity	No dangerous reaction known under conditions of normal use	
Stability	Stable under normal conditions	
Incompatible products	None	
Conditions to Avoid	Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard	
Hazardous Decomposition Products None under normal use		
Hazardous polymerization	erization Hazardous polymerization does not occur	
Hazardous reactions	None under normal processing	

11. TOXICOLOGICAL INFORMATION

Titanium dioxide

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute Toxicity

riouto romony			
Product Information			
Irritation	No skin irr	itation, No eye irritation	
Oral LD50	> 5 g/kg	(rat)	
Dermal LD50	> 5 g/kg	(rabbit)	
LC50 Inhalation	> 5 mg/L	_ (rat, 4 hr)	
Eyes	No known	effect	
Skin	No known	effect	
Inhalation	No known	effect	
Ingestion	No known	effect	
Chronic toxicity			
Product Information			
Chronic effects	No known	effects under normal use conditions	
Main symptoms	Overexpo	sure may cause: mild respiratory irritation	on similar to nuisance dust.
Aggravated Medical Conditions	None unde	er normal use conditions	
Carcinogenicity	See "Othe	r Information" in this section.	
Chemical Name		IARC	NTP
Carbon black		2B	

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

2B

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. The Titanium Dioxide Industry REACH Consortium has concluded that these effects were species-specific, attributable to lung overload and not



SDS #: A-1089 Toner Cartridge -Black/Cyan/Magenta/Yellow

Page 6/7

specific to TiO2, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects	
Product Information	
Sensitization	No sensitization responses were observed
Mutagenic effects	Not mutagenic in AMES Test
Target organ effects	None known
Other adverse effects	None known
Aspiration Hazard	Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. DISPOSAL CONSIDE	RATIONS
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	Dispose of in accordance with local regulations.
14. TRANSPORT INFOR	MATION

Note

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA
DSL/NDS

Complies Complies

U.S.	Federal	Regulations
SAR	A 313	-



SDS #: A-1089 Toner Cartridge -Black/Cyan/Magenta/Yellow

Page 7/7

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

TSCA

TSCA 12(b) does not apply to this product.

US State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION	
Issuing Date	2011-02-10
Revision Date	2017-01-13
Revision Note	(M)SDS sections updated:, 3

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.