

Page 1/8

Safety Data Sheet

SDS # : D-0540	Xerox Photoreceptor Solvent	
Issuing Date 1992-12-09	Revision Date 2015-03-30	Version 2 Active
1. Product and Company Id	entification	
UN/ID No	UN 1993	
TradeXerox PhotorecepNameSolvent	otor for Xerox Products	
Part no.	043E00150	
Color Pure substance/preparation	Colorless Preparation	
Identified uses Solvent		
Supplier Address	Xerox Corporation Rochester, NY 14644	
	Xerox Canada LTD. 5650 Yonge Street North York, Ontario M2M4G7	
Emergency telephone	Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300	
2. Hazards Identification		
	DANGER Emergency Overview Flammable liquid	

Co	olor Appea	rance Physical	state Odor	
Colo	orless Cle	ear Liquid	Alcohol	

Classification of the substance or mixture

Consumers	
Serious Eye Damage/Eye Irritation	Category 2A
Specific Target Organ Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

~



Signal Word	Danger
Hazard Statements Precautionary Statements	H319 - Causes serious eye irritation H336 - May cause drowsiness and dizziness H225 - Highly flammable liquid and vapor P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P240 - Ground/Bond container and receiving equipment
	P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge
	P264 - Wash hands thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing
	P337 + P313 - If eye irritation persists: Get medical advice/attention P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
	P271 - Use only outdoors or in a well-ventilated area
	P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
	P312 - Call a POISON CENTRE/doctor/physician if you feel unwell
	P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P501 - Dispose of contents/container to an approved waste disposal plant
Other hazards which do not	result in classification
Detential Linelth Effects	
Potential Health Effects	

Principle Routes of Exposure Inhalation Acute toxicity Eyes Irritating to eyes Skin Does not cause skin irritation or sensitization Inhalation None under normal use Ingestion Chronic effects None under normal use Main symptoms Overexposure may cause: May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination Aggravated medical conditions None under normal use conditions Environmental hazard See Section 12 for additional Ecological Information



Chamical Nama		CAS-No	Weight 0/	
Chemical Name			Weight %	
Isopropyl alcohol Mineral spirits		<u>67-63-0</u> 64475-85-0	75 25	
		04475-85-0	25	
1. First Aid Measures				
		ms persist or in all cases of doubt see eet to the doctor in attendance.	k medical advice. Show this materia	
Eye contact	Rinse immedia	ately with plenty of water, also under the	he eyelids, for at least 15 minutes	
Skin contact	Wash off with	warm water and soap		
Inhalation	Move to fresh	air		
Ingestion	Do NOT induce vomiting Consult a physician			
Notes to physician	Do NOT induce vomiting			
Protection of first-aiders	No special pro	No special protective equipment required		
5. Fire-Fighting Measures				
Flammable properties		Flammable		
Flash point Method		13 °C / 55 °F Tag closed cup		
Suitable extinguishing media		Dry chemical, Carbon dio	xide (CO ₂)	
Large Fires		Alcohol-resistant foam	Alcohol-resistant foam	
Unsuitable extinguishing media		No information available		
Specific hazards arising from Containers may explode when hea				
lazardous combustion products Explosion Data	5	May emit toxic fumes und	er fire conditions	
Sensitivity to Mechanical Imp Sensitivity to Static Discharg		Not impact sensitive May be ignited by friction, Take precautionary meas	heat, sparks or flames ures against static discharges	

Personal Precautions

Ensure adequate ventilation Remove all sources of ignition



SDS # : D-0540	Xerox Photoreceptor Solvent	Page 4/8
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, e diatomaceous earth, vermiculite) and place in container for disposal according to lo national regulations (see Section 13)	
Methods for cleaning up	Soak up with inert absorbent material.	
Other Information	The environmental impact of this product has not been fully investigated. However, preparation is not expected to present significant adverse environmental effects.	, this
7. Handling and Storage		
Advice on safe handling	Keep away from heat, sparks and open flame. No smoking	
Technical measures/Storage conditions	Keep containers tightly closed in a cool, well-ventilated place	
Hygiene measures	Wash hands before breaks and immediately after handling the product	
8. Exposure Controls/Pers	onal Protection	

Exposure guidelines

Not established

Xerox Exposure Limit Component information

Chemical Name	ACGIH TLV	OSHA PEL
Isopropyl alcohol	STEL 400 ppm	TWA: 400 ppm
	TWA: 200 ppm	TWA: 980 mg/m ³

Occupational Exposure Controls

Engineering measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Consumer use	These recommendations apply to the product as supplied	
Respiratory protection	None under normal use conditions, Use only with adequate ventilation, In case of insufficient ventilation wear suitable respiratory equipment	
Eye/Face protection	Goggles, Safety glasses with side-shields	
Skin and body protection	None under normal use conditions	
Hand protection	Protective gloves	
Glove material	Nitrile rubber Polyvinylchloride (PVC)	

9. Physical and Chemical Properties

Appearance	Clear	Odor	Alcohol
Odor threshold	No information available	Physical state	Liquid
рН	Not determined	Color	Colorless



SDS # : D-0540

Xerox Photoreceptor Solvent

Page 5/8

Flash point	13 °C / 55 °F		Boiling	82 °C / 180 °F
Softening point	Not applicable		point/range Autoignition temperature	No information available
Volatility Volatile Organic C Flammability Limit		100 % (Vol.) 770 g/L Not determined		
Vapor pressure Vapor density Water solubility Viscosity Partition coefficier Evaporation rate Melting point/rang Freezing point Decomposition ter Specific gravity	e	Not determined Not determined Slightly soluble No information available Not determined Not applicable No information available Not determined 0.77 @ 20 °C (water = 7	1)	

10. Stability and Reactivity

Reactivity	No dangerous reaction known under conditions of normal use	
Stability	Stable	
Incompatible products	Strong oxidizing agents, Acid anhydrides	
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous polymerization	Hazardous polymerization does not occur	
Hazardous reactions	None under normal processing	

11. Toxicological Information

Acute toxicity Product information			
Irritation	Irritating to eyes		
Component information	5 ,		
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	1870 mg/kg (Rat)	4059 mg/kg (Rabbit)	72600 mg/m³(Rat)4 h
Mineral spirits			21400 mg/m3 (Rat) 4 h
	• • • •		
Main symptoms Aggravated medical conditions Carcinogenicity <u>Other toxic effects</u>	Overexposure may cause: M headache, dizziness, vomiting, None under normal use conditi Contains no ingredient listed as	and incoordination ons	em depression with nausea



Page 6/8

Target organ effects	No information available
Aspiration Hazard	No information available
Other adverse effects	No information available

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Component information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Isopropyl alcohol	1000 mg/L EC50 96 h (Desmodesmus subspicatus) 1000 mg/L EC50 72 h (Desmodesmus subspicatus)	LC50= 9640 mg/L Pimephales promelas 96 h LC50> 1400000 µg/L Lepomis macrochirus 96 h LC50= 11130 mg/L Pimephales promelas 96 h	EC50 = 35390 mg/L 5 min	EC50 = 13299 mg/L 48 h

Persistence and degradability No product level data available

Bioaccumulation	No product level data available

Mobility No product level data available
--

Component information

Chemical Name	log Pow
Isopropyl alcohol	0.05

Other adverse effects

No information available

13. Disposal Considerati	ons
Waste Disposal Methods	This material should be disposed of as a hazardous waste in the United States (D001 EPA code) and Canada. Small quantity exemptions may apply. This material should be disposed of using fuels blending, solvent recycling or incineration treatment methods.

Contaminated packaging Dispose of in accordance with local regulations.

California Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
	Ignitable

14. Transport Information

Note

Subject to regulation as noted below Exceptions may apply

DOT

Proper shipping name

Flammable liquid, n.o.s. (Isopropanol, mineral spirits)



SDS #: D-0540

Xerox Photoreceptor Solvent

Hazard class 3 **UN/ID No** UN 1993 **Packing Group** Ш Exceptions 49CFR173.150(b)(2) TDG Proper shipping name Flammable liquid, n.o.s. (Isopropanol, mineral spirits) **UN/ID No** UN 1993 **Packing Group** Ш Exceptions 1.17 Limited Quantities ICAO/IATA Proper shipping name Consumer Commodity Hazard class 9 **UN/ID No** ID 8000 Exceptions Section 2.7 Dangerous Goods in Limited Quantities IMDG/IMO Proper shipping name Flammable liquid, n.o.s. (Isopropanol, mineral spirits) Hazard class 3 **UN/ID No** UN 1993 **Packing Group** ш Exceptions Chapter 3.4 Dangerous Goods Packed in Limited Quantities ADR/RID Proper shipping name Flammable liquid n.o.s. (Isopropanol, mineral spirits) Hazard class 3 **UN/ID No** UN1993 **Packing Group** Ш Exceptions Chapter 3.4 Dangerous Goods Packed in Limited Quantities

15. Regulatory Information

International Inventories TSCA

Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Fire Hazard

Yes

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12(b) does not apply to this product.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals. U.S. State Right-to-Know Regulations

Page 7/8



SDS #: D-0540

Xerox Photoreceptor Solvent

Page 8/8

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Isopropyl alcohol	Х	Х	Х		Х

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

NPRI

This product contains the following substances listed on the NPRI for Canada:

Chemical Name	NPRI
Isopropyl alcohol	Х

16. Other Information		
Issuing Date	1992-12-09	
Revision Date	2015-03-30	
Revision Note	Updated for OSHA HazCom 2012 and WHMIS 2015	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end