



Recommended Xerox Media for Xerox DOCUCOLOR 2045_5252_2060 (EUROPE)

Revision: Aug 2003

Last revision :This supersedes the Recommended Media for Xerox DocuColor 2045_60 list. Last issue June 2003

Any additions or part number changes since the last publication are indicated in Blue print.

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage.

Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5. Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

© 2003 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation.

Other company trademarks are also acknowledged.

Warranty disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products.

Customers should inquire directly of their paper distributor or manufacturer for any guidance when purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee.

The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox supplies.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor.

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".



EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

Business Papers (Bond, xerographic, and laser grades)	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation												High Capacity Stacker Compatible?
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		
		Weight Range Specification					64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm		
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Xerox Digital Color Colotech + 70 gsm	A		3R97387		3R97388	70	Tray 3 & 4	Tray 3 & 4										Yes	
		3R97386				70	OK All Trays	OK All Trays										Yes	
						70	OK All Trays	OK All Trays										Yes	
Xerox Digital Color Colotech + 90 gsm	A		3R94642		3R95838	90			Tray 3 & 4	Tray 3 & 4								Yes	
		3R94641		3R94643		90			OK All Trays	OK All Trays								Yes	
						90			OK All Trays	OK All Trays								Yes	
Xerox Digital Color Colotech + 100 gsm	A		3R94647		3R95839	100			Tray 3 & 4	Tray 3 & 4								Yes	
		3R94646		3R94648		100			OK All Trays	OK All Trays								Yes	
						100			OK All Trays	OK All Trays								Yes	
Xerox Digital Color Colotech Natural White 100 gsm	A		3R97103		3R97397	100			OK All Trays	OK All Trays								Yes	
		3R97102				100			OK All Trays	OK All Trays								Yes	
Xerox Digital Color Colotech Pastel Yellow 100 gsm	A	3R95195				100			OK All Trays	OK All Trays								Yes	
Xerox Digital Color Colotech+ 120 gsm	B		3R94652		3R95840	120					Tray 3 & 4	Tray 3 & 4						Yes	
		3R94651		3R94653		120					OK All Trays	OK All Trays						Yes	
						120					OK All Trays	OK All Trays						Yes	
Uncoated Heavy Stocks	Decurler Setting paper type																		
Xerox Digital Color Colotech + 160 gsm	A		3R94657		3R95841	160										Tray 3 & 4	Tray 3 & 4	Yes	
		3R94656		3R94658		160										OK All Trays	OK All Trays	Yes	
						160										OK All Trays	OK All Trays	Yes	
Xerox Digital Color Colotech Natural White 160 gsm	A		3R95957		3R97398	160										Tray 3 & 4	Tray 3 & 4	Yes	
		3R95956				160										OK All Trays	OK All Trays	Yes	
						160										OK All Trays	OK All Trays	Yes	
Xerox Digital Color Colotech + 200 gsm	A		3R94662		3R95842	200										Tray 3 & 4	Tray 3 & 4	Yes	
		3R94661				200										OK All Trays	OK All Trays	Yes	
						200										OK All Trays	OK All Trays	Yes	
Xerox Digital Color Colotech Natural White 200 gsm	A		3R95959		3R97399	200										Tray 3 & 4	Tray 3 & 4	Yes	
		3R95958				200										OK All Trays	OK All Trays	Yes	
						200										OK All Trays	OK All Trays	Yes	
Xerox Digital Color Colotech + 220 gsm	A		3R94669		3R95843	220										Tray 3 & 4	Tray 3 & 4	Yes	
		3R94668		3R94670		220										OK All Trays	OK All Trays	Yes	
						220										OK All Trays	OK All Trays	Yes	
Xerox Digital Color Colotech + 250 gsm	A		3R94672		3R95844	250												Tray 3 Manual Duplex	
		3R94671		3R94673		250												Tray 3 Manual Duplex	
						250												Tray 3 Manual Duplex	
Xerox Digital Color Colotech + 280 gsm	A		3R97098		3R97099	280												Tray 3 Manual Duplex	
		3R97097				280												Tray 3 Manual Duplex	

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".

EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

Weight Range Specification	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation										High Capacity Stacker Compatible?		
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4			Tray 1+2, Tray 3 Tray 4	
		64-80 gsm					64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm			221- 280 gsm	
				Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Coated Text or Book Stocks C2S																			
Xerox Digital Color Colotech + Silk Coated 120 gsm	A		3R97593		3R97594	120						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97592				120						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Gloss Coated 120 gsm	A		3R97575		3R97576	120						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97574				120						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Silk Coated 140 gsm	A		3R97596		3R97597	140						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97595				140						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Gloss Coated 140 gsm	A		3R97578		3R97579	140						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97577				140						Tray 3 Only	Tray 3 Only					Yes	
Coated Heavy Stocks C2S																			
Xerox Digital Color Colotech + Silk Coated 170 gsm	A		3R97599		3R97600	170				3R97600						Tray 3 & 4	Tray 3 & 4	Yes	
		3R97598				170						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Gloss Coated 170 gsm	A		3R97581		3R97582	170						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97580				170						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Silk Coated 210 gsm	A		3R97602		3R97603	210						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97601				210						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Gloss Coated 210 gsm	A		3R97584		3R97585	210						Tray 3 & 4	Tray 3 & 4					Yes	
		3R97583				210						Tray 3 Only	Tray 3 Only					Yes	
Xerox Digital Color Colotech + Silk Coated 250 gsm	A		3R97605		3R97606	250										Tray 3 Only	Manual Duplex	Yes	
		3R97604				250						Tray 3 Only	Manual Duplex					Yes	
Xerox Digital Color Colotech + Gloss Coated 250 gsm	A		3R97587		3R97588	250						Tray 3 Only	Manual Duplex					Yes	
		3R97586				250						Tray 3 Only	Manual Duplex					Yes	
Xerox Digital Color Colotech + Silk Coated 280 gsm	A		3R97608		3R97609	280										Tray 3 Only	Manual Duplex	Yes	
		3R97607				280						Tray 3 Only	Manual Duplex					Yes	
Xerox Digital Color Colotech + Gloss Coated 280 gsm	A		3R97590		3R97591	280						Tray 3 Only	Manual Duplex					Yes	
		3R97589				280						Tray 3 Only	Manual Duplex					Yes	

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".



EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation												High Capacity Stacker Compatible?
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4				
		Weight Range Specification →					64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm		
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Super Gloss Coated Heavy Stocks C1S																			
Xerox Digital Color Colotech + SuperGloss 135 Image quality will not be as good on second side	A	Select 106-135 gsm mode in Tray 3. Load with coated side up.				135													
			3R95452		3R95849	135							Tray 3 Only	Tray 3 Only					Yes
				3R95453		135							Tray 3 Only	Tray 3 Only					Yes
			3R95451			135							Tray 3 Only	Tray 3 Only					Yes
Xerox Digital Color Colotech + SuperGloss 160 Image quality will not be as good on second side	A	Select 151-220 gsm mode in Tray 3. Load with coated side up.				160													
			3R95455		3R95850	160										Tray 3 Only	Tray 3 Only		Yes
				3R95456		160										Tray 3 Only	Tray 3 Only		Yes
			3R95454			160										Tray 3 Only	Tray 3 Only		Yes
Xerox Digital Color Colotech + SuperGloss 210 Image quality will not be as good on second side	A				3R95851	210													
			3R95458			210										Tray 3 Only	Tray 3 Only		Yes
				3R95459		210										Tray 3 Only	Tray 3 Only		Yes
			3R95457			210										Tray 3 Only	Tray 3 Only		Yes
Xerox Digital Color Colotech + SuperGloss 250 Image quality will not be as good on second side	A				3R97280	250													
				3R97279		250												Tray 3 Only	Manual Duplex
			3R97278			250												Tray 3 Only	Manual Duplex
Specialties	Decurler Setting paper type				Various														
Xerox Digital Color Colotech Super 160 A4 Prescored White	A	3R95538	Second side image quality will not be as good as side one			160									Tray 3 Only	Tray 3 Only			Yes
Xerox Digital Color Colotech Super 210 A4 Prescored White	A	3R95539	Second side image quality will not be as good as side one			210									Tray 3 Only	Tray 3 Only			Yes
Xerox Digital Color Colotech Super 210 A4 Trifold White	A	3R95855	Second side image quality will not be as good as side one			210									Tray 3 Only	Tray 3 Only			Yes
Xerox DocuCard 500 sheet box 100 sheet box	A	Maximum of 50 sheet stacks				160													
			977L07446													Tray 3 Only	Tray 3 Only		
Xerox Never Tear	Default	Select Uncoated 151-220 gsm mode in Tray 3. Load image side up				100 microns													
Xerox DuraPaper X250	A	Select Uncoated 151-220 gsm mode in Tray 3. Load image side up				250 microns													
Xerox DocuPac Glossy White Presentation folder	A	Select Coated 151-220 gsm mode in Tray 3- load glossy side up, score line trailing				210													
			3R97251													Tray 3 Only	Tray 3 Only		
Xerox DocuPac Matt Presentation folder	A	Select uncoated 151-220 gsm mode in Tray 3- load score line trailing. Image quality not as good as Colotech +				180													
Xerox Colotech Supergloss Document Folder	A	Select coated 221-280 gsm mode in Tray 3 for glossy side, uncoated 221-280 gsm for matt side				250													
Xerox Laser Window GraphiX Clear (window decal)	A	Select coated 151-220 gsm mode in Tray 3- image side up.				125 micron													
			3R97494													Tray 3 Only	Tray 3 Only		
Xerox Laser Window GraphiX Opaque White (window decal)	A	Select coated 151-220 gsm mode in Tray 3- image side up.				125 micron													
			3R97511													Tray 3 Only	Tray 3 Only		
			3R97539																
Tab Stock	Decurler Setting paper type																		
Xerox Digital Color Colotech Tabs white 100x5 reverse	B	Select Uncoated 151-220 gsm mode in Tray 3. Load SEF				200													
Xerox Digital Color Colotech Tabs white 50x10 reverse	B	3R97231																	
Xerox Mylar Tabs White 100 X 5 reverse	B	3R97232																	
Xerox Mylar Tabs White 50 X 10 reverse	B	3R97229																	
	B	3R97230																	

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".

EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045_5252_2060

		Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation												
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?
Weight Range Specification						64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Transparencies	Decurler Setting paper type																		
		Select Uncoated 221-280 gsm mode in Tray 3. Load transparency up																	
Xerox Paper backed transparency Type SFI (100 SHEET BOX)	Default	3R97340				200 micron												Tray 3 Only	Top Tray Only
Xerox Paper backed transparency Type SFI (250 SHEET BOX)	Default	3R97339				200 micron												Tray 3 Only	Top Tray Only
Xerox Paper backed transparency SRA3	Default				3R97352	200 micron												Tray 3 Only	Top Tray Only
Label Stock	Decurler Setting paper type					Label Stock (Approximately)													
Xerox Colour Laser Printer Labels																			
1 PER A4	C	3R93872				190												Tray 3 Only	Top Tray Only
6 PER A4		3R93873				190												Tray 3 Only	Top Tray Only
8 PER A4		3R93874				190												Tray 3 Only	Top Tray Only
14 PER A4		3R93875				190												Tray 3 Only	Top Tray Only
24 PER A4		3R93876				190												Tray 3 Only	Top Tray Only
Xerox laser Colour Gloss Coated Labels																			
1 PER A4	C	3R97288				190												Tray 3 Only	Top Tray Only
2 to view CD labels	C	3R97287				190												Tray 3 Only	Top Tray Only
Xerox CD label & CD insert Combi Box	C&A	3R97515				190 & 120						Tray 3 insert Only	Tray 3 insert Only				Tray 3 Only	Top Tray Only	
Xerox Durapaper Label (polyolefin face material) 1 PER A4	C	3R97344				250											Tray 3 Only	Top Tray Only	
		Select Uncoated 221-280 gsm mode in Tray 3. Load image side up																	
Xerox Glossy White Self Adhesive Label A4	Default	3R97245				190												Tray 3 Only	Top Tray Only
Xerox Glossy White Self Adhesive Label SRA3	Default				3R97348	190												Tray 3 Only	Top Tray Only
Xerox Crystal Clear Adhesive Label A4	Default	3R97244				190												Tray 3 Only	Top Tray Only
Xerox Crystal Clear Adhesive Label SRA3	Default				3R97347	190												Tray 3 Only	Top Tray Only

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".

