

Product Safety Data Sheet

XEROX

Product: Imation Matchprint Professional Server

PSDS No.: 0863
ISSUE DATE: 03/08/01
REV. DATE:

Section I - Product Identification

Manufacturer's Name
Xerox Corporation

Emergency No. EH&S Inquiries
(585) 422-2177 (800) 828-6571

Manufacturer's Address
1 Imation Way, M/S 3B-64
Oakdale, MN-55128

Product Designation
Imation-Matchprint

Product Code
541/MPPS

Section II - Electrical Information

Line Voltage (Volts)	Line Current (Amps)	Freq. (Hertz)	Branch Cir. Protection (Amps)
115	10	60	15

Line Cord / Plug Specification
Single phase two wire & ground
Plug Config. - NEMA 5-15P

Power Consumption (Watts)*
Running: 97
Standby: N/A

Agency Approvals

UL of Canada to CB scheme and US differences, Ref number 35845

Section III - Supplies

	Xerox Part No.	Material Safety Data Sheet
N/A	N/A	N/A

Section IV - Environmental Information

Product Size (Centimeters/Inches)	Heat Emission* (BTU/HR)	Environmental Limitations	
		<u>Min</u>	<u>Max</u>
D: 76.2 / 30	Running: 331	Relative Humidity (%) 15	85
W: 76.2 / 30	Standby: 331	Ambient Temp. (°C) 16	32
H: 76.2 / 30			

Floor Space Requirements
(Meters/Feet)
D: 88.9 / 35
W: 88.9 / 35

Weight
(K Grams/Lbs.)
16.5 / 36.4

* Based on a five-minute average

Section V - Emission/Exposure Information*

Light Source

N/A

Electromagnetic Emissions

US FCC: Class B
 Canada DOC: Class B

Audible Noise

TLV

Run N/A
 Standby N/A
 Impulse N/A

Ozone

TLV

N/A

N/A

Dust

TLV

N/A

Section VI - Product Recycling and Disposal

This product may contain lead, mercury and other materials whose disposal may be regulated due to environmental considerations. For recycling and disposal information, contact your local authorities. In the United States, you may also refer to the Electronic Industries Alliance web site: www.eiae.org.

For information on Xerox's worldwide equipment return and recycling programs, visit www.xerox.com (refer to "Environment, Health and Safety" section).

* **TLV** (Threshold Limit Value) and **PEL** (Permissible Exposure Level) respectively set by American Conference of Government Industrial Hygienists and by Occupational Safety and Health Administration. These levels are considered maximum exposure permitted to ensure no health hazard. **TWA** (Time Weighted Average) for a normal eight hour workday. **STEL** (Short Term Exposure Level).

All measurements were made on products performing within established operating specifications and received recommended maintenance procedures. Xerox certifies that this product meets or exceeds the applicable standards for safety and emissions.