

Recommended Materials List for Xerox 700

Review Date: 7/10/2008

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2007 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

RECOMMENDED MATERIALS LIST- Xerox 700

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Xerox 700 Trays / Weight Selection and Best Practices for Operation																	
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6		IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6		IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6		IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6		IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6		IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6		IOT: Trays 1, 2, 3 Bypass: Tray 5 OHCF: Tray 6					
Weight Range Specification								60 - 80 gsm		81 - 90 gsm		91 - 105 gsm		106 - 128 gsm		129 - 150 gsm		151 - 176 gsm		177 - 220 gsm		221 - 256 gsm		257 - 300 gsm	
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex		Simplex		Simplex		Simplex		Simplex		Simplex		Simplex		Simplex		Simplex	
Business Papers (Monochrome, and text printing)		Decurler Setting paper type						Xerographic/ Bond																	
Xerox Business 4200, 20 LB 8.5 x 11, 3-Hole Drilled*		3R2047				20	75	OK All Trays	OK All Trays																
		3R2641				20	75	OK All Trays	OK All Trays																
			3R2051			20	75	OK All Trays	OK All Trays																
				3R3761		20	75	OK All Trays	OK All Trays																
Xerox Business 4200 Ring Tuff (3-Hole*)		3R4299				20	75	OK All Trays	OK All Trays																
Xerox Business Plus 8.5 x 11, 3-Hole Drilled*		3R11600				20	75	OK All Trays	OK All Trays																
		3R11601				20	75	OK All Trays	OK All Trays																
			3R11602			20	75	OK All Trays	OK All Trays																
				3R11603		20	75	OK All Trays	OK All Trays																
Xerox Digital Laser Opaque, 24 LB		3R5667				24	90			OK All Trays	OK All Trays														
				3R5669		24	90			OK All Trays	OK All Trays														
Xerox Digital Laser Opaque, 28 LB		3R5725				28	105					OK All Trays	OK All Trays												
Premium Papers (Color and High Area Coverage applications)		Decurler Setting paper type						Xerographic/ Bond																	
Xerox Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11540				24	90			OK All Trays	OK All Trays														
		3R11541				24	90			OK All Trays	OK All Trays														
			3R11542			24	90			OK All Trays	OK All Trays														
				3R11543		24	90			OK All Trays	OK All Trays														
Xerox Graphic Xpressions (True White), 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11152				24	90			OK All Trays	OK All Trays														
		3R11153				24	90			OK All Trays	OK All Trays														
				3R11154		24	90			OK All Trays	OK All Trays														
Xerox Color Xpressions +, 28 LB 8.5 x 11, 3-Hole Drilled*	A	3R11545				28	105					OK All Trays	OK All Trays												
		3R11546				28	105					OK All Trays	OK All Trays												
				3R11549		28	105					OK All Trays	OK All Trays												
					3R11548	28	105					OK All Trays	OK All Trays												
Xerox Graphic Xpressions (True White), 28 LB	A	3R5529				28	105					OK All Trays	OK All Trays												
				3R5530		28	105					OK All Trays	OK All Trays												
					3R5531	28	105					OK All Trays	OK All Trays												
Xerox Color Xpressions +, 32 LB	B	3R11550				32	120							OK All Trays	OK All Trays										
				3R11551		32	120							OK All Trays	OK All Trays										
					3R11552	32	120							OK All Trays	OK All Trays										
Index Stocks		Decurler Setting paper type						Index Weight																	
Xerox 90# Index, 90 LB		3R3004				90	163													OK All Trays	OK All Trays				
				3R5102		90	163													OK All Trays	OK All Trays				
Xerox Digital Laser Opaque, 65 LB		3R6383				110	199														OK All Trays	OK All Trays			
Uncoated Cover Stocks		Decurler Setting paper type						Cover Weight																	
Xerox 65# Cover, 65 LB		3R3041				65	176														OK All Trays	OK All Trays			
Xerox Digital Laser Opaque, 65 LB		3R5678				65	176														OK All Trays	OK All Trays			
				3R5679		65	176														OK All Trays	OK All Trays			
Premium Uncoated Cover Stocks		Decurler Setting paper type						Cover Weight																	
Xerox Color Xpressions +, 60 LB Cover	A	3R11553				60	163														OK All Trays	OK All Trays			
				3R11554		60	163														OK All Trays	OK All Trays			
					3R11555	60	163														OK All Trays	OK All Trays			
Xerox Graphic Xpressions (True White), 65 LB Cover	A	3R5533				65	176														OK All Trays	OK All Trays			
				3R5534		65	176														OK All Trays	OK All Trays			
					3R5535	65	176														OK All Trays	OK All Trays			
Xerox Color Xpressions +, 80 LB Cover	A	3R11556				80	216															OK All Trays	OK All Trays		
				3R11557		80	216															OK All Trays	OK All Trays		
					3R11558	80	216															OK All Trays	OK All Trays		
Xerox Graphic Xpressions (True White), 80 LB Cover	A	3R5537				80	216															OK All Trays	OK All Trays		
				3R5538		80	216															OK All Trays	OK All Trays		
					3R5539	80	216															OK All Trays	OK All Trays		
Xerox Graphic Xpressions (True White), 100 LB Cover	A	3R11160				100	270																		
				3R11161		100	270																		
					3R11162	100	270																		
Coated Text or Book Stock		Decurler Setting paper type						Text Weight																	
C2S																									
Xerox Digital Color Select Gloss 60# Text	A			3R11500		60	90			OK All Trays	OK All Trays														
					3R11501	60	90			OK All Trays	OK All Trays														
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120					OK All Trays	OK All Trays												
				3R11451		80	120					OK All Trays	OK All Trays												
					3R11452	80	120					OK All Trays	OK All Trays												
Xerox Digital Color Select Gloss 80# Text	A			3R11503		80	120					OK All Trays	OK All Trays												
					3R11504	80	120					OK All Trays	OK All Trays												
Xerox Digital Color Elite Gloss 100# Text	A	3R11454				100	140							OK All Trays	OK All Trays										
				3R11455		100	140							OK All Trays	OK All Trays										
					3R11456	100	140							OK All Trays	OK All Trays										
Xerox Digital Color Select Gloss 100# Text	A			3R11510		100	140									OK All Trays	OK All Trays								
					3R11511	100	140									OK All Trays	OK All Trays								
Xerox Digital Color Elite Silk 80# Text	A	3R11470				80	120					OK All Trays	OK All Trays												
				3R11471		80	120					OK All Trays	OK All Trays												
					3R11472	80	120					OK All Trays	OK All Trays												
Xerox Digital Color Elite Silk 100# Text	A	3R11474																							

RECOMMENDED MATERIALS LIST- Xerox 700

	Standard Cut Sizes	Basis Weight (lb)	Grammage Weight (gsm)	Xerox 700 Trays / Weight Selection and Best Practices for Operation																					
				8.5X11 216x279 mm		8.5X14 216x356 mm		Short Grain 17x11 432x279 mm		Short Grain 18x12 457x305 mm		IOT: Trays 1, 2, 3, 4 HCF: Tray 5		IOT: Trays 1, 2, 3, 4 HCF: Tray 5		IOT: Trays 1, 2, 3, 4 HCF: Tray 5		IOT: Trays 1, 2, 3, 4 HCF: Tray 5		IOT: Trays 1, 2, 3, 4 HCF: Tray 5		IOT: Trays 1, 2, 3, 4 HCF: Tray 5		IOT: Trays 1, 2, 3, 4 HCF: Tray 5	
				Weight Range Specification																					
Coated Cover Stock C2S				60 - 80 gsm		81 - 90 gsm		91 - 105 gsm		106 - 128 gsm		129 - 150 gsm		151 - 176 gsm		177 - 220 gsm		221 - 256 gsm		257 - 300 gsm					
Instructions for Printing one (Simplex) or two (Duplex) sides				Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex			
Decurler Setting paper type			Cover Weight																						
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458		80	210																				
			3R11459		80	210																			
			3R11460		80	210																			
Xerox Digital Color Select Gloss 80# Cover	A		3R11506		80	210																			
				3R11507	80	210																			
Xerox Digital Color Elite Gloss 100# Cover	A	3R11462		100	280																				
			3R11463		100	280																			
			3R11464		100	280																			
Xerox Digital Color Select Gloss 100# Cover	A		3R11513		100	280																			
				3R11514	100	280																			
Xerox Digital Color Elite Gloss 110# Cover	A	3R11466		110	300																				
			3R11467		110	300																			
				3R11468	110	300																			
Xerox Digital Color Elite Silk 80# Cover	A	3R11478		80	210																				
			3R11479		80	210																			
				3R11480	80	210																			
Xerox Digital Color Elite Silk 100# Cover	A	3R11482		100	280																				
			3R11483		100	280																			
				3R11484	100	280																			
Xerox Digital Color Elite Silk 110# Cover	A	3R11486		110	300																				
			3R11487		110	300																			
				3R11488	110	300																			
Super Gloss Coated Cover Stock C1S				No weight equiv. Trade unit is calper																					
Load coated side up. Image quality will be best on first side.																									
Xerox Digital Color Supreme Gloss 8pt. Cover C1S	A	3R11430		8 pt	160																				
			3R11431		8 pt	160																			
				3R11432	8 pt	160																			
Xerox Digital Color Supreme Gloss 10pt. Cover C1S	A	3R11434		10 pt	210																				
			3R11435		10 pt	210																			
				3R11436	10 pt	210																			
Xerox Digital Color Supreme Gloss 12pt. Cover C1S	A	3R11438		12 pt	250																				
			3R11439		12 pt	250																			
				3R11440	12 pt	250																			
Transparencies				Transparencies																					
Xerox Removable Stripe Transparencies				Default																					
Load with stripe down				OHP		NA																			
Specialties				Decurler Setting paper type		Various Categories		Approximately																	
Xerox Supreme Gloss Greeting Cards, 10 pt Cover C1S Folds to 8.5"x5.5"				A		3R6340		10 pt		210															
Xerox Trifold Brochures				A		3R12310		32lb. Xero / Bond		120															
Xerox Supreme Gloss Trifold Brochures, 8 pt Cover C1S				A		3R6348		8 pt		160															
Xerox DocuPac Folders (9.3" x 11.7")				A		3R4885		NA		160															
Xerox High Gloss Coated Presentation Folders (9x11")				A		3R5570		8 pt		160															
Xerox Docupac Laser Folders				A		3R5105		NA		160															
Xerox Color Xpressions + Document Folder				A				3R12406		80 lb. Cover		216													
Xerox 10 pt. Supreme Gloss Document Folder				A				3R12407		10 pt.		210													
Xerox Digital Color Premium Business Cards (10 UP)				A		3R12321		NA		250															
Tinted and textured stocks				Decurler Setting paper type		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.		Xerographic/ Bond																	
Offset/ Text weights				A		3R11164		28		105															
Xerox Graphic Xpressions Cream White, 28/ 70 LB.								3R11168		28		105													
								3R11172		28		105													
Xerox Graphic Xpressions Warm White, 28/ 70 LB.				A		3R11165		28		105															
								3R11169		28		105													
								3R11173		28		105													
Tinted and textured stocks				Decurler Setting paper type		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.		Cover Weight																	
Cover weights				A		3R11176		80		216															
Xerox Graphic Xpressions Cream White, 80 LB. Cover								3R11180		80		216													
								3R11184		80		216													
Xerox Graphic Xpressions Warm White, 80 LB. Cover				A		3R11177		80		216															
								3R11181		80		216													
								3R11185		80		216													
Label Stock				Decurler Setting paper type		Label Stocks		Approximately																	
Xerox Digital Color Xpressions Gloss Coated Labels				A		3R5770		NA		190															
1 UP 8.5 x 11 (die cut face)				A		3R12370		NA		190															
1 UP 8.5 x 11 (full sheet)				A		3R5771		NA		190															
4 UP 8.5 x 11				A		3R6322		NA		190															
CD-ROM 8.5 x 11				A		3R12372		NA		190															
6-up CD-ROM 11"x17"				A																					
Xerox Digital Color Xpressions Matte Coated Labels				A		3R5772		NA		190															
1 UP 8.5 x 11 (die cut face)				A		3R12371		NA		190															
1 UP 8.5 x 11 (full sheet)				A		3R5773		NA		190															
4 UP 8.5 x 11				A		3R6332		NA		190															
10 UP 8.5 x 11				A		3R6333		NA		190															
30 UP 8.5 x 11				A		3R6330		NA		190															
CD-ROM 8.5 x 11				A																					
6-up CD-ROM 11"x17"				A		3R12373		NA		190															

* OHP Refers to Overhead projector
 ** See "Specialty Media Guide: hints and tips" document for special run instructions
 *** Maximum of 50 sheet stacks in tray 3