

# Recommended Xerox Media for WorkCenter C2424 and Phaser 8560 MFP

For use in the US and Canada

Revision 6.0, Publish Date: January, 2010

## Important Notes:

All media are listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests\* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

\*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%.

\*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to [www.xerox.com](http://www.xerox.com).

© 2009 Xerox Corporation. All rights reserved.

xerox®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Plain/Bond/Recycled (64-105gsm)   
 Card Stock (120 -216 gsm)   
 Special  Label   
 Transparency

**WorkCenter C2424 MFP &  
Phaser 8560 MFP  
North American RML**

A=Auto Duplex  
 M=Manual Duplex  
 S=Simplex Only



\* Except for Transparency the front Panel setting primarily identifies for the driver what media is loaded in the tray. Print quality and speeds between these modes will be similar.

| Paper                                   | Paper Type* | Weight                | Re-Order # | Type          | Size     | Trays |   |   |   | Additional Information   |
|---|-------------|-----------------------|------------|---------------|----------|-------|---|---|---|--|
|   |             |                       |            |               |          | 1/MPT | 2 | 3 | 4 |  |
| Color Xpressions Select                 | Plain       | 90gsm<br>24lb Bond    | 3R11540    | 3-hole        | 8.5 x 11 | A     | A | A | A | Do not print over the pre-punched holes in the media. Load in Tray 2 with holes on the right side of the tray. |
|   |             |                       | 3R11541    |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11542    |               | 8.5 x 14 | A     | A | A | A |  |
| Color Xpressions Elite                  | Plain       | 105gsm<br>28lb Bond   | 3R11760    |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11764    |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11767    |               | 8.5 x 11 | M     | M | M | M |  |
|   |             |                       | 3R11770    |               | 8.5 x 11 | M     |   |   |   |  |
| Color Xpressions Planet 20              | Plain       | 105gsm/<br>28lb Bond  | 3R11800    |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11803    |               | 8.5 x 11 | M     |   |   |   |  |
|   |             |                       | 3R11806    |               | 8.5 x 11 | M     |   |   |   |  |
| Planet 30<br>Cream White and Warm White | Card Stock  | 105gsm/<br>28lb Bond  | 3R11820    | Cream White   | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11823    | Warm White    | 8.5 x 11 | A     | A | A | A |  |
|   | Card Stock  | 216gsm/<br>80lb Cover | 3R11826    | Cream White   | 8.5 x 11 | M     |   |   |   |  |
|   |             |                       | 3R11829    | Warm White    | 8.5 x 11 | M     |   |   |   |  |
| Color Xpressions Planet 100             | Card Stock  | 105gsm<br>28lb Bond   | 3R11815    |               | 8.5 x 11 | A     | A | A | A |  |
| Xerox Business Plus                     | Plain       | 75gsm/<br>20lb Bond   | 3R11600    |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11604    | Junior Carton | 8.5 x 11 | A     | A | A | A |  |
| Xerox Digital Laser Opaque - 94 Brite   | Plain       | 68 gsm/<br>18lb Bond  | 3R5670     |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R5664     |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R5667     |               | 8.5 x 11 | A     | A | A | A |  |
| Xerox Business 4200                     | Plain       | 75gsm/<br>20lb Bond   | 3R2047     | 3-hole        | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R2641     |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R2051     |               | 8.5 x 14 | A     | A | A | A |  |
|   | Plain       | 90gsm<br>24lb Bond    | 3R2531     |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R3317     |               | 8.5 x 11 | A     | A | A | A |  |

Plain/Bond/Recycled (64-105gsm) ■  
 Card Stock (120 -216 gsm) ■  
 Special ■ Label ■  
 Transparency ■

**WorkCenter C2424 MFP &  
 Phaser 8560 MFP  
 North American RML**

\* Except for Transparency the front Panel setting primarily identifies for the driver what media is loaded in the tray. Print quality and speeds between these modes will be similar.

A=Auto Duplex  
 M=Manual Duplex  
 S=Simplex Only



| Paper                                  | Paper Type*  | Weight               | Re-Order #      | Type                  | Size     | Trays |   |   |   | Additional Information  |
|--|--------------|----------------------|-----------------|-----------------------|----------|-------|---|---|---|---|
|  |              |                      |                 |                       |          | 1/MPT | 2 | 3 | 4 |   |
| Xerox Business 4200 Perforated Paper   | Plain        | 75gsm/<br>20lb Bond  | 3R12166         | Horizontal Perforated | 8.5 x 11 | A     | A | A | A | Horizontal Perforated Media may feed at a lower rate than the base media sheet without perms.   |
|  |              |                      | 3R5126          | Horizontal Perforated | 8.5 x 11 | A     | A | A | A |   |
|  |              |                      | 3R5125          | Horizontal Perforated | 8.5 x 11 | A     | A | A | A |   |
|  |              |                      | 3R4175          | Vertical Perforated   | 8.5 x 11 | A     | A | A | A |   |
| Xerox Business 4200 (Security)         | Plain        | 90gsm<br>24lb Bond   | 3R4901          | Horizontal Perforated | 8.5 x 11 | A     | A | A | A | Horizontal Perforated Media may feed at a lower rate than the base media sheet without perms.   |
|  |              |                      | 3R5820          | W2 Form               | 8.5 x 11 | A     | A | A | A |   |
| Xerox Business Recycled                | Plain        | 75gsm/<br>20lb Bond  | 3R5431          | Blue                  | 8.5 x 11 | A     | A | A | A | Horizontal Perforated Media may feed at a lower rate than the base media sheet without perms.   |
|  |              |                      | 3R5430          | Green                 | 8.5 x 11 | A     | A | A | A |   |
|  |              |                      | 3R6296          |                       | 8.5 x 11 | A     | A | A | A |   |
| Xerox Carbonless Paper                 | Plain        | 80gsm                | 3R6297 (3-hole) |                       | 8.5 x 11 | A     | A | A | A | Do not print over the pre-punched holes in the media. Load in Tray 2 with holes on the right side of the tray.  |
|  |              |                      | 3R6298          |                       | 8.5 x 14 | A     | A | A | A |   |
|  |              |                      | 3R12420         | 2pt w/c               | 8.5 x 11 | A     | A | A |   |   |
| Xerox Professional Business Cards      | Card Stock   | 225gsm               | 3R12421         | 2pt w/p               | 8.5 x 11 | A     | A | A |   | For occasional use at typical office environments - Best handling for Carbonless will be from Tray 2. Visible pick marks on the media is expected. Additional image quality defects may be caused by exclusive long term running of this media. This media is also susceptible to a low level of misfeeds, which will cause the media to be out of order. |
|  |              |                      | 3R12425         | 3pt w/c/p             | 8.5 x 11 | A     | A | A |   |   |
|  |              |                      | 3R12506         |                       | 8.5 x 11 | S     | S |   |   |   |
| Xerox Digital Color Duradocument       | Special      | 100gsm/<br>27lb Bond | 3R12314         |                       | 8.5 x 11 | A     | A | A | A | For occasional use at typical office environments   |
| Xerox Ink Jet/ Laser White Labels      | Label        |                      | 3R12050         | 33 up                 | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12051         | 30 up                 | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12052         | 24 up                 | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12053         | 20 up                 | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12054         | 14 up                 | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12055         | 10 up                 | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12056         | 8 up                  | 8.5 x 11 | S     | S |   |   |   |
|  |              |                      | 3R12057         | 1 up                  | 8.5 x 11 | S     | S |   |   |   |
| Xerox High Speed Labels                | Label        |                      | 3R4476          | 1-up                  | 8.5 x 11 | S     | S | S | S |   |
|  |              |                      | 3R3146          | 6-up                  | 8.5 x 11 | S     | S | S | S |   |
|  |              |                      | 3R4475          | 8-up                  | 8.5 x 11 | S     | S | S | S |   |
|  |              |                      | 3R5719          | 14-up                 | 8.5 x 11 | S     | S | S | S |   |
|  |              |                      | 3R4474          | 24-up                 | 8.5 x 11 | S     | S | S | S |   |
|  |              |                      | 3R3139          | 33-up                 | 8.5 x 11 | S     | S | S | S |   |
| Xerox Color Printer Clear Transparency | Transparency |                      | 3R12505         |                       | 8.5 x 11 | S     | S | S | S | This transparency may be imaged on either side. Use Transparency selection in driver or tray to guarantee best results.   |

**WARRANTY DISCLAIMER**  
 Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199(English) or 1-800-668-0133 (Francais).

© 2009 Xerox Corporation. All rights reserved.

xerox®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

