

## Recommended Xerox Media for North America

ColorQube 9201 / 9202 / 9203

ColorQube 9301 / 9302 / 9303

For use in the US and Canada

Publish date: May, 2011

### Important Notes:

All media are listed by product, front panel selection mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests\* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

\*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.








\*Machine reliability specifications may be affected by increased usage of the Transparency, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to [www.xerox.com](http://www.xerox.com).

© 2008 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



|   |  |  |
|---|--|--|
| Plain        | Recycled      | Glossy        |
| Heavy        | Pre-punched   | Transparency  |
| Extra Heavy  | Pre-cut Tabs  | Label         |

**ColorQube 9201/9202/9203  
ColorQube 9301/9302/9303  
Recommended Media List  
North America  
May 2011**

A = Auto Duplex  
S = Simplex Only  
N/P = Non-Printing  
SEF = Short Edge Feed  
LEF = Long Edge Feed



Trays










Trays

**Additional Information Note:** Tray 5  
/PFP Normal Config. & Options)  
Normal configuration:  
A4 LEF and Letter LEF sizes.  
Upgrade kits:  
Option 1 - Legal/Letter/A4 SEF  
Option 2 - Tabloid/Letter/A3 SEF, A4 LEF

| Paper | Front Panel Selection | Weight | Re-Order #<br>(Click to link to order page) | Type | Size | 1 | 2 | 3 | 4/MSI | 5/PFP |
|-------|-----------------------|--------|---|------|------|---|---|---|-------|-------|
|-------|-----------------------|--------|---|------|------|---|---|---|-------|-------|

**Uncoated Papers**

|                             |                       |                       |                    |             |                     |        |        |   |        |   |  |
|-----------------------------|-----------------------|-----------------------|--------------------|-------------|---------------------|--------|--------|---|--------|---|--|
| Color Xpressions Select     | Plain                 | 90gsm<br>24lb Bond    | 3R11540            |             | 8.5 x 11            | A      | A      | A | A      | A   | * Handled with Option 2 enabled only<br>** Handled with Option 1 enabled only<br>Avoid printing over prepunched holes                              |
|                             | Pre-punched           |                       | 3R11541            | Pre-punched | 8.5 x 11            | A      | A      | A | A      | A   |  |
|                             | Plain                 |                       | 3R11542<br>3R11543 |             | 8.5 x 14<br>17 x 11 | A<br>A | A<br>A |   | A<br>A | A*<br>A**   |  |
| Color Xpressions Elite      | Plain                 | 105gsm<br>28lb Bond   | 3R11760            |             | 8.5 x 11            | A      | A      | A | A      | A   | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only<br>Avoid printing over prepunched holes            |
|                             | Pre-punched           |                       | 3R11761            | Pre-punched | 8.5 x 11            | A      | A      | A | A      | A   |  |
|                             | Plain                 |                       | 3R11762<br>3R11763 |             | 17 x 11<br>18 x 12  | A<br>A | A<br>A |   | A<br>A | A**   |  |
|                             | Heavy                 | 120gsm/<br>32lb Bond  | 3R11764            |             | 8.5 x 11            | A      | A      | A | A      | A   | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only  |
|                             |                       |                       | 3R11765            |             | 17 x 11             | A      | A      |   | A      | A**   |  |
|                             |                       |                       | 3R11766            |             | 18 x 12             |        |        |   | A      |   |  |
|                             | Heavy                 | 163gsm/<br>60lb Cover | 3R11767            |             | 8.5 x 11            | A      | A      | A | A      | A   | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only  |
|                             |                       |                       | 3R11768            |             | 17 x 11             | A      | A      |   | A      | A**   |  |
|                             |                       |                       | 3R11769            |             | 18 x 12             |        |        |   | A      |   |  |
|                             | Extra Heavy           | 216gsm/<br>80lb Cover | 3R11770            |             | 8.5 x 11            | A      | A      | A | A      | A   | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only<br>In general - best handling from trays 1,2,4 & 5 |
|                             | 3R11771               |                       |                    | 17 x 11     | A                   | A      |        | A | A**    |   |  |
|                             | 3R11772               |                       |                    | 18 x 12     |                     |        |        | A |        |   |  |
| Color Xpressions Planet 20  | Recycled              | 105gsm<br>28lb Bond   | 3R11800            | 20% PCRC    | 8.5 x 11            | A      | A      | A | A      | A   | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only  |
|                             |                       |                       | 3R11801            | 20% PCRC    | 17 x 11             | A      | A      |   | A      | A**   |  |
|                             |                       |                       | 3R11802            | 20% PCRC    | 18 x 12             |        |        |   | A      |   |  |
|                             | Heavy                 | 176gsm/<br>65lb Cover | 3R11803            | 20% PCRC    | 8.5 x 11            | A      | A      | A | A      | A   | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only  |
|                             |                       |                       | 3R11804            | 20% PCRC    | 17 x 11             | A      | A      |   | A      | A**   |  |
|                             |                       |                       | 3R11805            | 20% PCRC    | 18 x 12             |        |        |   | A      |   |  |
| Extra Heavy                 | 216gsm/<br>80lb Cover | 3R11806               | 20% PCRC           | 8.5 x 11    | A                   | A      | A      | A | A      | Deliver output to top tray only for 18 x 12 paper size<br>** Handled with Option 1 enabled only |  |
|                             |                       | 3R11807               | 20% PCRC           | 17 x 11     | A                   | A      |        | A | A**    |   |  |
|                             |                       | 3R11808               | 20% PCRC           | 18 x 12     |                     |        |        | A |        |   |  |
| Color Xpressions Planet 100 | Recycled              | 105gsm<br>28lb Bond   | 3R11815            | 100% PCRC   | 8.5 x 11            | A      | A      | A | A      | A   |  |
| Digital Publishing Paper    | Plain                 | 75gsm<br>20lb Bond    | 3R11753            |             | 8.5 x 11            | A      | A      | A | A      | A   | ** Handled with Option 1 enabled only  |
|                             |                       | 90gsm<br>24lb Bond    | 3R11755            |             | 17 x 11             | A      | A      |   | A      | A**   | ** Handled with Option 1 enabled only  |

Plain  Recycled  Glossy   
 Heavy  Pre-punched  Transparency   
 Extra Heavy  Pre-cut Tabs  Label 

**ColorQube 9201/9202/9203  
 ColorQube 9301/9302/9303  
 Recommended Media List  
 North America  
 May 2011**

A = Auto Duplex  
 S = Simplex Only  
 N/P = Non-Printing  
 SEF = Short Edge Feed  
 LEF = Long Edge Feed



Trays

Trays

**Additional Information Note:** Tray 5  
 /PPF Normal Config. & Options)  
 Normal configuration:  
 A4 LEF and Letter LEF sizes.  
 Upgrade kits:  
 Option 1 - Legal/Letter/A4 SEF  
 Option 2 - Tabloid/Letter/A3 SEF, A4 LEF

| Paper | Front Panel Selection | Weight | Re-Order #<br>(Click to link to order page) | Type | Size | 1 | 2 | 3 | 4/MSI | 5/PPF |
|-------|-----------------------|--------|---|------|------|---|---|---|-------|-------|
|-------|-----------------------|--------|---|------|------|---|---|---|-------|-------|

**Environmental Papers**

|                                |          |                    |  |   |   |                  |                  |                  |                  |                     |
|--------------------------------|----------|--------------------|--|---|---|------------------|------------------|------------------|------------------|---------------------|
| FSC Certified Business 4200    | Plain    | 75gsm<br>20lb Bond | <a href="#">3R11750</a>  |   | 8.5 x 11                                    | A                | A                | A                | A                | A                   |
|                                | Recycled | 75gsm<br>20lb Bond | <a href="#">3R6296</a><br><a href="#">3R6297</a><br><a href="#">3R6298</a><br><a href="#">3R6299</a> | 30% PCRC<br>Pre-punched<br>30% PCRC<br>30% PCRC | 8.5 x 11<br>8.5 x 11<br>8.5 x 14<br>17 x 11 | A<br>A<br>A<br>A | A<br>A<br>A<br>A | A<br>A<br>A<br>A | A<br>A<br>A<br>A | A<br>A<br>A*<br>A** |
| Xerox 100% Recycled Bond paper | Recycled | 75gsm<br>20lb Bond | <a href="#">3R11376</a>  | 100% PCRC                                       | 8.5 x 11                                    | A                | A                | A                | A                | A                   |

\* Handled with Option 2 enabled only  
 \*\* Handled with Option 1 enabled only  
 Avoid printing over prepunched holes

**Multipurpose Papers**

|               |                        |                        |                        |             |          |   |   |   |     |     |
|---------------|------------------------|------------------------|------------------------|-------------|----------|---|---|---|-----|-----|
| Business 4200 | Plain                  | 75gsm<br>20lb Bond     | <a href="#">3R2047</a> |             | 8.5 x 11 | A | A | A | A   | A   |
|               | Pre-punched            |                        | <a href="#">3R2641</a> | Pre-punched | 8.5 x 11 | A | A | A | A   | A   |
|               | Plain                  |                        | <a href="#">3R2051</a> |             | 8.5 x 14 | A | A |   | A   | A*  |
|               | Plain                  |                        | <a href="#">3R3761</a> |             | 17 x 11  | A | A |   | A   | A** |
|               | Plain                  | 90gsm<br>24lb Bond     | <a href="#">3R2531</a> |             | 8.5 x 11 | A | A | A | A   | A   |
|               | Pre-punched            |                        | <a href="#">3R3317</a> | Pre-punched | 8.5 x 11 | A | A | A | A   | A   |
| Plain         | <a href="#">3R3871</a> |                        |                        | 17 x 11     | A        | A |   | A | A** |     |
| Plain         | 105gsm<br>28lb Bond    | <a href="#">3R3873</a> |                        | 17 x 11     | A        | A |   | A | A** |     |

\* Handled with Option 2 enabled only  
 \*\* Handled with Option 1 enabled only  
 Avoid printing over prepunched holes

\*\* Handled with Option 1 enabled only  
 Avoid printing over prepunched holes

\*\* Handled with Option 1 enabled only







**Multipurpose Plus**

|   |       |                    |  |  |  |                       |                       |                       |                       |   |
|---|-------|--------------------|--|--|--|-----------------------|-----------------------|-----------------------|-----------------------|---|
| Multipurpose Plus                                     | Plain | 75gsm<br>20lb Bond | <a href="#">3R11029</a>  |  | 8.5 x 11   | A                     | A                     | A                     | A                     | A |
| Business 4200<br>(Security/Checkstock and Perforated) | Plain | 75gsm<br>20lb Bond | <a href="#">3R4175</a>   | 1/2" vert. perf  | 8.5 x 11   | A                     | A                     | A                     | A                     | A |
|   |       |                    | <a href="#">3R5125</a>   | 3-1/2" horiz. Perf   | 8.5 x 11   | A                     | A                     | A                     | A                     | A |
|   |       |                    | <a href="#">3R5126</a>   | 3-2/3" horiz. Perf   | 8.5 x 11   | A                     | A                     | A                     | A                     | A |
|   |       |                    | <a href="#">3R12166</a>  | 5-1/2" Horiz. Perf   | 8.5 x 11   | A                     | A                     | A                     | A                     | A |
|   | Plain | 90gsm<br>24lb Bond | <a href="#">3R5430</a><br><a href="#">3R5431</a><br><a href="#">3R5820</a><br><a href="#">3R4900</a><br><a href="#">3R4901</a> | Greencheck stock<br>Blue check stock<br>W-2 Form<br>3-1/2" Horiz. Perf<br>3-2/3" Horiz. Perf | 8.5 x 11<br>8.5 x 11<br>8.5 x 11<br>8.5 x 11<br>8.5 x 11 | A<br>A<br>A<br>A<br>A | A<br>A<br>A<br>A<br>A | A<br>A<br>A<br>A<br>A | A<br>A<br>A<br>A<br>A |   |

**Carbonless Papers**

|                                  |       |                    |                         |                             |          |   |   |   |   |  |
|----------------------------------|-------|--------------------|-------------------------|-----------------------------|----------|---|---|---|---|--|
| Premium Digital Carbonless Paper | Plain | 75gsm<br>20lb Bond | <a href="#">3R12420</a> | W/C 2 part straight/reverse | 8.5 x 11 | S | S | S | S |  |
|                                  | Plain | 75gsm<br>20lb Bond | <a href="#">3R12421</a> | W/P 2 part straight/reverse | 8.5 x 11 | S | S | S | S |  |
|                                  | Plain | 75gsm<br>20lb Bond | <a href="#">3R12425</a> | W/C/P 3 part straight       | 8.5 x 11 | S | S | S | S |  |

For limited or occasional use. Assure proper loading in accordance with arrows on ream indicating print side. Best handling limited to MSI (tray 4) and OCT/Top Tray.

|   |  |  |
|---|--|--|
| Plain         | Recycled       | Glossy         |
| Heavy        | Pre-punched   | Transparency  |
| Extra Heavy  | Pre-cut Tabs  | Label         |

**ColorQube 9201/9202/9203  
ColorQube 9301/9302/9303  
Recommended Media List  
North America  
May 2011**

A = Auto Duplex  
S = Simplex Only  
N/P = Non-Printing  
SEF = Short Edge Feed  
LEF = Long Edge Feed



| Paper | Front Panel Selection | Weight | Re-Order #<br>(Click to link to order page) | Type | Size | Trays |   |   |       |       |
|-------|-----------------------|--------|---|------|------|-------|---|---|-------|-------|
|       |                       |        |   |      |      | 1     | 2 | 3 | 4/MSI | 5/PFP |

**Trays**

**Additional Information Note:** Tray 5  
/PFP Normal Config. & Options)  
Normal configuration:  
A4 LEF and Letter LEF sizes.  
Upgrade kits:  
Option 1 - Legal/Letter/A4 SEF  
Option 2 - Tabloid/Letter/A3 SEF, A4 LEF

**Labels**

|                    |       |        |                         |       |          |  |  |  |   |  |
|--------------------|-------|--------|-------------------------|-------|----------|--|--|--|---|--|
| Plain Paper Labels | Label | 160gsm | <a href="#">3R12050</a> | 33-up | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12051</a> | 30-up | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12052</a> | 24-up | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12053</a> | 20-up | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12054</a> | 14-up | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12055</a> | 10-up | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12056</a> | 8-up  | 8.5 x 11 |  |  |  | S |  |
|                    |       |        | <a href="#">3R12057</a> | 1-up  | 8.5 x 11 |  |  |  | S |  |

Best handling limited to MSI (tray 4) and OCT/Top Tray.

**Tabs, Dividers & Transparency**

|   |              |        |                        |            |        |  |  |  |     |  |
|---|--------------|--------|------------------------|------------|--------|--|--|--|-----|--|
| Multipurpose Plain Tabs<br>(single reverse) | Pre-cut Tabs | 160gsm | <a href="#">3R5713</a> | 8 bank     | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R5714</a> | 8 bank 3HD | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R4415</a> | 5 bank     | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R4416</a> | 5 bank 3HD | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R5422</a> | 3 bank     | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R5423</a> | 3 bank 3HD | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R5426</a> | 4 bank     | 9 x 11 |  |  |  | N/P |  |
|   |              |        | <a href="#">3R5427</a> | 4 bank 3HD | 9 x 11 |  |  |  | N/P |  |

This is a non-printing media to be used as a separator of print groups. Feed using MSI (tray 4) with non tab edge on the lead edge. DO NOT USE WITH PPI (insertor).

|  |              |       |                         |       |          |  |  |  |     |  |
|--|--------------|-------|-------------------------|-------|----------|--|--|--|-----|--|
| Xerox Color Printer Clear Transparency | Transparency | 4 mil | <a href="#">3R12505</a> | Clear | 8.5 x 12 |  |  |  | MSI |  |
|--|--------------|-------|-------------------------|-------|----------|--|--|--|-----|--|

For limited or occasional use. MSI preferred. (Paper backed and striped can be used. Select Transparency on FP for best results and follow instructions on feeder.)

**WARRANTY DISCLAIMER**  
Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer.  
When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.  
The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies.  
To learn more about the benefits of using Xerox Supplies. please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Francais).  
© 2008 Xerox Corporation. All rights reserved.  
XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.