

Recommended Materials List for DocuColor 8002 / 7002

Review Date: 7/31/2009

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2009 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

XEROX RECOMMENDED MATERIALS LIST- DocuColor 8002 / 7002

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC8002 / 7002 Weight Selection and Best Practices for Operation											
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4			
Weight Range Specification								60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm	
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex
Business Papers (Bond, xerographic, and laser grades)		Decurler Setting paper type		Xerographic/ Bond															
Xerox Color Xpressions Select, 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11540				24	90			OK All Trays	OK All Trays								
		3R11541				24	90			OK All Trays	OK All Trays								
			3R11542			24	90			OK All Trays	OK All Trays								
Xerox Color Xpressions Planet 20, 28 LB	A	3R11800		3R11543		24	90			OK All Trays	OK All Trays								
				3R11801		28	105			OK All Trays	OK All Trays								
					3R11802	28	105			OK All Trays	OK All Trays								
Xerox Color Xpressions Elite, 28 LB 8.5 x 11, 3-Hole Drilled*	A	3R11760				28	105			OK All Trays	OK All Trays								
		3R11761				28	105			OK All Trays	OK All Trays								
				3R11762		28	105			OK All Trays	OK All Trays								
Xerox Color Xpressions Planet 100, 28 LB	A	3R11815			3R11763	28	105			OK All Trays	OK All Trays								
Xerox Color Xpressions Elite, 32 LB	A	3R11764				32	120					OK All Trays	OK All Trays						
				3R11765		32	120					OK All Trays	OK All Trays						
					3R11766	32	120					OK All Trays	OK All Trays						
Tinted and textured stocks		Decurler Setting paper type		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Xerographic/ Bond											
Offset/ Text weights																			
Xerox Planet 30 Cream White, 28/ 70 LB.	A	3R11820				28	105			OK All Trays	OK All Trays								
				3R11821		28	105			OK All Trays	OK All Trays								
					3R11822	28	105			OK All Trays	OK All Trays								
Xerox Planet 30 Warm White, 28/ 70 LB.	A	3R11823				28	105			OK All Trays	OK All Trays								
				3R11824		28	105			OK All Trays	OK All Trays								
					3R11825	28	105			OK All Trays	OK All Trays								
Uncoated Cover Stocks		Decurler Setting paper type		Cover Weight															
Xerox Color Xpressions Elite, 60 LB Cover	A	3R11767				60	163					OK All Trays	OK All Trays						
				3R11768		60	163			OK All Trays	OK All Trays								
					3R11769	60	163			OK All Trays	OK All Trays								
Xerox Color Xpressions Planet 20, 65 LB Cover	A	3R11803				65	176					OK All Trays	OK All Trays						
				3R11804		65	176			OK All Trays	OK All Trays								
					3R11805	65	176			OK All Trays	OK All Trays								
Xerox Color Xpressions Elite, 80 LB Cover	A	3R11770				80	216							OK All Trays	OK All Trays				
				3R11771		80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
					3R11772	80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
Xerox Color Xpressions Planet 20, 80 LB Cover	A	3R11806				80	216							OK All Trays	OK All Trays				
				3R11807		80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
					3R11808	80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
Xerox Color Xpressions Elite, 100 LB Cover	A	3R11774				100	270									OK All Trays	OK All Trays		
				3R11775		100	270									OK All Trays	OK All Trays		
					3R11776	100	270									OK All Trays	OK All Trays		
Xerox Color Xpressions Planet 20, 100 LB Cover	A	3R11160				100	270									OK All Trays	OK All Trays		
				3R11161		100	270									OK All Trays	OK All Trays		
					3R11162	100	270									OK All Trays	OK All Trays		
Tinted and textured stocks		Decurler Setting paper type		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Cover Weight											
Cover weights																			
Xerox Planet 30 Cream White, 80 LB. Cover	A	3R11826				80	216									OK All Trays	OK All Trays		
				3R11827		80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
					3R11828	80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
Xerox Planet 30 Warm White, 80 LB. Cover	A	3R11829				80	216									OK All Trays	OK All Trays		
				3R11830		80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
					3R11831	80	216			OK All Trays	OK All Trays			OK All Trays	OK All Trays				
Coated Text or Book Stock		Decurler Setting paper type		Text Weight															
C2S																			
Xerox Digital Color Select Gloss 60# Text	A			3R11500		60	90			OK All Trays	OK All Trays								
					3R11501	60	90			OK All Trays	OK All Trays								
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120					OK All Trays	OK All Trays						
					3R11451	80	120					OK All Trays	OK All Trays						
					3R11452	80	120					OK All Trays	OK All Trays						
Xerox Digital Color Select Gloss 80# Text	A			3R11503		80	120					OK All Trays	OK All Trays						
					3R11504	80	120					OK All Trays	OK All Trays						
Xerox Digital Color Elite Gloss 100# Text	A	3R11454				100	140							OK All Trays	OK All Trays				
					3R11455	100	140					OK All Trays	OK All Trays						
					3R11456	100	140					OK All Trays	OK All Trays						
Xerox Digital Color Select Gloss 100# Text	A			3R11510		100	140							OK All Trays	OK All Trays				
					3R11511	100	140					OK All Trays	OK All Trays						
Xerox Digital Color Elite Silk 80# Text	A	3R11470				80	120					OK All Trays	OK All Trays						
					3R11471	80	120					OK All Trays	OK All Trays						
					3R11472	80	120					OK All Trays	OK All Trays						
Xerox Digital Color Elite Silk 100# Text	A	3R11474				100	140							OK All Trays	OK All Trays				
					3R11475	100	140					OK All Trays	OK All Trays						
					3R11476	100	140					OK All Trays	OK All Trays						

* See "Specialty Media Guide: hints and tips" document for special run instructions

XEROX RECOMMENDED MATERIALS LIST- DocuColor 8002 / 7002

	Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC8002 / 7002 Weight Selection and Best Practices for Operation													
	8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4						
Weight Range Specification							60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221- 300 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides							Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Coated Cover Stock	Decurler Setting paper type					Cover Weight														
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458		3R11459		80	210									OK All Trays	OK All Trays			
				3R11460		80	210									OK All Trays	OK All Trays			
Xerox Digital Color Select Gloss 80# Cover	A			3R11506		80	210									OK All Trays	OK All Trays			
					3R11507	80	210									OK All Trays	OK All Trays			
Xerox Digital Color Elite Gloss 100# Cover	A	3R11462				100	280											OK All Trays	OK All Trays	
				3R11463		100	280											OK All Trays	OK All Trays	
					3R11464	100	280											OK All Trays	OK All Trays	
Xerox Digital Color Select Gloss 100# Cover	A			3R11513		100	280											OK All Trays	OK All Trays	
					3R11514	100	280											OK All Trays	OK All Trays	
Xerox Digital Color Elite Gloss 110# Cover	A	3R11466				110	300											OK All Trays	OK All Trays	
				3R11467		110	300											OK All Trays	OK All Trays	
					3R11468	110	300											OK All Trays	OK All Trays	
Xerox Digital Color Elite Silk 80# Cover	A	3R11478				80	210											OK All Trays	OK All Trays	
				3R11479		80	210											OK All Trays	OK All Trays	
					3R11480	80	210											OK All Trays	OK All Trays	
Xerox Digital Color Elite Silk 100# Cover	A	3R11482				100	280											OK All Trays	OK All Trays	
				3R11483		100	280											OK All Trays	OK All Trays	
					3R11484	100	280											OK All Trays	OK All Trays	
Xerox Digital Color Elite Silk 110# Cover	A	3R11486				110	300											OK All Trays	OK All Trays	
				3R11487		110	300											OK All Trays	OK All Trays	
					3R11488	110	300											OK All Trays	OK All Trays	
Super Gloss Coated Cover Stock	Decurler Setting paper type	Load coated side up. Image quality will be best on first side.				No weight equiv. Trade unit is caliper														
Xerox Digital Color Supreme Gloss 8pt. Cover C1S	A	3R11430		3R11431		8 pt	160									OK All Trays	OK All Trays			
					3R11432	8 pt	160									OK All Trays	OK All Trays			
Xerox Digital Color Supreme Gloss 10pt. Cover C1S	A	3R11434				10 pt	210											OK All Trays	OK All Trays	
				3R11435		10 pt	210											OK All Trays	OK All Trays	
					3R11436	10 pt	210											OK All Trays	OK All Trays	
Xerox Digital Color Supreme Gloss 12pt. Cover C1S	A	3R11438				12 pt	250											OK All Trays	OK All Trays	
				3R11439		12 pt	250											OK All Trays	OK All Trays	
					3R11440	12 pt	250											OK All Trays	OK All Trays	
Transparencies	Decurler Setting paper type					Transparencies														
Xerox Removable Stripe Transparency	Default	3R3108	Load with stripe down			OHP	NA													
Xerox Production Printer Transparency	A	3R5764	Image Quality will vary with productivity. 3R5765 is recommended for best results.			NA	NA													
Specialties	Decurler Setting paper type					Various Categories	Approximately													
Xerox Digital Color Supreme Gloss Greeting Cards, 10 pt Cover C1S Folds to 8.5"x5.5"	A	3R6340	Second side image quality is not as good as that obtainable on side one			10 pt	210											OK All Trays	OK All Trays	
Xerox Digital Color Trifold Brochures	A	3R12310				32lb. Xero / Bond	120			OK All Trays	OK All Trays									
Xerox Digital Color Supreme Gloss Trifold Brochures, 8 pt Cover C1S	A	3R6348	Second side image quality is not as good as that obtainable on side one			8 pt	160											OK All Trays	OK All Trays	
Xerox Window Decals, Clear	B	3R6339				NA	NA											OK All Trays		
Xerox Window Decals, Opaque	B	3R12059				NA	NA											OK All Trays		
			3R12315			NA	NA											OK All Trays		
Xerox DocuPac Folders (9.3" x 11.7")	A	3R4885				NA	160											OK All Trays		
Xerox High Gloss Coated Presentation Folders (9x11")	A	3R5570				8 pt	160											OK All Trays		
Xerox Docupac Laser Folders	A	3R5105				NA	160											OK All Trays		
Xerox Color Xpressions + Document Folder	A					3R12406	80 lb. Cover	216											OK All Trays	OK All Trays
Xerox 10 pt. Supreme Gloss Document Folder	A					3R12407	10 pt.	210											OK All Trays	OK All Trays
Xerox DocuCard ID Card (1-UP)*** (50 sheet stacks maximum)	A	3R12348				NA	165											OK All Trays		
Xerox 1-up Uncoated DocuMagnet (Short Edge Feed)**	A	3R12418				60 lb. Cover	163												OK All Trays	Manual Duplex
Xerox 1-up Coated DocuMagnet (Short Edge Feed)**	A	3R12419				8 pt	160												OK All Trays	Manual Duplex
Xerox Digital Color Premium Business Cards (10 UP)	A	3R12321				NA	250												OK All Trays	Manual Duplex
Xerox DuraPaper	A	3R12064				10 pt	200												OK All Trays	Manual Duplex
8.5 x 11, 3-Hole Drilled**	A	3R12065				10 pt	200												OK All Trays	Manual Duplex
			3R12063			10 pt	200												OK All Trays	Manual Duplex
Xerox Polyester Papers	A	3R12414				3.7 mils	125												OK All Trays	
	A	3R12363	Run 25 sheets of plain paper at 200 sheet intervals to avoid gloss / oil streaks. Static may limit ability to stack neatly.			4.7 mils	160												OK All Trays	
8.5 x 11, 3-Hole Drilled**	A	3R12364				4.7 mils	160												OK All Trays	
Xerox Laser Transfer Paper	A	3R5811				NA	NA												OK All Trays	
			3R5812			NA	NA												OK All Trays	
Xerox Xpressions Tabs - 5 Bank; Single reverse collated**	A	3R12366	Load tabs LEF with tabs trailing			60 lb. Cover	163												OK All Trays	
Xerox Xpressions Tabs - 5 Bank; Single straight collated**	A	3R12368	Load tabs LEF with tabs trailing			60 lb. Cover	163												OK All Trays	
Xerox Digital Metallic Cover, Silver	A	3R12311	Color reproduction will be affected			10 pt	213												OK All Trays	Manual Duplex

* OHP Refers to Overhead projector
 ** See "Specialty Media Guide: hints and tips" document for special run instructions
 *** Maximum of 50 sheet stacks in tray 3

