

Recommended Xerox Media for Phaser 7800

For use in the US and Canada

Publish Date: May, 2012

Important Notes:

All media are listed by product, paper type, paper tray settings, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.

*Machine reliability specifications may be affected by increased usage of Card stocks, Glossy papers, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

© 2009 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Plain / Bond / Recycled (75 - 105 gsm)	Lightweight Glossy Cardstock (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
	Glossy Cardstock (170 - 256 gsm)	Cardstock (170 - 256 gsm)
	Heavyweight Glossy Cardstock (256 - 300 gsm)	Heavyweight Cardstock (257-300 gsm)
	Extra Heavyweight Glossy Cardstock (301 - 350 gsm)	Extra Heavyweight Cardstock (301-350 gsm)
	Transparency	Labels

Phaser 7800
Recommended Media List
North America
May, 2012



Trays
 S = Simplex Only A = Auto Duplex
 AK = Auto Duplex with Heavy Duty Media Kit
 M = Manual Duplex n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays									
						MPT		3TM				TTM			
						1	2	3	4	5	3	4	5		
Xerox Business 4200	Plain	75 gsm / 20 lb	3R2047		8.5 x 11	A	A	A	A	A	A	A	A		
			3R2641 (3-hole)		8.5 x 11	A	A	A	A	A	A	A	A		
			3R2051		8.5 x 14	A	A	A	A	A	A	n	n		
			3R3761		11 x 17	A	A	A	A	A	A	n	n		
Xerox Business Recycled Paper	Recycled	75 gsm / 20 lb	3R6296	Recycled	8.5 x 11	A	A	A	A	A	A	A	A		
			3R6297 (3-hole)		8.5 x 11	A	A	A	A	A	A	A	A		
			3R6298		8.5 x 14	A	A	A	A	A	A	n	n		
			3R6299		11 x 17	A	A	A	A	A	A	n	n		
Xerox Color Xpressions Select	Plain	90 gsm / 24 lb	3R11540		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11541 (3-hole)		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11542		8.5 x 14	A	A	A	A	A	A	n	n		
			3R11543		11 x 17	A	A	A	A	A	A	n	n		
Xerox Color Xpressions Elite	Plain	105 gsm / 28 lb	3R11760		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11761 (3-hole)		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11762		17 x 11	A	A	A	A	A	A	n	n		
	Lightweight Cardstock	120 gsm / 32 lb	3R11764		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11765		17 x 11	A	A	A	A	A	A	n	n		
			3R11766		18 x 12	A	n	A	A	A	A	n	n		
	Lightweight Cardstock	163 gsm / 60 lb cvr	3R11767		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11768		17 x 11	A	A	A	A	A	A	n	n		
			3R11769		18 x 12	A	n	A	A	A	A	n	n		
	Cardstock	216 gsm / 80 lb cvr	3R11770		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11771		17 x 11	A	A	A	A	A	A	n	n		
			3R11772		18 x 12	A	n	A	A	A	A	n	n		
Xerox Color Xpressions Planet 20	Cardstock	175 gsm / 65 lb cvr	3R11803		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11804		17 x 11	A	A	A	A	A	A	n	n		
			3R11805		18 x 12	A	n	A	A	A	A	n	n		
	Cardstock	216 gsm / 80 lb cvr	3R11806		8.5 x 11	A	A	A	A	A	A	A	A		
			3R11807		17 x 11	A	A	A	A	A	A	n	n		
			3R11808		18 x 12	A	n	A	A	A	A	n	n		
	Heavyweight Cardstock	280 gsm / 100 lb cvr	3R11809		8.5 x 11	AK, M	n	n	n	n	n	n	n	n	
			3R11810		17 x 11	AK, M	n	n	n	n	n	n	n	n	
3R11811			18 x 12		AK, M	n	n	n	n	n	n	n	n		
Xerox Digital Color Impressions Gloss Text and Cover (C2S)	Lightweight Glossy Cardstock	120 gsm / 80 lb txt	3R11875		17 x 11	A	A	A	A	A	A	n	n		
			3R11876		18 x 12	A	n	A	A	A	A	n	n		
	Lightweight Glossy Cardstock	140 gsm / 100 lb txt	3R11880		17 x 11	A	A	A	A	A	A	n	n		
			3R11881		18 x 12	A	n	A	A	A	A	n	n		
	Glossy Cardstock	210 gsm / 80 lb cvr	3R11885		17 x 11	A	A	A	A	A	A	n	n		
			3R11886		18 x 12	A	n	A	A	A	A	n	n		
Heavyweight Glossy Cardstock	280 gsm / 100 lb cvr	3R11890		17 x 11	AK, M	n	n	n	n	n	n	n	n		
		3R11891		18 x 12	AK, M	n	n	n	n	n	n	n	n		
Xerox Digital Color Impressions Satin Text and Cover (C2S)	Lightweight Glossy Cardstock	120 gsm / 80 lb txt	3R11691		18 x 12	A	A	A	A	A	A	n	n		
			3R11696		18 x 12	A	n	A	A	A	A	n	n		
	Glossy Cardstock	210 gsm / 80 lb cvr	3R11856		18 x 12	A	A	A	A	A	A	n	n		
			3R11861		18 x 12	AK, M	n	n	n	n	n	n	n	n	

Additional Information

Gloss variation can occur from machine rolls on high coverage prints; if so, adjust the fuser temperature (snippet can be found at <http://www.support.xerox.com/support/phaser-7800/downloads/enus.html?operatingSystem=winxp>). Environmental conditions may require that coated paper be fed one sheet at a time through Tray 1 (MPT/Bypass). Relative Humidity greater than 40% could cause misfeeds or multifeeds.

Gloss variation can occur from machine rolls on high coverage prints; if so, adjust the fuser temperature (snippet can be found at <http://www.support.xerox.com/support/phaser-7800/downloads/enus.html?operatingSystem=winxp>). Environmental conditions may require that coated paper be fed one sheet at a time through Tray 1 (MPT/Bypass). Relative Humidity greater than 40% could cause misfeeds or multifeeds.

