

# Xerox® Baltoro™ HF Production Inkjet Press Tested Substrate List (TSL) for Pre Sale (Single Dryer Configuration)

8-Sep-2021

The TSL contains paper and specialty media that has been tested by Xerox Global Development Group. All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

## Baltoro Approved Papers (Single Dryer Configuration)

Plain and Inkjet Treated:  
16lb Bond (60 gsm) to 100 lb Cover (270 gsm)

Coated Stocks:  
61 lb (90 gsm) to 100lb (148 gsm)

Thickness ≤ .30 mm

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
1	Europe		Antalis	Buisness		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
2	Europe		Antalis	Cocoon Jet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Speed	No
3	Europe		Antalis	CoCoon PrePrint		90	Plain	not specified	Untreated   Uncoated	100	A4	Optimized for Speed	No
4	Europe		Antalis	Cyclus PrePrint		90	Plain	not specified	Untreated   Uncoated	100	A4	Optimized for Speed	No
5	Europe		Antalis	Data Copy Express Yourself!		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
6	Europe		Antalis	Edixion Offset		80	Plain	not specified	Untreated   Uncoated	0	270 mm x 350 mm	Optimized for Speed	No
7	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
8	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
9	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
10	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
11	Europe		Antalis	Image Digicolor		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
12	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
13	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
14	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
15	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Color	No
16	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
17	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
18	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
19	Europe		Antalis	Image Digicolor		280	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
20	Europe		Antalis	Image Indigo		100	Plain	not specified	Untreated   Uncoated	0	SRA3+	Optimized for Speed	No
21	Europe		Antalis	Novatech Digital		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
22	Europe		Antalis	Novatech Digital		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Speed	Yes
23	Europe		Antalis	Novatech Digital		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Speed	Yes
24	Europe		Antalis	Novatech		100	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Speed	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
25	Europe		Antalis	Novatech		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
26	Europe		Antalis	Olin Regular Absolute White		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
27	Europe		Antalis	Printspeed Offset		80	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Color	No
28	North America		Appvion	Superior Carbonless 3-Part Straight <b>PN 5911</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated		11 x 17	Optimized for Color	No
29	North America		Appvion	Superior Carbonless 2-Part Reverse <b>PN 5789</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated		9 x 11	Optimized for Color	No
30	North America		Appvion	Superior Carbonless 2-Part Reverse <b>PN 5891</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated		11 x 17	Optimized for Color	No
31	North America		Appvion	Superior Carbonless 3-Part Reverse <b>PN 5900</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated		8.5 x 11	Optimized for Color	No
32	North America		Appvion	Superior Carbonless 4-Part Straight <b>PN 5925</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated		8.5 x 11	Optimized for Color	No
33	North America		Appvion	Triumph Universal	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
34	Europe		Arctic	G-Print		100	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
35	North America		Boise	Aspen30	20 B	75	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
36	North America		Boise	Polaris Premium Multipurpose	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
37	North America		Boise	Polaris Premium Multipurpose	28 B	105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
38	North America		Boise	X-9	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Color	No
39	North America		Boise	X-9	24 B	90	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
40	Europe	NEW	Burgo	R4 Chorus Satin		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
41	Europe		Clairefontaine	Clairalfa		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
42	Europe		Clairefontaine	Clairejet 400		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
43	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
44	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
45	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
46	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
47	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
48	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
49	Europe		Clairefontaine	Digital Copy Print		200	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
50	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
51	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
52	Europe		Clairefontaine	Eminent		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
53	Europe		Clairefontaine	evercopy plus		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Speed	No
54	Europe	NEW	Clairefontaine	evercopy premium		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
55	Europe		Clairefontaine	evercopy premium		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
56	Europe		Clairefontaine	Everprint White		110	Plain	not specified	Untreated   Uncoated	100	SRA3	Optimized for Speed	No
57	Europe		Clairefontaine	Everprint White		150	Plain	not specified	Untreated   Uncoated	100	SRA3	Optimized for Speed	No
58	Europe		Clairefontaine	Laser 2800		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
59	Europe		Clairefontaine	Trophee Green		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
60	Europe		Clairefontaine	Trophee Orange <b>PN 1769</b>		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
61	Europe		Clairefontaine	Trophee Rose		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
62	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
63	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
64	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
65	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
66	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 120 Label 8 Up Label Size 4.25" x 2.75"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
67	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 125 Label 4 Up Label Size 4" x 5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
68	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 130 Label 6 Up Label Size 8" x 1.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
69	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 135 Label 6 Up Label Size 4" x 3.33"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
70	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 140 Label 8 Up Label Size 8" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
71	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 150 RC Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
72	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 155 Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
73	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 180 Label 2 Up Label Size 6.75" x 4.75"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
74	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
75	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
76	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
77	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
78	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
79	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 145 Label 10 Up Label Size 4" x 2"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
80	North America		CTP Solutions	DocuCopy ID Cards 90# White Index FoldOver Inkjet Style	90 Index	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
81	North America		CTP Solutions	Double Parallel Fold PSFPRL	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
82	North America		CTP Solutions	Double Post Card - No Window PSDBPCD	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
83	North America		CTP Solutions	Double TransVue Window PSEPRBC-TB	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
84	North America		CTP Solutions	Pressure Seal V-fold PSEMPV	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
85	North America		CTP Solutions	Return Envelope PSF2W	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
86	North America		CTP Solutions	Security Grade Check Stock PSEPRZ - Blank	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
87	WW		CVG	Crown Letsgo Bright	61 T	90	Inkjet Coated	Matte	Inkjet Treated   Matte Coated	0	12 x 18	Optimized for Color	Yes
88	WW		CVG	Crown Letsgo Bright	61 T	90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	12 x 18	Optimized for Color	Yes
89	WW		CVG	Crown Letsgo Bright	61 T	90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
90	WW		CVG	Crown Letsgo Bright		235	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
91	WW		CVG	Crown Letsgo Bright 3rd Gen		90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
92	WW		CVG	Crown Letsgo Bright 3rd Gen		115	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
93	WW		CVG	Crown Letsgo Bright 3rd Gen		170	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
94	WW		CVG	Crown Letsgo High Performance		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
95	WW		CVG	Crown Letsgo High Performance		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
96	WW		CVG	Crown Letsgo High Performance		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
97	WW		CVG	Crown Letsgo 3rd Gen		90	Inkjet Coated	Matte	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
98	WW		CVG	Crown Letsgo 3rd Gen		115	Inkjet Coated	Matte	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
99	WW		CVG	Crown Letsgo 3rd Gen		70	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
100	WW		CVG	Crown Letsgo 3rd Gen		90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
101	WW		CVG	Crown Letsgo Universal 3rd Gen		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
102	WW		CVG	Crown Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Color	No
103	WW		CVG	Crown Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
104	North America	NEW	Digitabs	Printable Plain Blank Tabs 7 cut, Reverse Collated White	90 Index	162	Plain	not specified	Untreated   Uncoated	0	9 x 11	Optimized for Speed	No
105	North America		Domtar	Cougar Digital Choice Color Copy <b>PN 3180</b>	24 B	90	Plain	Super Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
106	North America		Domtar	Cougar Digital Color Copy Super <b>PN 2707</b>	60 T	90	Plain	Super Smooth	Untreated   Uncoated	0	13 x 19	Optimized for Speed	No
107	North America		Domtar	Cougar Digital Opaque Offset <b>PN 3390</b>	60 T	90	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
108	North America		Domtar	Cougar Digital Opaque Offset <b>PN 3391</b>	70 T	105	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
109	North America		Domtar	Cougar Digital <b>PN 2223</b>	24 B	90	Plain	Smooth	Untreated   Uncoated	0	13 x 19	Optimized for Speed	No
110	North America		Domtar	Cougar Digital <b>PN 2834</b>	24 B	90	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
111	North America		Domtar	Cougar Opaque	50 T	75	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
112	North America		Domtar	Cougar <b>PN 2706</b>	60 T	90	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
113	North America		Domtar	Cougar <b>PN 2754</b>	80 T	118	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
114	North America		Domtar	Cougar <b>PN 2768</b>	80 C	216	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
115	North America		Domtar	Cougar <b>PN 2772</b>	100 C	270	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
116	North America		Domtar	Cougar <b>PN 2744</b>	70 T	104	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
117	North America		Domtar	DomtarCopy	20 B	75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
118	North America		Domtar	Earth Choice Ivory Vellum Opaque <b>PN 81062</b>	60 T	90	Plain	Vellum	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
119	North America		Domtar	Husky Copy	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
120	North America		Domtar	Husky Digital Opaque <b>PN 2172</b>	60 T	90	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
121	North America		Domtar	Husky Digital Opaque <b>PN 2173</b>	70 T	105	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
122	North America		Domtar	Husky Digital Opaque <b>PN 5462</b>	60 T	90	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
123	North America		Domtar	Husky Opaque Offset	70 T	104	Plain	not specified	Untreated   Uncoated	0	14 x 19	Optimized for Speed	No
124	North America		Domtar	Husky Recycled Digital <b>PN 9268</b>	60 T	90	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
125	North America		Domtar	LeafJET	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
126	North America		Domtar	Lettermark PN 3977	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
127	North America		Domtar	Lettermark PN 3970	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
128	North America		Domtar	Lettermark PN 3972	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
129	North America		Domtar	Lettermark PN 3973	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
130	North America		Domtar	Lettermark PN 3976	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
131	North America		Domtar	Lynx Digital PN 630400	60 T	90	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
132	North America		Domtar	Lynx Digital PN 630700	60 T	90	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
133	North America		Domtar	Lynx Digital PN 630800	70 T	104	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
134	North America		Domtar	Lynx Digital PN 639829	80 C	216	Plain	Smooth	Untreated   Uncoated	0	19 x 13	Optimized for Speed	No
135	North America		Domtar	Lynx Digital Opaque PN 639633	80 T	120	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
136	north America		Domtar	Lynx Digital Opaque PN 639634	100 T	148	Plain	Smooth	Untreated   Uncoated	0	12 X 18	Optimized for Speed	No
137	North America		Domtar	Lynx Digital Opaque PN 639637	100 C	270	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
138	North America		Domtar	Lynx Digital Satin	24 B	90	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
139	North America		Domtar	LynxJET	60 T	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
140	North America		Domtar	LynxJET	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
141	North America		Domtar	LynxJET PN 600952	60 T	89	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
142	North America		Domtar	LynxJET PN 600955	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
143	North America		Domtar	LynxJET 7 POINT PN 5267		125	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
144	North America		Domtar	LynxJET 9 POINT PN 5268		147	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
145	North America		Domtar	WillCopy	20 B	75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
146	North America		Domtar	WillCopy Custom Cuts 1 Perf at 3 2/3 inches PN 851032	20 B	75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
147	Europe		Double A	Double A Color Print		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
148	Europe		Double A	Premium		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
149	Europe		Drewsen	CBS1		95	Security	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
150	Europe		Drewsen	ProCopy		200	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
151	Europe		Drewsen	Watermarked Security Paper		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
152	Europe		Fedrigoni	Splendorgel Extra White		100	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
153	Europe		Fedrigoni	Splendorgel Extra White		115	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
154	Europe		Fedrigoni	Splendorgel Extra White		150	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
155	Europe		Fedrigoni	Splendorgel Extra White		160	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
156	Europe		Fedrigoni	Splendorgel Extra White		190	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
157	Europe		Fedrigoni	Splendorgel Extra White		230	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
158	Europe		Fedrigoni	Splendorgel Extra White		270	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
159	Europe		Fedrigoni	Splendorgel Extra White		300	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
160	Europe	NEW	Fedrigoni	Symbol Freelifa Satin		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
161	North America		Finch	Finch 94	60 T	90	Plain	not specified	Untreated   Uncoated	0	12.25 x 18.25	Optimized for Speed	No
162	North America		Finch	Opaque Digital Bright White <b>PN 1008-6015</b>	60 T	89	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
163	North America		Finch	Opaque Digital Bright White <b>PN 1008-7015</b>	70 T	104	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
164	North America		Finch	Opaque Digital Bright White <b>PN 1008-8015</b>	80 T	118	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
165	North America		Finch	Opaque Digital Bright White <b>PN 2508-0017</b>	100 C	270	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
166	North America		Finch	Opaque Digital Bright White <b>PN 2508-8017</b>	80 C	216	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
167	North America		Finch	Smartbook Jet Text	70 T	105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	13 x 19	Optimized for Speed	No
168	North America		GPA	Dry Toner 50# White Uncoated Permanent 10-up Labels	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
169	Europe		GPA	Dry Toner X White	70 T	105	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
170	Europe		GPA	Dry Toner X White	80 T	118	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
171	Europe		GPA	Dry Toner X White	100 T	148	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
172	North America		GPA	GPA Dry Toner 60# Offset White / Permanent Adhesive / 80# U-Split Liner		120	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
173	North America	NEW	GPA	White Dull Text <b>PN DM1WDT100P</b>	100T	148	Coated	Dull	Coated   Matte Coated	0	13 x 19	Optimized for Color	Yes
174	Europe		Hadera	CopyKal Business		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
175	Europe		Hadera	Digital Word Elenfer C2S Art Paper		128	Coated	Silk	Inkjet Treated   Uncoated	0	350 mm x 500 mm	Optimized for Color	Yes
176	Europe		Hadera	Hadera Top		170	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
177	North America		Huge Papers	Nice Art	80 T	118	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
178	Europe		Igepa	Igepa Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
179	Europe		Igepa	Igepa Soporset Premium Offset		120	Plain	not specified	Inkjet Treated   Uncoated	0	320 mm x 432 mm	Optimized for Speed	No
180	North America		Impact	High Tech Xeroxgraphic	20 B	75	Plain	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
181	North America		Impact	Xerographic	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
182	Europe		Inapa	Pro Laser		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
183	Europe		Inapa	Tecno MultiSpeed		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
184	North America		InfoSeal	InfoSeal FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
185	North America		InfoSeal	InfoSeal FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
186	North America		InfoSeal	InfoSeal FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
187	North America		InfoSeal	InfoSeal FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
188	North America		InfoSeal	InfoSeal FS 120 Label 8 Up Label Size 4.25" x 2.75"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
189	North America		InfoSeal	InfoSeal FS 125 Label 4 Up Label Size 4" x 5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
190	North America		InfoSeal	InfoSeal FS 130 Label 6 Up Label Size 8" x 1.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
191	North America		InfoSeal	InfoSeal FS 135 Label 6 Up Label Size 4" x 3.33"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
192	North America		InfoSeal	InfoSeal FS 140 Label 8 Up Label Size 8" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
193	North America		InfoSeal	InfoSeal FS 145 Label 10 Up Label Size 4" x 2"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
194	North America		InfoSeal	InfoSeal FS 150 RC Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
195	North America		InfoSeal	InfoSeal FS 155 Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
196	North America		InfoSeal	InfoSeal FS 180 Label 2 Up Label Size 6.75" x 4.75"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
197	North America		InfoSeal	InfoSeal FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
198	North America		InfoSeal	InfoSeal FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
199	North America		InfoSeal	InfoSeal FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
200	North America		InfoSeal	InfoSeal FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
201	North America		InfoSeal	InfoSeal FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
202	North America		InfoSeal	PSDBPCD - Double Post Card - No Window	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
203	North America		InfoSeal	PSEMPV Pressure Seal V-fold	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
204	North America		InfoSeal	PSEPRBC-TB Double TransVue Window	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
205	North America		InfoSeal	PSEPRZ - Blank - Security Grade Check Stock	24 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
206	North America		InfoSeal	PSF2W - Return Envelope	24 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
207	North America		InfoSeal	PSFPRL - Double Parallel Fold	24 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
208	North America		Innovative	Innovative <b>PN UNV21200</b>	50 T	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
209	North America		International Paper	Accent Opaque Digital with ImageLok	70 T	104	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
210	North America		International Paper	Accent Opaque Digital with ImageLok	80 T	118	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
211	North America		International Paper	Accent Opaque Digital with ImageLok <b>PN 17110</b>	60 T	89	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
212	North America		International Paper	Accent Opaque Digital with ColorPro	70 T	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
213	North America		International Paper	Accent Opaque Digital with ImageLok <b>PN 288084</b>	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
214	North America		International Paper	Accent Opaque Plain	60 T	90	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
215	North America		International Paper	Accent Opaque Plain	80 T	120	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
216	North America		International Paper	Accent Opaque	65 C	176	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
217	North America		International Paper	Accent Opaque	80 C	216	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
218	North America		International Paper	Accent Opaque White	70 T	104	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
219	North America		International Paper	Accent Opaque White	80 T	118	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
220	North America		International Paper	Accent Opaque with ImageLok	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
221	North America		International Paper	Accent Opaque with ImageLok <b>PN 288083</b>	60 T	89	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
222	North America		International Paper	Hammermill 3-hole <b>PN 105031</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
223	North America		International Paper	Hammermill Copy Plus <b>PN 105023</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 X 17	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
224	North America		International Paper	Hammermill Fore MultiPurpose 24lb	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 X 17	Optimized for Speed	No
225	North America		International Paper	Hammermill Premium ColorCopy 28 lb	28 B	105	Plain	Smooth	Untreated   Uncoated	0	12 X 18	Optimized for Speed	No
226	WW		International Paper	JetStar	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
227	WW		International Paper	JetStar		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
228	Europe		International Paper	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
229	Europe		International Paper	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
230	Europe		International Paper	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
231	Europe		International Paper	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
232	Europe		International Paper	PRO-DESIGN		120	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
233	Europe		International Paper	PRO-DESIGN		160	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
234	Europe		International Paper	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
235	Europe		International Paper	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
236	Europe		International Paper	PRO-DESIGN		250	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
237	North America		International Paper	Relay MP	20 B	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
238	Europe		International Paper	Rey Adagio Blue		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
239	Europe		International Paper	Rey Adagio Blue		160	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
240	Europe		International Paper	Rey Adagio Canary		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
241	Europe		International Paper	Rey Adagio Gray		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
242	Europe		International Paper	Rey Adagio Green		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
243	Europe		International Paper	Rey Adagio Intense Blue		160	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
244	Europe		International Paper	Rey Adagio Intense Orange		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
245	Europe		International Paper	Rey Adagio Intense Red		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
246	Europe		International Paper	Rey Adagio Intense Red		160	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
247	Europe		International Paper	Rey Adagio Ivory		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
248	Europe		International Paper	Rey Adagio Pink		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
249	Europe		International Paper	Rey Adagio Purple Lilac		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
250	Europe		International Paper	Rey Adagio Salmon		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
251	Europe		International Paper	Rey Office		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
252	North America		International Paper	Springhill Digital Opaque Offset Cream	60 T	90	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
253	North America		International Paper	Williamsburg Plus Offset Smooth PN 05306	60 T	89	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
254	North America		International Paper	Williamsburg Plus Offset Smooth PN 05324	60 T	89	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
255	North America		International Paper	Williamsburg Plus Offset Smooth PN 05335	70 T	104	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
256	Europe	NEW	Kabel	ArtiPress		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
257	Europe	NEW	Kabel	TerraPress		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
258	Europe	NEW	Kabel	TerraPrint Dakota		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
259	Europe		Lecta	Condat Digital		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
260	Europe		Lecta	Condat Digital		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
261	Europe		Lecta	Condat Digital		135	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
262	Europe		Lecta	Condat Digital		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
263	Europe		Lecta	Condat Essential		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
264	Europe		Lecta	Coral Book Ivory		90	Plain	not specified	Untreated   Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
265	Europe		Lecta	Coral Book White		100	Plain	not specified	Untreated   Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
266	North America		Lecta	Digital Creator	100 T	148	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
267	Europe		Lecta	Garda Satin		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
268	Europe		Lecta	Gardamatt Art		90	Coated	Matte	Untreated   Matte Coated	0	350 mm x 500 mm	Optimized for Color	Yes
269	Europe		Lecta	Gardamatt Digital		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
270	Europe		Lessebo	Scandia 2000		130	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Color	No
271	North America		Made in the USA	Xerographic Copy Paper	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Color	No
272	North America		Mitsubishi	Value InkJet	60 T	90	Inkjet Treated	Matte	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
273	North America		Mohawk	Color Copy 100% Recycled	28 B	104	Plain	Smooth	Untreated   Uncoated	100	12 x 18	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
274	North America		Mohawk	Color Copy 100% Recycled	80 C	216	Plain	not specified	Untreated   Uncoated	100	11 x 17	Optimized for Speed	No
275	North America		Mohawk	Color Copy 100% Recycled	80 C	216	Plain	not specified	Untreated   Uncoated	100	12 x 18	Optimized for Speed	No
276	North America		Mohawk	ViaLinen Warm White 30% pcw <b>PN 144015</b>	24 B	90	Inkjet Treated	Linen	Inkjet Treated   Uncoated	30	8.5 x 11	Optimized for Color	No
277	Europe		Mondi	Bio Top 3next		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
278	Europe		Mondi	Bio Top 3next		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
279	Europe		Mondi	Bio Top HSI		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
280	Europe		Mondi	ColorCopy		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
281	Europe		Mondi	ColorCopy		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
282	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
283	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
284	Europe		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
285	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
286	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
287	Europe		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
288	Europe		Mondi	DNS Premium		60	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Color	No
289	Europe		Mondi	DNS Premium		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
290	Europe		Mondi	IQ Smooth		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
291	Europe		Mondi	Nautilus Classic		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Color	No
292	Europe		Mondi	Nautilus Super White HSI		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Color	No
293	Europe		Mondi	Neujet Matte		135	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	297 mm x 445 mm	Optimized for Color	No
294	Europe		Mondi	Neujet Silk Book White		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
295	Europe		Mondi	Pergraphica		100	Plain	not specified	Untreated   Uncoated	100	SRA3	Optimized for Speed	No
296	Europe		Mondi	Premium IQ	n/a	80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
297	North America		Neenah	Arctic White	24 B	90	Plain	Wove	Untreated   Uncoated	30	11.25 x 17.25	Optimized for Speed	No
298	Europe		Papier Union	Fly Snowwhite		115	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
299	Europe		Papyrus	Arctic Volume White 1.12		150	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
300	Europe		Papyrus	MultiBusiness PN 88156562		260	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
301	Europe		Papyrus	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
302	Europe		Papyrus	PlanoJet		89	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
303	North America		Performance Paper	PerfectLok	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	17 x 11	Optimized for Speed	No
304	North America		Pixelle	Enhanced Hi Brite 7 Point	100 T	148	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
305	North America		Pixelle	ExcelOne 2 Part Reverse <b>PN 230949</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
306	North America		Pixelle	ExcelOne 3 Part Reverse <b>PN 231585</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Color	No
307	North America		Pixelle	Pixelle Enhanced <b>PN 229987</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
308	North America		Pixelle	Pixelle Enhanced <b>PN 232556</b>	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
309	North America	NEW	Pixelle	Pixelle Enhanced <b>PN 232558</b>	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
310	North America	NEW	Pixelle	Pixelle Enhanced <b>PN 232764</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
311	North America		Pixelle	Pixelle Enhanced HiBright	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
312	North America		Pixelle	Pixelle Enhanced HiBright <b>PN 229909</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
313	North America		Pixelle	Pixelle Enhanced HiBright <b>PN 232319</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
314	North America		Pixelle	Pixelle Enhanced HiBrite	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
315	Europe		Premier	Elements Fire		80	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
316	Europe		Premier	Elements Fire		250	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
317	Europe		Premier Paper	Essential		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
318	South America		Propal	Reprograf Blanco		75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
319	South America		Propal	Reprograf Natural		72	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
320	North America		Resolute	Connect	50 T	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Color	No
321	North America		Rolland	Enviro Digital <b>PN 5654</b>	60 T	90	Plain	not specified	Untreated   Uncoated	100	8.5 x 11	Optimized for Speed	No
322	North America		Rolland	Enviro Digital <b>PN 5656</b>	60 T	90	Plain	not specified	Untreated   Uncoated	100	12 x 18	Optimized for Speed	No
323	North America		Rolland	Enviro Digital <b>PN 58561</b>	80 C	216	Plain	not specified	Untreated   Uncoated	100	13 x 19	Optimized for Speed	No
324	North America		Rolland	Enviro Jet <b>PN 58153</b>	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	8.5 x 11	Optimized for Speed	No
325	North America		Rolland	Enviro Jet <b>PN 62230</b>	45 T	67	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	8.5 x 11	Optimized for Speed	No
326	North America		Rolland	Enviro Jet 140M		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	12 x 18	Optimized for Speed	No
327	North America		Rolland	Enviro Print <b>PN 5619</b>	80 C	216	Plain	not specified	Untreated   Uncoated	100	13 x 19	Optimized for Speed	No
328	North America		Rolland	HiTech	60 T	90	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
329	North America		Rolland	HiTech	70 T	104	Plain	not specified	Untreated   Uncoated	30	11.5 x 17.5	Optimized for Speed	No
330	North America		Rolland	HiTech	70 T	104	Plain	not specified	Untreated   Uncoated	30	13 x 19	Optimized for Speed	No
331	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	8.5 x 11	Optimized for Speed	No
332	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	30	8.5 x 11	Optimized for Color	No
333	Europe		Sappi	EBB GalerieArt		90	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
334	Europe		Sappi	EBB GalerieArt		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
335	Europe		Sappi	EBB GalerieArt		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
336	Europe		Sappi	EBB GalerieArt		135	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
337	Europe		Sappi	EBB GalerieArt		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
338	North America		Sappi	EuroArt Plus	100 T	148	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
339	North America		Sappi	EuroArt Plus	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
340	North America		Sappi	Flo Dull Digital PN K11964	100 T	148	Coated	Dull	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
341	North America		Sappi	Flo Dull Digital PN K11964	100 T	148	Coated	Dull	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
342	North America		Sappi	Flo Dull Digital PN K11971	80 T	118	Coated	Dull	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes
343	Europe		Sappi	GalerieArt		90	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
344	Europe		Sappi	GalerieArt		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
345	Europe		Sappi	GalerieArt		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
346	Europe		Sappi	GalerieArt		135	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
347	Europe		Sappi	GalerieArt		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
348	Europe	NEW	Sappi	GalerieArt		150	Coated	Satin	Untreated   Matte Coated	0	A4	Optimized for Color	Yes
349	Europe	NEW	Sappi	Magno		115	Coated	Matte	Untreated   Matte Coated	0	A4	Optimized for Color	Yes
350	Europe	NEW	Sappi	Magno		130	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
351	Europe		Sappi	Magno		90	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
352	Europe		Sappi	Magno		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
353	Europe		Sappi	Magno		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
354	Europe		Sappi	Magno		135	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
355	Europe		Sappi	Magno		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
356	North America		Sappi	McCoy	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
357	North America	NEW	Sappi	Opus	80T	118	Coated	Dull	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
358	North America	NEW	Sappi	Opus	100 T	148	Coated	Dull	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
359	North America		Sappi	Opus PN 13655	100 T	148	Coated	Dull	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes
360	South America		Sappi	Quatro Plus		90	Coated	Silk	Untreated   Matte Coated	0	11 x 17	Optimized for Color	Yes
361	North America		Southern Index	1-up ID Card Paper Inkjet Laminated perf PN 4B1146	60 C	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
362	North America		Southern Index	1-up ID Card 7 mil Better Card Laminated perf PN 4B1180	60 C	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
363	North America		Southern Index	2-up ID Card Paper Inkjet Laminated perf PN 4B1140	60 C	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
364	North America		Spicers	Kelly Copy PN 11037A	20 B	75	Plain	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
365	North America	NEW	Spicers	Pacesetter Digital	70 T	104	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
366	North America		Spicers	Pacesetter	80 T	120	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
367	North America		Spicers	Pacesetter	80 T	120	Coated	Silk	Untreated   Matte Coated	0	8.5 x 11	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
368	North America		Spicers	Supreme Digital	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
369	North America		Staples	Staples 30% Recycled Copy Paper	20 B	75	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
370	Europe		Stora Enso	BergaJet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
371	Europe		Stora Enso	BergaJet		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
372	Europe		Stora Enso	Canon Red Label Superior		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
373	Europe		Stora Enso	Lumi Plus		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
374	Europe		Stora Enso	Plano Dynamic		75	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
375	Europe		Stora Enso	Plano Plus		90	Plain	not specified	Untreated   Uncoated	0	A3	Optimized for Speed	No
376	Europe		Stora Enso	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
377	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
378	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
379	Europe		Stora Enso	Superior Jet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
380	North America		Supreme	Supreme HiBright Copy Paper	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
381	South America		Suzano	Artwork Premium Multipurpose Business Paper		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
382	South America		Suzano	Fit		90	Coated	Silk	Untreated   Matte Coated	0	A4	Optimized for Color	Yes
383	WW		the Navigator Company	EcoLogical		75	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
384	WW		the Navigator Company	Hard Cover PN 989460		250	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
385	Europe		the Navigator Company	Inacopia Elite		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
386	WW		the Navigator Company	INASET Laser Plus		160	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
387	WW		the Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
388	WW		the Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
389	WW		the Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
390	WW		the Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
391	WW		the Navigator Company	Navigator Bold Design		200	Plain	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
392	WW		the Navigator Company	Navigator Colour Documents UHD		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
393	WW		the Navigator Company	Navigator Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
394	WW		the Navigator Company	Navigator Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
395	WW		the Navigator Company	Navigator Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
396	WW		the Navigator Company	Navigator Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
397	WW		the Navigator Company	Navigator Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
398	WW		the Navigator Company	Navigator Office Card		160	Plain	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
399	North America		the Navigator Company	Navigator Platinum UHD	20 B	74	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
400	WW		the Navigator Company	Navigator Platinum UHD	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Color	No
401	WW		the Navigator Company	Navigator Platinum UHD	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
440	North America		the Navigator Company	Navigator Premium Multipurpose	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
441	WW		the Navigator Company	Navigator PrePrint		100	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
442	WW		the Navigator Company	Navigator PrePrint		160	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
443	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
444	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
445	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
446	WW		the Navigator Company	Pioneer		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
447	WW		the Navigator Company	Soporset Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
448	WW		the Navigator Company	Soporset Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
449	WW		the Navigator Company	Soporset Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
450	WW		the Navigator Company	Soporset Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
451	WW		the Navigator Company	Soporset Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
452	WW		the Navigator Company	Soporset Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
453	North America		the Navigator Company	Soporset Opaque	50 T	75	Plain	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
454	WW		the Navigator Company	Soporset Opaque	80T	118	Plain	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
455	WW		the Navigator Company	Soporset Opaque	80T	118	Plain	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
456	WW		the Navigator Company	Soporset Opaque	63 C	170	Plain	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
457	WW		the Navigator Company	Soporset Opaque	63 C	170	Plain	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
458	WW		the Navigator Company	Soporset Premium Offset		60	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
459	WW		the Navigator Company	Soporset Premium Offset		80	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
460	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
461	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
462	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
463	WW		the Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
464	WW		the Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated   Uncoated	0	320 mm x 430 mm	Optimized for Speed	No
465	WW		the Navigator Company	Soporset Premium Offset		160	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
466	WW		the Navigator Company	Soporset PrePrint		100	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
467	WW		the Navigator Company	Soporset PrePrint		160	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
468	Europe	NEW	Torras	Security Paper		78	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
469	Europe		Torras	SelfCopy		65	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
470	Europe		UPM	Canon Top Colour Digital		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
471	Europe		UPM	Digi Fine Jet		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
472	Europe		UPM	Digi Fine Jet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
473	Europe	NEW	UPM	Digi Finesse Premium		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
474	Europe		UPM	Digi Finesse Premium		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
475	Europe		UPM	Digi Finesse Premium		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
476	Europe		UPM	Fine		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
477	Europe		UPM	Fine SC		80	Plain	super calandared	Untreated   Uncoated		A4	Optimized for Speed	No
478	Europe		UPM	Fine SC		90	Plain	super calandared	Untreated   Uncoated		A4	Optimized for Speed	No
479	WW		UPM	Igepa Maxi Offset		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
480	Europe		UPM	Inapa Bavaria Bulk (*see notes)		80	Coated	Matte	Untreated   Matte Coated		225 mm x 319 mm	Optimized for Color	Yes
481	Europe	NEW	UPM	MaxiOffset		170	Plain	not specified	Untreated   Uncoated	0	SRA3+	Optimized for Speed	No
482	Europe		UPM	MaxiOffset NaturOffset		80	Plain	not specified	Inkjet Treated   Uncoated	0	320 mm x 430 mm	Optimized for Speed	No
483	Europe		UPM	Office Copy		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
484	Europe		UPM	Office Presentation		80	Plain	not specified	Untreated   Uncoated		A4	Optimized for Speed	No
485	Europe		UPM	PrePersonal Sheets		80	Plain	not specified	Untreated   Uncoated		A4	Optimized for Speed	No
486	Europe		UPM	PrePersonal Sheets		90	Plain	not specified	Untreated   Uncoated		A4	Optimized for Speed	No
487	Europe		UPM	PrePrint		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
488	Europe		UPM	Sol Plus		80	Coated	Matte	Untreated   Matte Coated	0	225 mm x 319 mm	Optimized for Color	Yes
489	North America	NEW	Veritiv	Econosource Multipurpose PN U50220	20 B	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
490	North America		Veritiv	Endurance Digital	100 T	148	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
491	North America		Veritiv	Endurance Silk PN ED8T52RW	100 T	148	Coated	Silk	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes
492	North America		Veritiv	Starbrite Opaque Select Smooth White	40 T	60	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
493	North America		Verso	Blazer PN 308176	70 T	105	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
494	North America		Verso	Blazer Digital	80 T	118	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
495	North America		Verso	Blazer Digital	100 T	148	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
496	North America	NEW	Verso	Sterling Digital	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
497	North America		Xerox	3-Part Straight (W-C-P) Multipurpose PN 003R12855		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
498	North America		Xerox	3-Part Straight (W-C-P) Premium Digital PN 003R12425		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
499	North America		Xerox	2-Part Reverse/Straight (C-W) Multipurpose PN 003R12850		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
500	North America		Xerox	2-Part Straight/Reverse (W-C) Premium Digital PN 003R12420		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
501	North America		Xerox	4-Part Straight (W-C-P-GR) Premium Digital PN 003R12430		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
503	North America		Xerox	Bold PN 3R11540	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
504	North America		Xerox	Bold PN 3R11542	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
505	North America		Xerox	Bold PN 3R11543	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
506	North America		Xerox	Bold PN 3R11760	28 B	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
507	North America		Xerox	Bold PN 3R11762	28 B	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
508	North America		Xerox	Bold PN 3R11763	28 B	105	Plain	Smooth	untreated   Uncoated	0	12 x 18	Optimized for Speed	No
509	North America		Xerox	Bold PN 3R11764	32 B	120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
510	North America		Xerox	Bold PN 3R11765	32 B	120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
511	North America		Xerox	Bold PN 3R11766	32 B	120	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
512	North America		Xerox	Bold PN 3R11767	60 C	163	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
513	North America		Xerox	Bold PN 3R11768	60 C	163	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
514	North America		Xerox	Bold PN 3R11770	80 C	216	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
515	North America		Xerox	Bold PN 3R11771	80 C	216	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
516	North America		Xerox	Bold PN 3R11772	80 C	216	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
517	North America		Xerox	Bold PN 3R11774	100 C	270	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
518	North America		Xerox	Bold PN 3R11775	100 C	270	Plain	Smooth	Untreated   Uncoated	0	17 x 11	Optimized for Speed	No
519	North America		Xerox	Bold PN 3R11776	100 C	270	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
520	North America		Xerox	Bold PN 3R20150	28 B	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
521	North America		Xerox	Bold with ColorLok 30% Recycled	28 B	105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	30	8.5 x 11	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
522	Europe		Xerox	Buisness PN 00391895		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
523	Europe		Xerox	ColorPrint		100	Plain	not specified	Untreated   Uncoated	0	A3	Optimized for Speed	No
524	Europe		Xerox	ColorPrint PN 003R95254		90	Plain	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
525	Europe		Xerox	ColorPrint PN 003R96602		120	Plain	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
526	Europe		Xerox	ColoTech PN 003R99032		280	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
527	Europe		Xerox	ColoTech+ PN 003R95844		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
528	Europe		Xerox	ColoTech+ PN 003R98837		90	Inkjet Treated	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
529	Europe		Xerox	ColoTech+ PN 003R98839		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
530	Europe		Xerox	ColoTech+ PN 003R98845		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
531	Europe		Xerox	ColoTech+ PN 003R98849		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
532	Europe		Xerox	ColoTech+ PN 003R98852		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
533	Europe		Xerox	ColoTech+ PN 003R98975		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
534	Europe		Xerox	ColoTech+ PN 003R99000		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
535	Europe		Xerox	ColoTech+ PN 003R99001		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
536	Europe		Xerox	ColoTech+ PN 003R99006		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
537	Europe		Xerox	ColoTech+ PN 003R99007		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
538	Europe		Xerox	ColoTech+ PN 003R99011		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
539	Europe		Xerox	ColoTech+ PN 003R99014		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
540	Europe		Xerox	ColoTech+ PN 003R99015		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
541	Europe		Xerox	ColoTech+ PN 003R99016		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
542	Europe		Xerox	ColoTech+ PN 003R99019		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
543	Europe		Xerox	ColoTech+ PN 003R99020		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
544	Europe		Xerox	ColoTech+ PN 003R99026		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
545	Europe		Xerox	ColoTech+ PN 003R99032		280	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
546	Europe		Xerox	ColoTech+ PN 003R98847		120	Inkjet Treated	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
547	Europe		Xerox	Colour Impressions PN 003R97663		90	Plain	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
548	Europe		Xerox	Colour Impressions		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
549	Europe	NEW	Xerox	Colour Impressions		100	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
550	Europe		Xerox	Colour Impressions		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
551	Europe		Xerox	Colour Impressions		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
552	Europe		Xerox	Colour Impressions		150	Coated	Silk	Untreated   Matte Coated	0	SRA3		Yes
553	WW		Xerox	Digital Paper PN 003R70024		75	Plain	Silk	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
554	Europe		Xerox	Digital Paper PN 103R00924		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
555	Europe		Xerox	Premier PN 003R91720		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
556	Europe		Xerox	Premier <b>PN 003R91854</b>		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
557	North America		Xerox	Premier <b>PN 003R94787</b>	20 B	75	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
558	WW		Xerox	Premium <b>PN 003R006829</b>	50 T	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
559	WW		Xerox	Premium <b>PN 003R03761</b>	50 T	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
560	Europe		Xerox	Premium Digital Carbonless Green CF <b>PN 003R99079</b>		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
561	Europe		Xerox	Premium Digital Carbonless White CB <b>PN 003R99069</b>		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
562	Europe		Xerox	Premium Digital Carbonless Yellow CFB <b>PN 003R99071</b>		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
563	North America		Xerox	Vitality <b>PN 003R02047</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
564	North America		Xerox	Vitality <b>PN 003R02051</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No