



Xerox® Versant™ 80 Digital Production Press - Europe Paper and Specialty Media Guide - June 2015

For your convenience, this guide contains the Recommended Media List.

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com

General Information

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

Suggested machine adjustments as well as Best Practices for Operation are included where applicable in order to optimize media performance.

Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure their expectations are met.



© 2015 Antalis International. All rights reserved. Xerox®, Xerox® Versant™ 80, Xerox and Design® are trademarks of Xerox Corporation in the United States and other countries and are used under license from Xerox Corporation. Antalis International is a trademark licensee of Xerox Corporation.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Uncoated Performance Paper								
Xerox® Colour Impressions 80 gsm	003R97661	003R97662			80	Uncoated	64-80	
Xerox® Colour Impressions 90 gsm	003R97663	003R97664	003R97665		90	Uncoated	81-90	
Xerox® Colour Impressions 100 gsm	003R97666	003R97667	003R97668		100	Uncoated	91-105	
Xerox® Colour Impressions 120 gsm	003R98685	003R97669	003R97670		120	Uncoated	106-135	
Xerox® Colour Impressions 160 gsm	003R98007	003R98008	003R98686		160	Uncoated	158-176	
Xerox® Colour Impressions 200 gsm	003R92347	003R92348	003R92349		200	Uncoated	177-220	
Xerox® Colour Impressions 250 gsm	003R98687	003R97671	003R97672		250	Uncoated	221-256	
Xerox® Colour Impressions 280 gsm	003R92350	003R92351	003R92352		280	Uncoated	257-300	
Uncoated Optimum Paper								
Xerox® Colotech+ 90 gsm	003R94641	003R94642	003R95838		90	Uncoated	81-90	
Xerox® Colotech+ 100 gsm	003R94646	003R94647	003R95839		100	Uncoated	91-105	

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Colotech+ 120 gsm	003R94651	003R94652	003R95840		120	Uncoated	106-135	
Xerox® Colotech+ 160 gsm	003R94656	003R94657	003R95841		160	Uncoated	158-176	
Xerox® Colotech+ 200 gsm	003R94661	003R94662	003R95842		200	Uncoated	177-220	
Xerox® Colotech+ 220 gsm	003R94668	003R94669	003R95843		220	Uncoated	221-256	
Xerox® Colotech+ 250 gsm	003R94671	003R94672	003R95844		250	Uncoated	257-300	
Xerox® Colotech+ 280 gsm	003R97097	003R97098	003R97099		280	Uncoated	257-300	
Xerox® Colotech+ 300 gsm	003R97552	003R97553	003R97554		300	Uncoated	257-300	
Uncoated Optimum Paper								
Xerox® Colotech+ Gold 90 gsm	003R98837	003R98839	003R98840		90	Uncoated	81-90	
Xerox® Colotech+ Gold 4-Hole 90 gsm	003R98838				90	Hole Punched	81-90	
Xerox® Colotech+ Gold 100 gsm	003R98842	003R98844	003R98845		100	Uncoated	91-105	
Xerox® Colotech+ Gold 4-Hole 100 gsm	003R98843				100	Hole Punched	91-105	

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Colotech+ Gold 120 gsm	003R98847	003R98848	003R98849		120	Uncoated	106-135	
Xerox® Colotech+ Gold 160 gsm	003R98852	003R98854	003R98855		160	Uncoated	158-176	
Xerox® Colotech+ Gold 200 gsm	003R97967	003R97968	003R97969		200	Uncoated	177-220	
Xerox® Colotech+ Gold 220 gsm	003R97971	003R97972	003R97973		220	Uncoated	221-256	
Xerox® Colotech+ Gold 250 gsm	003R98975	003R98976	003R98977		250	Uncoated	257-300	
Xerox® Colotech+ Gold 280 gsm	003R98979	003R98980	003R97981		280	Uncoated	257-300	
Xerox® Colotech+ Gold 300 gsm	003R97983	003R97984	003R92072		300	Uncoated	257-300	Transfer adjustments may be required for best image quality.
Xerox® Colotech+ Gold 350 gsm			003R98625		350	Uncoated	301-350	Transfer adjustments may be required for best image quality. Manual duplex only.
Uncoated Optimum Paper - Natural White								
Xerox® Colotech+ Natural White 100 gsm	003R97102	003R97103			100	Uncoated	91-105	
Xerox® Colotech+ Natural White 160 gsm	003R95956	003R95957	003R97276		160	Uncoated	158-176	
Xerox® Colotech+ Natural White 200 gsm	003R95958	003R95959			200	Uncoated	177-220	

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Coated Optimum Paper - Silk								
Xerox® Colotech+ Silk Coated 120 gsm	003R90355	003R90356	003R90357		120	Matte Coated	106-135	
Xerox® Colotech+ Silk Coated 140 gsm	003R90358	003R90359	003R90360		140	Matte Coated	136-157	
Xerox® Colotech+ Silk Coated 170 gsm	003R90361	003R90362	003R90363		170	Matte Coated	158-176	
Xerox® Colotech+ Silk Coated 210 gsm	003R90364	003R90365	003R90366		210	Matte Coated	177-220	
Xerox® Colotech+ Silk Coated 250 gsm	003R90367	003R90368	003R90369		250	Matte Coated	221-256	
Xerox® Colotech+ Silk Coated 280 gsm	003R90370	003R90371	003R90372		280	Matte Coated	257-300	Transfer adjustments may be required for best image quality.
Xerox® Colotech+ Silk Coated 350 gsm			003R90373		350	Matte Coated	301-350	Transfer adjustments may be required for best image quality. Manual duplex only.
Coated Optimum Paper - Gloss								
Xerox® Colotech+ Gloss Coated 120 gsm	003R90336	003R90337	003R90338		120	Coated	106-135	
Xerox® Colotech+ Gloss Coated 140 gsm	003R90339	003R90340	003R90341		140	Coated	136-157	
Xerox® Colotech+ Gloss Coated 170 gsm	003R90342	003R90343	003R90344		170	Coated	158-176	

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Colotech+ Gloss Coated 210 gsm	003R90345	003R90346	003R90347		210	Coated	177-220	
Xerox® Colotech+ Gloss Coated 250 gsm	003R90348	003R90349	003R90350		250	Coated	221-256	Transfer adjustments may be required for best image quality.
Xerox® Colotech+ Gloss Coated 280 gsm	003R90351	003R90352	003R90353		280	Coated	257-300	Transfer adjustments may be required for best image quality.
Xerox® Colotech+ Gloss Coated 350 gsm			003R90354		350	Coated	301-350	Transfer adjustments may be required for best image quality. Manual duplex only.
Coated Optimum Paper - Supergloss (C1S)								
Xerox® Colotech+ Supergloss 160 gsm	003R97680	003R97681			160	Cast Coated	158-176	Transfer adjustments may be required for best image quality.
Xerox® Colotech+ Supergloss 210 gsm	003R97682	003R97683	003R97684		210	Cast Coated	177-220	Use Trays 5, 6 or 7. Transfer adjustments may be required for best image quality.
Xerox® Colotech+ Supergloss 250 gsm	003R97686	003R97687	003R97688		250	Cast Coated	221-256	Use Trays 5, 6 or 7. Transfer adjustments may be required for best image quality.
Transparencies								
Xerox® Premium Transparency Removable Stripe 100 µm	003R98198				N/A	Transparency	N/A	Use Trays 5, 6 or 7. Static may compromise finishing.
Xerox® Premium Transparency - Paper backing 100 µm	003R98199		003R98201		N/A	Transparency	N/A	Use Trays 5, 6 or 7. Static may compromise finishing. Empty output tray regularly.
Tab Dividers								
Xerox® Rainbow Dividers, 5 Tabs, Reverse Collation				223 x 297 mm 003R90878	160	Tab Stock	158-176	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® White Dividers, 10 Tabs, Reverse Collation				223 x 297 mm 003R91001	160	Tab Stock	158-177	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® White Dividers, 5 Tabs, Reverse Collation				223 x 297 mm 003R90873	160	Tab Stock	158-178	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® Colotech Dividers, 10 Tabs, Reverse Collation				223 x 297 mm 003R97232	200	Tab Stock	177-220	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® Colotech Dividers, 5 Tabs, Reverse Collation				223 x 297 mm 003R97231	200	Tab Stock	177-220	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® Reinforced Dividers, 5 Tabs, Reverse Collation				223 x 297 mm 003R97229	160	Pre Cut Tab Embossed	158-176	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® Reinforced Dividers, 10 Tabs, Reverse Collation				223 x 297 mm 003R97230	160	Pre Cut Tab Embossed	158-176	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® White Dividers, 5 Tabs, Straight Collation				223 x 297 mm 003R91012	160	Tab Stock	158-176	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® Rainbow Dividers, 5 Tabs Straight Collation				223 x 297 mm 003R91025	160	Tab Stock	158-176	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Xerox® White Dividers, 10 Tabs, Straight Collation				223 x 297 mm 003R91014	160	Tab Stock	158-176	Load long edge feed (LEF). Press user interface size: [A4]. Select size [A4 Tab LEF] at EFI Fiery Command Workstation.
Labels - Standard Multi-use								
Xerox® Labels 1-up	003R91225				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 2-up	003R97525				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Labels 6-up	003R96288				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 8-up	003R91224				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 14-up	003R96289				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 16-up	003R96296				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 18-up	003R96297				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 21-up	003R96298				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 24-up	003R97526				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Labels 65-up	003R93177				140	Labels	136-157	Use Trays 5, 6 or 7. Do not print over die-cuts.
Labels for Colour Laser								
Xerox® Colour Laser Labels Uncoated 1-up	003R93872				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Labels Uncoated 4-up	003R95813				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Labels Uncoated 6-up	003R93873				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Colour Laser Labels Uncoated 8-up	003R93874				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Labels Uncoated 14-up	003R93875				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Labels Uncoated 21-up	003R95815				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Labels Uncoated 24-up	003R97524				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Labels Uncoated 1-up			003R93537		160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
Xerox® Colour Laser Printer Labels CD 2-up	003R97514				160	Labels	158-176	Use Trays 5, 6 or 7. Do not print over die-cuts.
DuraPaper Label								
Xerox® DuraPaper Label	003R97344	003R98645	003R98688		240	Labels	221-256	Use Trays 5, 6 or 7. Transfer adjustments may be required for best image quality.
Specialty Media - T-shirt Transfer Paper								
Xerox® Universal Transfer Paper	003R93544	003R93545			140	Transfer	136-157	Use Tray 5 only. Not intended for extensive/exclusive use.
Specialty Media - Card Solutions								
Xerox® DocuMagnet Uncoated 1-up	003R96072				255	Uncoated	221-256	Use Trays 5, 6 or 7. Load maximum 25 sheet in tray, short edge feed (SEF), magnet trailing. Face-up output recommended. Empty output tray/stacker regularly. Do not print on laminate. regularly.
Xerox® ValuPerfCard Uncoated 1-up	003R97690				175	Uncoated	158-176	Use Trays 5, 6 or 7. Load maximum 50 sheets in tray, short edge feed (SEF).

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® ValuPeelCard Coated 1-up	003R97953				185	Cast Coated	177-220	Use Trays 5, 6 or 7. Load maximum 25 sheets in tray. Transfer adjustments may be required for best image quality. Do not print on laminate.
Xerox® ValuPeelCard Uncoated 1-up	003R97952				165	Uncoated	158-176	Use Trays 5, 6 or 7. Load maximum 50 sheets in tray. Transfer adjustments may be required for best image quality. Do not print on laminate.
Xerox® DocuCard 1-up	003R97571				185	Uncoated	177-220	Use Trays 5, 6 or 7. Load maximum 50 sheets in tray. Transfer adjustments may be required for best image quality. Empty output tray/stacker regularly. Fuser temperature +10°C may assist toner adhesion.
Specialty Media - Premium NeverTear Polyester								
Xerox® Premium NeverTear 95 µm	003R98056				125	Matte Coated	106-135	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 95 µm	003R98029				125	Matte Coated	106-135	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 120 µm	003R98058	003R98059	003R98035		160	Matte Coated	158-176	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 120 µm	003R98033	003R98034			160	Matte Coated	158-176	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 145 µm	003R98037	003R98038	003R98039		195	Matte Coated	177-220	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 145 µm		003R98053			195	Matte Coated	177-220	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 195 µm	003R98041	003R98054	003R98043		262	Matte Coated	257-300	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 195 µm		003R98042			262	Matte Coated	257-300	Use Trays 6 or 7. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Premium NeverTear 270 µm	003R98045	003R98055	003R98047		350	Matte Coated	301-350	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear 270 µm		003R98046			350	Matte Coated	301-350	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Premium NeverTear Polyester Adhesive Film								
Xerox® Premium NeverTear Matt White Adhesive Film	007R92024				220	Film	177-220	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear Gloss White Adhesive Film	007R92031				220	Film	177-220	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear Glass Clear Adhesive Film	007R92038				220	Film	177-220	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear Matt Frosted Adhesive Film	007R92045				200	Film	177-220	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear Clear Cling Film	007R92052				215	Film	177-220	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Xerox® Premium NeverTear Matt White Cling Film	007R92059				215	Film	177-220	Use Trays 6 or 7. Simplex only. Transfer adjustments may be required for best image quality. Printer room RH minimum 40%. Static may compromise finishing.
Specialty Media - Xerox® DigiBoard								
Xerox® DigiBoard A5 Folder Card - Trim & Tape			003R96910		210	Matte Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Pillow Pack Card - Trim & Tape			003R96911		210	Matte Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® DigiBoard Mug Box Card - Trim & Tape			003R96912		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Wine Sleeve Card - Trim & Tape			003R96913		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Business Card Box - Trim & Tape			003R96914		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Tent Card Tall - Trim & Tape			003R96915		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard A4 Show Card - Trim & Tape			003R96916		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Variety Pack - Perforated			003R96822		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Tent Card - Perforated			003R96919		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Mug Box - Perforated			003R96922		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Wine Sleeve - Perforated			003R96923		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Tent Card Tall - Perforated			003R96925		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard CD Wrap - Perforated			003R96924		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® DigiBoard Door Hanger - Perforated			003R96926		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Golf Ball Box - Perforated			003R96818		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Desk Tidy - Perforated			003R96819		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Gift Box Lid - Perforated			003R96820		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Xerox® DigiBoard Photo Canvas - Perforated			003R93331		210	Matt Coated	177-220	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations. Transfer adjustments may be required for best image quality.
Specialty Media - Xerox® Create								
Xerox® Create Mouse Mat (Insert)				220 x 185 mm 003R98798	160	Uncoated	158-176	
Xerox® Create Boutique Bag - Large				450 x 318 mm 003R98797	250	Uncoated	221-256	Print on inserts only. Avoid print on and near crease.
Xerox® Create Boutique Bag - Small				418 x 259 mm 003R98796	250	Uncoated	221-256	Print on inserts only. Avoid print on and near crease.
Xerox® Create Boutique Bag - Extra Small				189 x 297 mm 003R98876	250	Uncoated	221-256	Print on inserts only. Avoid print on and near crease.
Xerox® Create Totem Display	003R98880	003R95083			160	Uncoated	158-176	
Xerox® Create Square Coaster	003R98877				160	Uncoated	158-176	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Create 30 cm Ruler	003R98878				160	Uncoated	158-176	Use Trays 5, 6 or 7. Load single sheets only. Avoid print over/near die cuts and perforations.
Specialty Media								
Xerox® FunFlip				US Letter 8.5 x 11" 003R96904	230	Labels	221-256	Short edge feed (SEF) suggested. Use Trays 5, 6 or 7.
Xerox® Business Cards 10-up	003R97512				220	Labels	177-220	Short edge feed (SEF) suggested. Use Trays 5, 6 or 7. Manual duplex.
Xerox® Translucent Paper 105 gsm			007R96577		105	Uncoated	91-105	
Xerox® Translucent Paper 135 gsm			007R99402		135	Uncoated	106-135	
Xerox® DuraPaper			003R97513		165	Film	158-176	Use Tray 6 or 7 only. Surface texture may impact image quality. Simplex only.
Xerox® Premium Digital Carbonless Paper								
Xerox® Carbonless CB White	003R99069				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless CFB White	003R99070				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless CFB Yellow	003R99071				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless CF White	003R99075				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.

Xerox® Versant™ 80 Digital Production Press - Recommended Media List - Europe - June 2015

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)			Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Paper weight	
Xerox® Carbonless CF Pink	003R99077				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless, 2-part, Straight, WY	003R99105				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless, 2-part, Straight, WP	003R99107				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless, 3-part, Straight, WYP	003R99108				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless, 4-part, Straight, WYPB	003R99111				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless, 3-part, Reverse, WYP	003R99109				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Carbonless, 4-part, Reverse, WYPB	003R99112				80	Uncoated	64-80	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.