



Xerox® AltaLink® C8030/C8035/C8045/C8055 - Europe Paper and Specialty Media Guide - May 2017

For your convenience, this guide includes the Recommended Media List.

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com



© 2017 Antalis International. All rights reserved. Xerox® and Xerox Design® are trademarks of Xerox Corporation in the United States and other countries and are used under license from Xerox Corporation. Antalis International is a trademark licensee of Xerox Corporation.

Xerox® AltaLink® C8030, C8035, C8045, C8055 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)



Glossy (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)
Heavy Glossy Cardstock (257 - 280 gms)
Transparency

Paper Types are selected when Paper Tray is closed

Lightweight Cardstock (106 - 169 gsm)
Cardstock (170 - 256 gsm)
Heavyweight Cardstock (257 - 280 gsm)
Labels



AltaLink®

C8030 / C8035 / C8045 / C8055
RML
Europe

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

● Capable of Stacking Paper Type
◆ Capable of Stapling Paper Type
n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Finisher Capabilities						Additional Information							
						3TM			TTM			SMH (Bypass)	HCF	Integrated (A) Office Finisher		Business Ready (C) Finisher			Office (SB) Finisher LX						
						1	2	3	4	2	3	4	5	6	Stack	Staple	Stack		Staple	Stack	Staple				
Xerox® Business	Plain	80 gsm	003R91820		A4	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆		
			003R91821		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
Xerox® Premier	Plain	80 gsm	003R91720		A4	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆		
			003R91721		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
	Bond	90 gsm	003R91854		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R91853		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
Xerox® Recycled Supreme 100%	Recycled	80 gsm	003R95860 003R95861	Recycled	A4 A3	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆			
Xerox® Exclusive	Plain	80 gsm	003R90208	4 hole	A4	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆		
			003R91712		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R90209		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
	Bond	90 gsm	003R90600		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R90618		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
Xerox® Colour Impressions	Plain	80 gsm	003R97661		A4	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆		
			003R97662		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
	Bond	90 gsm	003R97663		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R97664		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
	Bond	100 gsm	003R97665		SRA3	A	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
			003R97666		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆
			003R97667		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R97668		SRA3	A	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
	Lightweight Cardstock	120 gsm	003R97669		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R97670		SRA3	n	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
Cardstock	250 gsm	003R97671	A3	S	S	S	S	S	n	n	M	n	●	◆	●	◆	●	◆	●	◆	●	◆			
		003R97672	SRA3	n	S	S	S	S	n	n	M	n	n	n	●	◆	●	◆	●	◆	●	◆			
Xerox® Colotech+ (Blue label)	Bond	90 gsm	003R94641		A4	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆		
			003R94642		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R95838		SRA3	n	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
	Bond	100 gsm	003R94646		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R94647		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R95839		SRA3	n	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
	Lightweight Cardstock	120 gsm	003R94651		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R94652		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R95840		SRA3	n	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
	Lightweight Cardstock	160 gsm	003R94656		A4	A	A	A	A	A	A	A	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R94657		A3	A	A	A	A	A	n	n	A	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R95841		SRA3	n	A	A	A	A	n	n	A	n	n	n	●	◆	●	◆	●	◆	●	◆	
	Cardstock	200 gsm	003R94661		A4	A	A	A	A	A	A	M	A	A	A	A	A	A	●	◆	●	◆	●	◆	
			003R94662		A3	A	A	A	A	A	n	n	M	n	●	◆	●	◆	●	◆	●	◆	●	◆	
			003R95842		SRA3	n	A	A	A	A	n	n	M	n	n	n	●	◆	●	◆	●	◆	●	◆	
	Cardstock	220 gsm	003R94668		A4	A	A	A	A	A	A	M	A	A	A	A	A	A	●	◆	●	◆	●	◆	
003R94669			A3	A	A	A	A	A	n	n	M	n	●	◆	●	◆	●	◆	●	◆	●	◆			
Cardstock	250 gsm	003R94671	A4	S	S	S	S	S	S	S	M	A	A	A	A	A	n	n	n	n	n	n			
		003R94672	A3	S	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n	n	n	n			
		003R95844	SRA3	n	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n	n	n	n			

Letter 'Z' and 'C' folding available only when sheets are fed SEF. Max Tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets.

Letter 'Z' and 'C' folding available only when sheets are fed SEF. Max Tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets.

Xerox® AltaLink® C8030, C8035, C8045, C8055 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)



Glossy (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)
Heavy Glossy Cardstock (257 - 280 gms)
Transparency

Paper Types are selected when Paper Tray is closed

Lightweight Cardstock (106 - 169 gsm)
Cardstock (170 - 256 gsm)
Heavyweight Cardstock (257 - 280 gsm)
Labels



AltaLink®

C8030 / C8035 / C8045 / C8055
RML
Europe

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only

M = Manual Duplex n = not supported

Finisher Capabilities

• Capable of Stacking Paper Type
♦ Capable of Stapling Paper Type

n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						SMH (Bypass)		HCF		Finisher Capabilities						Additional Information					
						3TM			TTM			5	6	Office (SB) Finisher LX	Business Ready (C) Finisher		Office (SB) Finisher LX										
						1	2	3	4	2	3				4	Stack	Staple	Stack	Staple	Stack	Staple						
Xerox® Colotech + (Gold label)	Bond	90 gsm	003R98837 003R98839 003R98840		A4 A3 SRA3	A	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	•	♦			
	Bond	100 gsm	003R98842 003R98844 003R98845		A4 A3 SRA3	A	A	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	•	♦		
	Lightweight Cardstock	120 gsm	003R98847 003R98848 003R98849		A4 A3 SRA3	A	A	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	•	♦		
	Lightweight Cardstock	160 gsm	003R98852 003R98854 003R98855		A4 A3 SRA3	A	A	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	•	♦		
	Cardstock	200 gsm	003R97967 003R97968 003R97969		A4 A3 SRA3	A	A	A	A	A	A	A	A	M	A	A	A	•	♦	•	♦	•	♦	•	♦		
	Cardstock	220 gsm	003R97971 003R97972 003R97973		A4 A3 SRA3	A	A	A	A	A	A	A	A	M	A	A	A	•	♦	•	♦	•	♦	•	♦		
	Cardstock	250 gsm	003R98975 003R98976 003R98977		A4 A3 SRA3	S	S	S	S	S	S	S	S	M	A	A	A	n	n	n	n	n	n	n	n		
	Heavyweight Cardstock	280 gsm	003R98979 003R98980 003R97981		A4 A3 SRA3	n	n	n	n	n	n	n	n	M	n	A	A	•	♦	•	♦	•	♦	•	♦		
	Xerox® Colotech+ Natural White	Bond	100 gsm	003R97102 003R97103		A4 A3	A	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	•	♦		
		Lightweight Cardstock	160 gsm	003R95956 003R95957		A4 A3	A	A	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	•	♦	
		Cardstock	200 gsm	003R95958		A4	A	A	A	A	A	A	A	M	A	A	A	•	♦	•	♦	•	♦	•	♦		
				003R95959		A3	A	A	A	A	A	A	n	n	M	n	A	A	•	♦	•	♦	•	♦	•	♦	

Xerox® AltaLink® C8030, C8035, C8045, C8055 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)



Glossy (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)
Heavy Glossy Cardstock (257 - 280 gms)
Transparency

Paper Types are selected when Paper Tray is closed

Lightweight Cardstock (106 - 169 gsm)
Cardstock (170 - 256 gsm)
Heavyweight Cardstock (257 - 280 gsm)
Labels



AltaLink®

C8030 / C8035 / C8045 / C8055
RML
Europe

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

● Capable of Stacking Paper Type
◆ Capable of Stapling Paper Type
n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						SMH (Bypass)			HCF		Finisher Capabilities						Additional Information
						3TM			TTM			5	6	Office (SB) Finisher LX	Integrated (A) Office Finisher		Business Ready (C) Finisher		Office (SB) Finisher LX				
						1	2	3	4	2	3				4	Stack	Staple	Stack	Staple	Stack	Staple		
Xerox® Colotech + Gloss Coated	Glossy	120 gsm	003R90336	Gloss Text	A4	A	n	n	n	n	n	n	A	A	●	n	●	◆	●	◆	If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.		
			003R90337		A3	A	n	n	n	n	n	n	n	A	n	●	n	●	◆	●		◆	
	Glossy	140 gsm	003R90338	Gloss Text	SRA3	n	n	n	n	n	n	n	A	n	n	n	●	n	n	n			
			003R90339		A4	A	n	n	n	n	n	n	n	A	A	●	n	●	◆	●		◆	
	Glossy Cardstock	170 gsm	003R90340	Gloss Cover	A3	A	n	n	n	n	n	n	A	n	●	n	●	◆	●	◆			
			003R90341		SRA3	n	n	n	n	n	n	n	n	A	n	n	n	●	n	n		n	
	Glossy Cardstock	210 gsm	003R90342	Gloss Cover	A4	S	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆			
			003R90343		A3	S	n	n	n	n	n	n	n	M	n	●	n	●	◆	●		◆	
	Glossy Cardstock	250 gsm	003R90344	Gloss Cover	SRA3	n	n	n	n	n	n	n	M	n	n	n	●	n	n	n			
			003R90345		A4	S	n	n	n	n	n	n	n	M	n	●	n	●	◆	●		◆	
Heavy Glossy Cardstock	280 gsm	003R90346	Gloss Cover	A3	S	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆				
		003R90347		SRA3	n	n	n	n	n	n	n	n	M	n	n	n	●	n	n	n			
Xerox® Colotech + Silk Coated	Glossy	120 gsm	003R90355	Silk Text	A4	A	n	n	n	n	n	n	A	A	●	n	●	◆	●	◆			
			003R90356		A3	A	n	n	n	n	n	n	n	A	n	●	n	●	◆	●	◆		
	Glossy	140 gsm	003R90357	Silk Text	SRA3	n	n	n	n	n	n	n	A	n	n	n	●	n	n	n			
			003R90358		A4	A	n	n	n	n	n	n	n	A	A	●	n	●	◆	●	◆		
	Glossy Cardstock	170 gsm	003R90359	Silk Cover	A3	A	n	n	n	n	n	n	A	n	●	n	●	◆	●	◆			
			003R90360		SRA3	n	n	n	n	n	n	n	n	A	n	n	n	●	n	n	n		
	Glossy Cardstock	210 gsm	003R90361	Silk Cover	A4	S	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆			
			003R90362		A3	S	n	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆		
	Glossy Cardstock	250 gsm	003R90363	Silk Cover	SRA3	n	n	n	n	n	n	n	M	n	n	n	●	n	n	n			
			003R90364		A4	S	n	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆		
Heavy Glossy Cardstock	280 gsm	003R90365	Gloss Cover	A3	S	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆				
		003R90366		SRA3	n	n	n	n	n	n	n	n	M	n	n	n	●	n	n	n			
Xerox® Colotech + Supergloss (C15)	Glossy	160 gsm	003R97680	Glossy Cardstock	A4	A	n	n	n	n	n	n	A	A	●	n	●	◆	●	◆			
	Glossy Cardstock	210 gsm	003R97681		A3	A	n	n	n	n	n	n	n	A	n	●	n	●	◆	●	◆		
Xerox® Colour Laser Labels			Labels	160 gsm	003R97682	Labels	A4	S	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆	
	003R97683	A3			S		n	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆		
Xerox® High Speed Laser	Labels	210 gsm	003R97684	Labels	SRA3	n	n	n	n	n	n	n	M	n	●	n	●	◆	●	◆			
			003R93872		1 up	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n		
Xerox® Colour Laser Labels	Labels	210 gsm	003R95813	Labels	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n			
			003R93874		8 up	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n		
			003R93875		14 up	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n		
			003R95815		21 up	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n		
			003R97524		24 up	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n		
Xerox® High Speed Laser	Labels	280 gsm	003R96177	Labels	A4	S	n	n	n	n	n	n	S	S	●	n	●	n	n	n			

Xerox® AltaLink® C8030, C8035, C8045, C8055 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)	Glossy (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
	Glossy Cardstock (170 - 256 gms)	Cardstock (170 - 256 gsm)
	Heavy Glossy Cardstock (257 - 280 gms)	Heavyweight Cardstock (257 - 280 gsm)
	Transparency	Labels

Paper Types are selected when Paper Tray is closed

AltaLink®
C8030 / C8035 / C8045 / C8055
RML
Europe

Simplex / Duplex Capabilities
A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

- Capable of Stacking Paper Type
- ♦ Capable of Stapling Paper Type

n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities										Finisher Capabilities						Additional Information
						Trays						SMH (Bypass)	HCF	Integrated (A) Office Finisher		Business Ready (C) Finisher		Office (SB) Finisher LX				
						1	2	3	4	2	3			4	Stack	Staple	Stack	Staple	Stack	Staple		
Removable Labels	Labels		003R96178	24 up	A4	S	n	n	n	n	n	n	S	S	•	n	•	n	n	n	If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray.	
Xerox® High Speed Laser labels	Labels		003R96281	16 up	A4	S	n	n	n	n	n	n	S	S	•	n	•	n	n	n		
Xerox® Colotech Supergloss Labels	Glossy Cardstock		003R97288	1 up	A4	S	n	n	n	n	n	n	S	S	•	n	•	n	n	n	Stack only to Top Finisher Tray.	
			003R97540	1 up	SRA3	n	n	n	n	n	n	n	S	n	n	n	•	n	n	n		
Xerox® Colotech Super Gloss CD Labels	Glossy Cardstock		003R97516	2 up	A4	S	n	n	n	n	n	n	S	S	•	n	•	n	n	n	Stack only to Top Finisher Tray.	
Xerox® Colour Laser Matte CD Labels	Lightweight Cardstock		003R97514	2 up	A4	S	n	n	n	n	n	n	S	S	•	n	•	n	n	n	Stack only to Top Finisher Tray.	
Xerox® Laser Premium Transparent Colour	Transparency		003R98205	Standard Transp.	A4	S	S	S	S	S	S	S	S	S	•	n	•	n	n	n	Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. Stack only to Top Finisher Tray.	
Xerox® Universal Transfer Paper	Lightweight Cardstock		003R93544	T shirt Transfer	A4	n	n	n	n	n	n	n	S	S	•	n	•	n	n	n	Transfer paper is not intended as the sole application of machine. Limit monthly usage.	
			003R93545		A3	n	n	n	n	n	n	n	n	S	S	•	n	•	n	n		n
Envelopes	Envelope	75 - 90 gsm		C5	9 x 6.4 in	n	n	n	n	n	n	n	S	n	•	n	n	n	n	n	Envelope tray is available as an option. Envelopes are run in Heavyweight Cardstock mode. Wrinkles with certain brands / type are possible. If wrinkles are encountered, try a different brand / type.	
				DL	8.7 x 4.3 in	n	n	n	n	n	n	n	n	S	n	•	n	n	n	n		n