



Recommended Xerox Media for ColorQube 9201/9202/9203(EUROPE) ColorQube 9301/9302/9303(EUROPE)

Issued May, 2011

Important Notes:

All media are listed by product, front panel selection mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.

*Machine reliability specifications may be affected by increased usage of the Transparency, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

© 2009 Xerox Corporation. All rights reserved.

Xerox®, the sphere of connectivity design, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Plain	Recycled	Glossy
Heavy	Pre-punched	Transparency
Extra Heavy	Pre-cut Tabs	Label

ColorQube 9201/9202/9203
 ColorQube 9301/9302/9303
 Multifunction printer
 Xerox Recommended European Media List
 May, 2011

FEED
 Auto = Auto Duplex NA = Not Applicable N = Not Supported
 SEF = Short Edge Feed LEF = Long Edge Feed



Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 (Normal Config. & Options) Normal configuration: A4 LEF and Letter LEF sizes. Upgrade kits: Option 1 - Legal/Letter/A4 SEF Option 2 - Tabloid/Letter/A3 SEF, A4 LEF			Comments
											Normal	Opt. 1	Opt. 2	
Business	80	Plain	003R91820	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R91821	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	80	Pre Punched	003R91823	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
Colotech+ Natural White	100	Plain	003R97102	A4	Uncoated Bond	Natural White	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Plain	003R97103	A3	Uncoated Bond	Natural White	Auto	Auto	N	Auto	N	SEF Auto	N	
	160	Heavyweight (HW)	003R95956	A4	Uncoated Cover	Natural White	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Heavyweight (HW)	003R95957	A3	Uncoated Cover	Natural White	Auto	Auto	N	Auto	N	SEF Auto	N	
	200	Extra-HW (X-HW)	003R95958	A4	Uncoated Cover	Natural White	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Best handling from trays 1,2,4 & 5
200	Extra-HW (X-HW)	003R95959	A3	Uncoated Cover	Natural White	Auto	Auto	N	Auto	N	SEF Auto	N		
Colotech+	90	Plain	003R98837	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Pre-Punched	003R98838	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
	90	Plain	003R98839	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R98840	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	100	Plain	003R98842	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Pre-Punched	003R98843	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
	100	Plain	003R98844	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	100	Plain	003R98845	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	120	Heavyweight (HW)	003R98847	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	120	Heavyweight (HW)	003R98848	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	120	Heavyweight (HW)	003R98849	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	160	Heavyweight (HW)	003R98852	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Heavyweight (HW)	003R98854	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N	
	160	Heavyweight (HW)	003R98855	SRA3	Uncoated Cover		N	N	N	MSI Only	N	N	N	
	200	Extra-HW (X-HW)	003R97967	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Best handling from trays 1,2,4 & 5
	200	Extra-HW (X-HW)	003R97968	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N	
	200	Extra-HW (X-HW)	003R97969	SRA3	Uncoated Cover		N	N	N	MSI Only	N	N	N	
220	Extra-HW (X-HW)	003R97971	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Best handling from trays 1,2,4 & 5	
220	Extra-HW (X-HW)	003R97972	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N		
220	Extra-HW (X-HW)	003R97973	SRA3	Uncoated Cover		N	N	N	MSI Only	N	N	N		

Plain	Recycled	Glossy
Heavy	Pre-punched	Transparency
Extra Heavy	Pre-cut Tabs	Label

ColorQube 9201/9202/9203
 ColorQube 9301/9302/9303
 Multifunction printer
 Xerox Recommended European Media List
 May, 2011

FEED
 Auto = Auto Duplex NA = Not Applicable N = Not Supported
 SEF = Short Edge Feed LEF = Long Edge Feed



Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 (Normal Config. & Options) Normal configuration: A4 LEF and Letter LEF sizes. Upgrade kits: Option 1 - Legal/Letter/A4 SEF Option 2 - Tabloid/Letter/A3 SEF, A4 LEF			Comments
											Normal	Opt. 1	Opt. 2	
Colour Impressions	80	Plain	003R97661	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R97662	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R97663	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Plain	003R97664	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R97665	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	100	Plain	003R97666	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Plain	003R97667	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	100	Plain	003R97668	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	120	Heavyweight (HW)	003R97685	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	120	Heavyweight (HW)	003R97669	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	120	Heavyweight (HW)	003R97670	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	160	Heavyweight (HW)	003R98007	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
160	Heavyweight (HW)	003R98008	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N		
Exclusive	80	Plain	003R90208	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R90209	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R90600	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Plain	003R90618	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	80	Pre Punched	003R91712	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
	100	Plain	003R94573	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
100	Plain	003R94574	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto		
Performer	80	Plain	003R90649	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Premier	80	Plain	003R91720	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Pre-Punched	003R91723	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
	80	Plain	003R91832	A5	Uncoated Bond		Auto	Auto	Auto	Auto	N	N	N	
	90	Pre-Punched	003R91850	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
	90	Plain	003R91853	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R91854	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Heavyweight (HW)	003R93009	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	200	Heavyweight (HW)	003R93011	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
100	Plain	003R93608	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto		
100	Plain	003R93609	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N		











Plain	Recycled	Glossy
Heavy	Pre-punched	Transparency
Extra Heavy	Pre-cut Tabs	Label

ColorQube 9201/9202/9203
 ColorQube 9301/9302/9303
 Multifunction printer
 Xerox Recommended European Media List
 May, 2011

FEED
 Auto = Auto Duplex NA = Not Applicable N = Not Supported
 SEF = Short Edge Feed LEF = Long Edge Feed



Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 (Normal Config. & Options) Normal configuration: A4 LEF and Letter LEF sizes. Upgrade kits: Option 1 - Legal/Letter/A4 SEF Option 2 - Tabloid/Letter/A3 SEF, A4 LEF			Comments
											Normal	Opt. 1	Opt. 2	
ColorPrint	80	Plain	003R95248	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R95249	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R95254	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Plain	003R95255	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	100	Plain	003R95256	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Plain	003R95257	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	120	Plain	003R95258	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Best handling from trays 1,2,4 & 5
	120	Plain	003R95259	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
Colour Copier/Laser Labels	160	Labels	003R93872	A4	Label	1 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	Best handling limited to MSI (tray 4) and OCT/Top Tray.
	160	Labels	003R93873	A4	Label	6 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Labels	003R93874	A4	Label	8 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Labels	003R93875	A4	Label	14 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Labels	003R95813	A4	Label	4 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Labels	003R95815	A4	Label	21 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Labels	003R97524	A4	Label	24 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	
Dividers White 10 Tab Reverse Collated (Non Printing Media for Inserting Between Print Groups)	160		003R91001	A4+	Tab		N	N	N	MSI Only Feed Tabs Trailing	N	N	N	This is a non-printing media to be used as a separator of print groups. Feed using MSI (tray 4) with non tab edge on the lead edge. DO NOT USE WITH PPI (insert).
	160	Pre-Punched	007R98002	A4+	Tab	4HD	N	N	N	MSI Only Feed Tabs Trailing	N	N	N	
	160		003R90873	A4+	Tab		N	N	N	MSI Only Feed Tabs Trailing	N	N	N	
	160	Pre-Punched	007R98003	A4+	Tab	4HD	N	N	N	MSI Only Feed Tabs Trailing	N	N	N	
Recycled	80	Recycled	003R91165	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Avoid printing over prepunched holes
	80	Recycled	003R91166	A3	Recycled		Auto	Auto	N	Auto	N	SEF Auto	N	
	80	Pre-Punched	003R91857	A4	Recycled	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Recycled Supreme	80	Recycled	003R94565	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Recycled	003R94568	A3	Recycled		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Recycled	003R95156	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Recycled	003R95161	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	

Plain 	Recycled 	Glossy 	ColorQube 9201/9202/9203 ColorQube 9301/9302/9303 Multifunction printer Xerox Recommended European Media List May, 2011	FEED						
Heavy 	Pre-punched 	Transparency 		Auto = Auto Duplex NA = Not Applicable N = Not Supported						
Extra Heavy 	Pre-cut Tabs 	Label 		SEF = Short Edge Feed LEF = Long Edge Feed						

Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 (Normal Config. & Options) Normal configuration: A4 LEF and Letter LEF sizes. Upgrade kits: Option 1 - Legal/Letter/A4 SEF Option 2 - Tabloid/Letter/A3 SEF, A4 LEF			Comments
											Normal	Opt. 1	Opt. 2	
Carbonless Straight Collated	80	Plain	003R99105	A4	Carbonless	W/Y	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Pre-collated Straight. For limited or occasional use. To print on proper side ensure correct loading of print side as indicated by the arrows on the edge of the ream. Best handling limited to MSI and OCT/Top Trays. DO NOT USE WITH PPI (insert).
	80	Plain	003R99107	A4	Carbonless	W/P	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R99108	A4	Carbonless	W/Y/P	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Premium Plain Transparencies for Colour	100 microns	Transparency	003R98205	A4	Transparency		N	N	N	MSI Only	N	N	N	For limited or occasional use. MSI preferred. (Paper backed and striped can be used. Select Transparency on front panel for best results and follow loading instructions.)

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met. The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best-Xerox Supplies.
 © 2009 Xerox Corporation. All rights reserved.
 Xerox®, the sphere of connectivity design, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.