



Recommended Xerox Materials for DocuColor 3535 (EUROPE)

Revision 5.01, Dec 2009

Last revision Oct 2009

This supersedes any previous Recommended Media for Xerox DocuColor 3535 list.

Any additions or part number changes since the last publication are indicated in Blue print

Important Note:

All media is listed by product, Paper Type System Setting, Paper Type, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications. Paper type System Setting and Paper Types for use with finisher option are identified within parentheses (). Any paper identified in parentheses can also be delivered to the Center Output Tray. Custom 5 has been preset to Bond S, you may change name if desired. Alternative Gloss settings are referenced in pink which will slow machine output speed and increase gloss on output. Alternative Gloss settings Gloss 1A, Gloss 1C, and Coated 1 Gloss cannot be auto duplexed. Please refer to the DC 3535 User Guide section 4.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

*Machine reliability specifications may be affected by increased usage of the Heavyweight 1, Heavyweight 2, Coated 1, and Coated 2 modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Heavyweight 1, Heavyweight 2, Coated 1, and Coated 2 modes or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your equipment.

© 2009 Xerox Corporation. All rights reserved.

Xerox®, the sphere of connectivity design, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
 Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4								Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.
							Option 1 3 Tray		Option 2 Hi Cap							
							1	2	3	4	3	4	5	5		
Xerox Premier	16	Lightweight	60 gsm	3R91713		A4									S	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Lightweight</i> should be displayed on the user interface.
	0	Plain	80 gsm	3R91720 3R91721		A4 A3	A	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Plain</i> should be displayed on the user interface.
	14	Bond	90 gsm	3R91854 3R91853		A4 A3	A	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Bond</i> should be displayed on the user interface.
	27 (31)	Heavyweight 1C (FC)	120gsm	3R93007		A4	A	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used <i>Heavyweight 1C</i> or <i>Gloss 1C</i> should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=21)side 1 (12 with IQ=25)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=28)side 1 (13 with IQ=33)side 2
	34	Gloss 1C														
Xerox Business	0	Plain	80 gsm	3R91820		A4	S	S	S	S	S	S	S	S	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Plain</i> should be displayed on the user interface.	
Xerox Planet+	0	Plain	80 gsm	3R90652 3R90648		A4 A3	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Plain</i> should be displayed on the user interface.	
Xerox Exclusive	0	Plain	80 gsm	3R90208		A4	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Plain</i> should be displayed on the user interface.	
				3R91712		A4-4 hole	A	A	A	A	A	A	A	A		
				3R90209		A3	A	A	A	A				A		
	14	Bond	90 gsm	3R90600 3R90618		A4 A3	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Bond</i> should be displayed on the user interface.	
Xerox Digital Colour Impressions	14	Bond	80 gsm	3R97661		A4	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Bond</i> should be displayed on the user interface.	
				3R97662		A3	A	A	A	A				A		
	14	Bond	90 gsm	3R97663		A4	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used, <i>Bond</i> should be displayed on the user interface.	
				3R97664		A3	A	A	A	A				A		
				3R97665		SRA3								M		
	165	Bond S (Custom 5)	100 gsm	3R97666		A4	A	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used <i>Bond S</i> or <i>Heavyweight 1B</i> should be displayed on the user interface. For Tray 5(Bypass) use Bond S or Alternative Gloss setting Heavyweight 1 (1 with IQ=20)side 1 (12 with IQ=24)side 2	
				3R97667		A3	A	A	A	A				A		
26 (30)	Heavyweight 1B (FB)		3R97668		SRA3									M		

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
 Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4					Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.		
							1	2	Option 1 3 Tray	4	Option 2 Hi Cap			3	4
Xerox Digital Colour Impressions	27 (31)	Heavyweight 1C (FC)	120gsm	3R97669	A3		A	A	A	A					Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 1C or Gloss 1C should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=21)side 1 (12 with IQ=25)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=28)side 1 (13 with IQ=33)side 2.
	34	Gloss 1C		3R97670	SRA3								M		
	37	Heavyweight 2S	250 gsm	3R97671	A3		S							M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2S should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=36)side 2.
				3R97672	SRA3								M		
Xerox Digital Colour Colotech+ Gold	14	Bond	90 gsm	3R97988	A4		A	A	A	A	A	A	A		Paper Types can be selected within system settings or from the printer driver. If system settings are used, Bond should be displayed on the user interface.
				3R97989	A3		A	A	A	A			A		
				3R97991	SRA3								M		
	165	Bond S (Custom 5)	100 gsm	3R97993	A4		A	A	A	A	A	A	A		Paper Types can be selected within system settings or from the printer driver. If system settings are used Bond S or Heavyweight 1B should be displayed on the user interface. For Tray 5(Bypass) use Bond S or Alternative Gloss setting Heavyweight 1 (1 with IQ=20)side 1 (12 with IQ=24)side 2
26 (30)	Heavyweight 1B (FB)	3R97956		SRA3								M			
Xerox Digital Colour Colotech+	14	Bond	90 gsm	3R94641	A4		A	A	A	A	A	A	A		Paper Types can be selected within system settings or from the printer driver. If system settings are used, Bond should be displayed on the user interface.
				3R94642	A3		A	A	A	A			A		
				3R94643	A3+								M		
			3R95838	SRA3								M			
	165	Bond S (Custom 5)	100 gsm	3R94646	A4		A	A	A	A	A	A	A		Paper Types can be selected within system settings or from the printer driver. If system settings are used Bond S or Heavyweight 1B should be displayed on the user interface. For Tray 5(Bypass) use Bond S or Alternative Gloss setting Heavyweight 1 (1 with IQ=20)side 1 (12 with IQ=24)side 2
26 (30)	Heavyweight 1B (FB)	3R94647		A3		A	A	A	A			A			
				3R94648	A3+							M			
				3R95839	SRA3							M			
Xerox Digital Colour Colotech+ Gold	27 (31)	Heavyweight 1C (FC)	120gsm	3R97958	A4		A	A	A	A	A	A	A		Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 1C or Gloss 1C should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=21)side 1 (12 with IQ=25)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=28)side 1 (13 with IQ=33)side 2.
	34	Gloss 1C		3R97959	A3		A	A	A	A			A		
				3R97960	SRA3							M			
	25	Heavyweight 1A	160gsm	3R97963	A4		A	A	A	A	A	A	A		Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 1A or Gloss 1A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=19)side 1 (12 with IQ=23)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=29)side 1 (13 with IQ=34)side 2.
35	Gloss 1A	3R97964		A3		A	A	A	A			A			
				3R97965	SRA3							M			

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
 Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4								Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.
							Option 1 3 Tray				Option 2 Hi Cap					
							1	2	3	4	3	4	5	5		
Xerox Digital Colour Colotech+ Gold	33	Heavyweight 2A	200 gsm	3R97967	A4	S	S	S	S	S	S	M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=36)side 2.			
				3R97968	A3	S	S	S	S			M				
				3R97969	SRA3							M				
	33	Heavyweight 2A	220 gsm	3R97971	A4	S						M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=36)side 2.			
				3R97972	A3	S						M				
				3R97973	SRA3							M				
	37	Heavyweight 2S	250 gsm	3R97975	A4	S						M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2S should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=36)side 2.			
				3R97976	A3	S						M				
				3R97977	SRA3							M				
Xerox Digital Colour Colotech+	27 (31)	Heavyweight 1C (FC)	120gsm	3R94651	A4	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 1C or Gloss 1C should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=21)side 1 (12 with IQ=25)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=28)side 1 (13 with IQ=33)side 2.			
				3R94652	A3	A	A	A	A			A				
	34	Gloss 1C	120gsm	3R94653	A3+							M				
				3R95840	SRA3							M				
	25	Heavyweight 1A	160gsm	3R94656	A4	A	A	A	A	A	A	A	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 1A or Gloss 1A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=19)side 1 (12 with IQ=23)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=29)side 1 (13 with IQ=34)side 2.			
				3R94657	A3	A	A	A	A			A				
	35	Gloss 1A	160gsm	3R94658	A3+							M				
				3R95841	SRA3							M				
	Xerox Digital Colour Colotech+	33	Heavyweight 2A	200 gsm	3R94661	A4	S	S	S	S	S	S	M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=36)side 2.		
					3R94662	A3	S	S	S	S			M			
					3R94663	A3+							M			
					3R95842	SRA3							M			
33		Heavyweight 2A	220 gsm	3R94668	A4	S						M				
				3R94669	A3	S						M				
37	Heavyweight 2S	250 gsm	3R94670	A3+							M					
			3R95843	SRA3							M					
37	Heavyweight 2S	250 gsm	3R94671	A4	S						M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2S should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=36)side 2.				
			3R94672	A3	S						M					
			3R95844	SRA3							M					

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
 Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4								Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.			
							Option 1 3 Tray				Option 2 Hi Cap								
							1	2	3	4	3	4	5	5					
Xerox Colotech+ Natural White	165	Bond S (Custom 5)	100 gsm	3R97102	A4		A	A	A	A	A	A	A					Paper Types can be selected within system settings or from the printer driver. If system settings are used Bond S or Heavyweight 1B should be displayed on the user interface. For Tray 5(Bypass) use Bond S or Alternative Gloss setting Heavyweight 1 (1 with IQ=20)side 1 (12 with IQ=24)side 2	
	26 (30)	Heavyweight 1B (FB)		3R97103	A3		A	A	A	A									
				3R97275	SRA3														M
	25	Heavyweight 1A	160gsm	3R95956	A4		A	A	A	A	A	A	A					Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 1A or Gloss 1A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=19)side 1 (12 with IQ=23)side 2 or Alternative Gloss setting Heavyweight 2 (8 with IQ=29)side 1 (13 with IQ=34)side 2.	
				3R95957	A3		A	A	A	A									A
	35	Gloss 1A		3R97276	SRA3														M
33	Heavyweight 2A	200gsm	3R95958	A4		S	S	S	S	S	S	S					M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Heavyweight 2A should be displayed on the user interface. For Tray 5(Bypass) use Heavyweight 2 (8 with IQ=27)side 1 (13 with IQ=200)side 2.	
			3R95959	A3		S	S	S	S								M		
			3R97277	SRA3													M		
Xerox Digital Colour Colotech+ Gloss Coated Papers & Covers	21 (20)	Coated 1 (F)	120gsm	3R97574	A4												A	Paper Types can be selected within system settings or from the printer driver. If system settings are used Coated 1 or Coated 1 Gloss should be displayed on the user interface. For Tray 5(Bypass) use Coated 1 or Alternative Gloss setting Heavyweight 2 (8 with IQ=30)side 1 (13 with IQ=35)side 2. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.	
				3R97575	A3														A
				3R97576	SRA3														M
	21	Coated 1	140gsm	3R97577	A4												A	Paper Types can be selected within system settings or from the printer driver. If system settings are used Coated 2 should be displayed on the user interface. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.	
				3R97578	A3														A
	36	Coated 1 Gloss		3R97579	SRA3														M
	23	Coated 2	170gsm	3R97580	A4													M	
				3R97581	A3													M	
				3R97582	SRA3													M	
	23	Coated 2	210gsm	3R97583	A4													M	
		3R97584		A3													M		
		3R97585		SRA3													M		

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
 Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4					Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.		
							Option 1 3 Tray		Option 2 Hi Cap		5				
							1	2	3	4				3	4
Xerox Digital Color Impressions Gloss Coated Text and Covers (C2S)	21	Coated 1 (F)	120gsm / 80lb	3R97886	Gloss Text	A3							A	Paper Types can be selected within system settings or from the printer driver. If system settings are used Coated 1 or Coated 1 Gloss should be displayed on the user interface. For Tray 5(Bypass) use Coated 1 or Alternative Gloss setting Heavyweight 2 (8 with IQ=30)side 1 (13 with IQ=35)side 2. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints	
				3R97887		SRA3							M		
	23	Coated 2	210gsm / 80lb	3R97889	Gloss Cover	A3							M		
				3R97890		SRA3							M		
Xerox Digital Colour Colotech+ Silk Coated Papers & Covers	21 (20)	Coated 1 (F)	120gsm	3R97592		A4							A	Paper Types can be selected within system settings or from the printer driver. If system settings are used Coated 1 or Coated 1 Gloss should be displayed on the user interface. For Tray 5(Bypass) use Coated 1 or Alternative Gloss setting Heavyweight 2 (8 with IQ=30)side 1 (13 with IQ=35)side 2. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.	
				3R97593		A3							A		
	36	Coated 1 Gloss	120gsm	3R97594		SRA3							M		
				3R97595		A4							A		
	21	Coated 1	140gsm	3R97596		A3							A		
				3R97597		SRA3							M		
	23	Coated 2	170gsm	3R97598		A4									M
				3R97599		A3									M
				3R97600		SRA3									M
	23	Coated 2	210gsm	3R97601		A4									M
3R97602					A3								M		
3R97603					SRA3								M		
Xerox Colotech+ Supergloss	21	Coated 1	135gsm	3R97679		A4							M	Paper Types can be selected within system settings or from the printer driver. If system settings are used Coated 1 or Coated 1 Gloss should be displayed on the user interface. For Tray 5(Bypass) use Coated 1 or Alternative Gloss setting Heavyweight 2 (8 with IQ=30)side 1 (13 with IQ=35)side 2. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine roll, especially on high area coverage prints.	
				3R97680		A4									M
	23	Coated 2	160gsm	3R97681		A3							M		

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".

Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4								Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.	
							Option 1 3 Tray				Option 2 Hi Cap						
							1	2	3	4	3	4	3	4			5
Xerox Supergloss Labels	23	Coated 2		3R97288	1-up	A4										S	Only allow a 5-10 sheets of the SRA3 labels to collect in the output tray. Labels are not intended as sole application of machine.
				3R97540	1-up	SRA3											
Xerox Color Laser Dura Paper Label	17	Label Mode		3R97344	1-up	A4										S	Labels are not intended as sole application of machine.
Xerox Removable Label	17	Label Mode		3R96177	16-up	A4	S	S	S	S	S	S	S	S	S	S	Labels are not intended as sole application of machine.
				3R96178	24-up	A4	S	S	S	S	S	S	S	S	S	S	
Xerox Plain Transparency for Colour	5	Transparency Mode		3R98205		A4	S	S	S	S	S	S	S	S	S	S	It is not recommended to output more than 20 transparencies at a time.
Xerox Digital Color DocuPac Presentation Folder High Gloss White	23	Coated 2	210 gsm	3R97251		Custom										S	Short Edge feed from bypass tray. Custom size setting is 232 x 310 mm. Output will have some curl. Image one sheet then assemble folder to ensure correct image placement.
Laser Window GraphiX	28	Heavyweight 1S		3R97494 Clear		A4										S	Only allow 5 to 10 sheets to accumulate in the output tray. Sheets will be hot with some static cling. Both products are identical other than shade. For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=22) for 1S or Heavyweight 1 (1 with IQ=19) for 1A. Environmental conditions may require that this product be fed one sheet at a time. Limit to short runs.
	25	Heavyweight 1A		3R97511 Opaque White		A4										S	
	25	Heavyweight 1A		3R97539 Opaque white		A3										S	
Xerox Digital Color DocuPac Presentation Folder Matt White	33	Heavyweight 2A	180 gsm	3R97353		Custom										S	Feed from bypass tray. Custom size setting is 232 x 310 mm. Image one sheet then assemble folder to ensure correct image placement.
Xerox Colour Laser Gloss CD Labels	36	Coated 1 gloss		3R97287	2-up	A4										S	Only allow 5 to 10 sheets of the labels to collect in the output tray. Labels are not intended as sole application of machine.

Trays 1,2,3,4 & 5: Plain/Bond/Recycled (64-98gsm) Transparency
 Heavyweight 1 (99-169gsm) Coated 1 (120-169gsm) Heavyweight 2 / Coated 2 (170-220gsm) Label
 Paper Types are selected within system settings
 Alternative Gloss Setting (applicable to all media run from trays 1-4)
 Note: Productivity will be decreased to enhance gloss

**DC 3535
RML
EUROPE
Revision 5.0**

A=Auto Duplex M=Manual Duplex
S=Simplex Only

Please use the DC 3535 Recommended Media List in conjunction with the DC 3535 user guide and the DC3535 paper tray settings document.
 Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
 Hint: (1 with IQ=21) below means Paper type system setting=1 and Image quality System Setting=21. Other system setting numbers are indicated in the same manner for Tray 5(Bypass).

Media	Paper Type System Setting	Paper Type	Weight	Re-Order #	Type	Size	TRAYS 1-4								Bypass	Additional Information IQ=Image Quality System Setting. Refer to DC3535 User Guide section 4 for settings information.	
							1	2	3	4	Option 1 3 Tray	Option 2 Hi Cap	3	4			S
Xerox Colour Laser Gloss CD labels Combi Box	17	Label	210gsm	3R97515	2-up	A4	S	S	S	S	S	S	S	S	S		Important: Run the labels in label mode and the CD case inserts in Heavy 1A mode. Heavyweight 2A mode will give a glossier image on the CD inserts. Inserts can be duplexed.
	25	Heavy Weight 1A															
Xerox Premium Never Tear	25	Heavyweight 1A		3R98033		A4									M	Simplex only. Feed from Bypass tray. Manual duplex only. Static can cause stacking issues, in such case remove each printed sheet from output tray. Premium Never Tear is not intended as sole application or the main application.	
DuraPaper	28	Heavyweight 15	210gsm	3R97513		SRA3									M	For Tray 5(Bypass) use Heavyweight 1 (1 with IQ=22) for 15 or Heavyweight 1 (1 with IQ=19) for 1A. Environmental conditions may require that this product be fed one sheet at a time.	
	25	Heavyweight 1A															
Xerox High Speed Laser Labels	17	Label Mode		3R96284	10-up	A4	S	S	S	S	S	S	S	S	S	Labels are not intended as sole application of machine.	
Transfer Paper	26 (30)	Heavyweight 1B (FB)	210gsm	3R97948		A4(SEF)	S								S	feed from bypass tray. Heavyweight 1B. SEF stripe lead edge and facing down. Recommended single sheet feed. Transfer paper are not intended as sole application of machine	
				3R97950		A3(SEF)	S										S
Docucard	33	Heavyweight 2A		3R97571		A4									S	Short edge feed	
Xerox ColoBind Gloss Cover	23	Coated 2	210gsm	3R98022 (1.5mm)		Custom									M	Post script Custom Page size required for 1.5mm,9mm and 12 mm spines. Manual Duplex only. Moderate cut and slightly skewed stacking should be expected	
				3R98023(3mm)		Custom									M		
				3R98024(6mm)		Custom											M
				3R98025(9mm)		Custom											M
				3R98027(multipack)		Custom											M

WARRANTY DISCLAIMER
 Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.
 The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best-Xerox Supplies.
 © 2003 Xerox Corporation. All rights reserved.
 Xerox® and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.