



Recommended Xerox Media for Xerox® DocuColor® 12 LP/CP and DCCS 50 (Europe)

Revision 6.0, August 2011

This supersedes any previous Recommended Media List for Xerox DocuColor 12 LP/CP and DCCS 50.

Important Notes

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23°C ±2, Relative Humidity 50 % ±5.

In the enclosed Recommended Media List, green shaded areas marked with an "x" indicate approved product/media type configurations. Although these configurations are recommended, reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by increased usage of Heavy Weight mode and Extra Heavy Weight mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Heavy Weight mode, Extra Heavy Weight mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your machine.

© 2003-2011 Xerox Corporation. All rights reserved.

XEROX®, XEROX and Design® and DocuColor® are trademarks of, or licensed to, Xerox Corporation in the United States and/or other countries.

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer											
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 305 x 457 mm	SRA3 320 x 450 mm		Black only	Full Colour	Tray 1, 6 (HCP) A4 size only		Tray 2,3,4			Tray 5, 64 - 250 g/m2						
											<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)								
Weight range specification	→							64 - 105 g/m ²	64 - 128 g/m ²			64 - 105 g/m ²	106-163 g/m ²		164-250 g/m ²				
Media selection	→							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency
Xerographic/Laser	for media marked # - colour print quality will not be as good as Colotech+ papers																		
Xerox Premier	003R91713				60	x	#	x	x	x			x	x	x				
Xerox Premier	003R91720				80	x	#	x	x	x			x	x	x				
		003R91721			80	x	#	x	x	x			x	x	x				
Xerox Business	003R91820				80	x	#	x	x	x			x	x	x				
		003R91821			80	x	#	x	x	x			x	x	x				
Xerox Colour Impressions	003R97661				80	x	x	x	x	x			x	x	x				
		003R97662			80	x	x			x			x	x	x				
Xerox Colour Impressions	003R97663				90	x	x	x	x	x			x	x	x				
		003R97664			90	x	x			x			x	x	x				
				003R97665	90	x	x							x	x				
Xerox Colotech+ Gold	003R98837				90	x	x	x	x	x			x	x	x				
		003R98839			90	x	x			x			x	x	x				
					90	x	x			*				x	x				
				003R98840	90	x	x							x	x				
Xerox Colotech+	003R94641				90	x	x	x	x	x			x	x	x				
		003R94642			90	x	x			x			x	x	x				
					90	x	x			*				x	x				
				003R95838	90	x	x							x	x				
Xerox Colour Impressions	003R97666				100	x	x	x	x	x			x	x	x				
		003R97667			100	x	x			x			x	x	x				
				003R97668	100	x	x							x	x				
Xerox Colotech+ Gold	003R98842				100	x	x	x	x	x			x	x	x				
		003R98844			100	x	x			x			x	x	x				
					100	x	x			*				x	x				
				003R98845	100	x	x							x	x				

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer											
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m2						
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm	A4 size only						<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)								
Weight range specification	→							64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection	→							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency
Xerox Colotech+	003R94646				100	x	x	x	x	x		x	x	x					
		003R94647			100	x	x			x		x	x	x					
					100	x	x			*			x	x					
				003R95839	100	x	x						x	x					
Xerox Colotech+ Natural White	003R97102				100	x	x	x	x	x		x	x	x					
		003R97103			100	x	x			x		x	x	x					
					100	x	x			*			x	x					
				003R97275	100	x	x						x	x					
* Trays 2-4 must be converted by service engineer to allow running of A3+ (305mm x457mm)																			
Xerox Colour Impressions	003R98685				120							Enable heavy weight option*				x	x		
		003R97669			120	x	x									x	x		
				003R97670	120	x	x									x	x		
Xerox Colotech+ Gold	003R98847				120	x	x					Enable heavy weight option*				x	x		
		003R98848			120	x	x									x	x		
				003R98849	120	x	x									x	x		
Xerox Colotech+	003R94651				120	x	x					Enable heavy weight option*				x	x		
		003R94652			120	x	x									x	x		
				003R94653*	120	x	x									x	x		
				003R95840	120	x	x									x	x		
* Trays 2-4 must be converted by service engineer to allow running of A3+ (305mm x457mm)																			
Index/Cover																			
Xerox Colour Impressions	003R98007				160	x	x									x	x		
		003R98007			160	x	x									x	x		
				003R98686	160	x	x									x	x		
Xerox Colotech+ Gold	003R98852				160	x	x									x	x		
		003R98854			160	x	x									x	x		
					160	x	x									x	x		
				003R98855	160	x	x									x	x		

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer										
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²					
	210 x 297 mm	297 x 420 mm	305 x457 mm	320 x 450 mm	A4 size only						<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)							
Weight range specification	→						64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection	→						Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency
Xerox Colotech+	003R94668				220	x	x									x	x	
		003R94669			220	x	x									x	x	
					220	x	x									x	x	
				003R95843	220	x	x									x	x	
Xerox Colour Impressions	003R98687				250											x	x	
		003R97671			250	x	x									x	x	
				003R97672	250	x	x									x	x	
Xerox Colotech+ Gold	003R97975				250	x	x									x	x	
		003R97976			250	x	x									x	x	
					250	x	x									x	x	
				003R97977	250	x	x									x	x	
Xerox Colotech+	003R94671				250	x	x									x	x	
		003R94672			250	x	x									x	x	
					250	x	x									x	x	
				003R95844	250	x	x									x	x	
Coated Papers																		
Xerox Colotech+ Gloss Coated	003R97574				120	x	x								x	x		
		003R97575			120	x	x								x	x		
				003R97576	120	x	x								x	x		
Xerox Colotech+ Silk Coated	003R97592				120	x	x								x	x		
		003R97593			120	x	x								x	x		
				003R97594	120	x	x								x	x		
Xerox Colotech+ Gloss Coated	003R97577				140	x	x								x	x		
		003R97578			140	x	x								x	x		
				003R97579	140	x	x								x	x		

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer															
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²										
	210 x 297 mm	297 x 420 mm	305 x457 mm	320 x 450 mm	A4 size only			Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)			64 - 105 g/m ²		64 - 128 g/m ²		64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²				
Weight range specification																							
Media selection																							
								Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency				
Xerox Colotech+ Silk Coated	003R97595				140	x	x									x	x						
		003R97596			140	x	x									x	x						
				003R97597	140	x	x									x	x						
Xerox Colotech+ Gloss Coated	003R97580				170	x	x											x	x				
		003R97581			170	x	x											x	x				
				003R97582	170	x	x											x	x				
Xerox Colotech+ Silk Coated	003R97598				170	x	x											x	x				
		003R97599			170	x	x											x	x				
				003R97600	170	x	x											x	x				
Coated Cover																							
Xerox Colotech+ Gloss Coated	003R97583				210	x	x											x	x				
		003R97584			210	x	x											x	x				
				003R97585	210	x	x											x	x				
Xerox Colotech+ Silk Coated	003R97601				210	x	x											x	x				
		003R97602			210	x	x											x	x				
				003R97603	210	x	x											x	x				
Xerox Colotech+ Gloss Coated	003R97586				250	x	x											x	x				
		003R97587			250	x	x											x	x				
				003R97588	250	x	x											x	x				
Xerox Colotech+ Silk Coated	003R97604				250	x	x											x	x				
		003R97605			250	x	x											x	x				
				003R97606	250	x	x											x	x				

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer													
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 305 x 457 mm	SRA3 320 x 450 mm		Black only	Full Colour	Tray 1, 6 (HCP) A4 size only	Tray 2,3,4		Tray 5, 64 - 250 g/m ²										
											<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)										
Weight range specification	→								64 - 105 g/m ²	64 - 128 g/m ²		64 - 105 g/m ²	106-163 g/m ²		164-250 g/m ²						
Media selection	→								Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency	
Coated One Side Cover C1S	for media marked # - colour print quality will not be as good as Colotech+ papers																				
Xerox Colotech+ Supergloss	003R97679				135	x	x									x	Limited Duplex. Print the uncoated side first with text or light area				
Xerox Colotech+ Supergloss	003R97680				160	x	x									x					
Xerox Colotech+ Supergloss		003R97681			160	x	x									x					
Xerox Colotech+ Supergloss	003R97682				210	x	x											x	Limited Duplex. Print the uncoated side first with text or light area coverage only.		
Xerox Colotech+ Supergloss		003R97683			210	x	x											x			
Xerox Colotech+ Supergloss				003R97684	210	x	x											x			
Xerox Colotech+ Supergloss	003R97686				250	x	x											x			
Xerox Colotech+ Supergloss Prescored				003R97687	250	x	x											x			
Xerox Colotech+ Supergloss Prescored				003R97688	250	x	x											x			
Xerox Colotech+ Supergloss Prescored	003R97685				210	x	x											x			
Transparency																					
Xerox Universal Transparency with 14mm removable stripe	003R98198					x	x													x	
Xerox Universal Transparency with paper backing SRA3				003R98201		x	x											x			
Paper Label *	DO NOT RUN DIE-CUT LABELS FROM TRAY 5. ALL LABELS OTHER THAN 1-UP OR 1 TO VIEW MUST BE RUN FROM TRAYS 2-4																				
	* Run labels from Trays 2, 3 or 4 which must be set for HEAVYWEIGHT mode to run labels. Load labels image side face down in the tray and long edge feed (LEF).																				
Xerox Colotech+ Supergloss label	003R97288				1-UP	x	x				x										
Xerox Colour Copier/Laser Labels	003R93872				1-UP	x	x				x										
	003R95813				4-UP	x	x				x										
	003R93874				8-UP	x	x				x										
	003R93875				14-UP	x	x				x										
	003R95815				21-UP	x	x				x										
	003R97524				24-UP	x	x				x										

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer											
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²						
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm				A4 size only					<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)						
Weight range specification							64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²			
Media selection							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency	
Xerox Hi-Speed Removable label	003R96177				16-up	x	#				x								
	003R96178				24-up	x	#				x								
Xerox Hi-Speed Permanent label	003R96169				1-UP	x	#				x								
	003R96283				8-UP	x	#				x								
	003R96284				10-up	x	#				x								
	003R96281				16-up	x	#				x								
	003R96282				24-up	x	#				x								
Xerox Colotech+ Supergloss CD label 117mm x 41mm	003R97287				2-UP	x	x				x	Specially developed media that must be run from trays 2-4 DO NOT RUN FROM TRAY 5							
Xerox CD label 117mm x 41mm & CD insert Combi Box	003R97515				2-UP	x	x				x								
Synthetic Label *	DO NOT RUN DIE-CUT LABELS FROM TRAY 5. ALL LABELS OTHER THAN 1-UP OR 1 TO VIEW MUST BE RUN FROM TRAYS 2-4																		
* Run labels from Trays 2, 3 or 4 which must be set for HEAVYWEIGHT mode to run labels. Load labels image side face down in the tray and long edge feed (LEF).																			
Xerox DuraPaper Label - waterproof, oil, chemical resistant	003R97344				1-UP	x	x				x							1-up ONLY	
** Xerox Glossy White adhesive label for conventional toner	003R97245				1-UP	x	x											1-up ONLY	
				003R97348	1-UP	x	x												
** Xerox Crystal Clear self adhesive label	003R97244				1-UP	x	x											1-up ONLY	
				003R97347	1-UP	x	x												
** For best performance run 50 sheets of plain paper after every 100 Glossy White or Crystal Clear labels.																			
Synthetic media																			
Xerox DuraPaper				003R97513		x	x											x	x

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer															
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²										
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm	A4 size only						<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)												
Weight range specification		→								64 - 105 g/m ²	64 - 128 g/m ²			64 - 105 g/m ²	106-163 g/m ²		164-250 g/m ²						
Media selection	→									Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency		
Special Application Media	for media marked # - colour print quality will not be as good as Colotech+ papers																						
Xerox DocuPac Glossy White Presentation folder	003R97251				210	x	x												x	x			
Xerox DocuPac Matt Presentation folder	003R97353				180	x	#												x	x			
Xerox Colotech+ Supergloss Document Folder				003R97634	250	x	x												x	x			
Xerox Laser Business Cards 10-UP	003R97512				195	x	#	Short Edge Feed ONLY. Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
Xerox Window GraphiX Clear (window decal)	003R97494				1-up	x	x											x					
Xerox Window GraphiX Opaque White (window decal)	003R97511				1-up	x	x											x					
		003R97539			1-up	x	x											x					
DocuCard 500 sheet box	003R97571				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
DocuGlossCard	003R97678				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuPeelCard Coated	003R97953				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuPeelCard Uncoated	003R97952				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuPerfCard Coated	003R97677				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuPerfCard Uncoated	003R97690				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
Xerox Carbonless Paper Note: Other part numbers are acceptable. Singles and straight collated sequence only	003R99105					x	x	x	x	x				x									
	003R99108					x	x	x	x	x				x									
	003R99111				80	x	x	x	x	x				x									