

XEROX®

Technology | Document Management | Consulting Services

Recommended Xerox Materials for CopyCentre C2128, C2636, C3545 & WorkCentre Pro C2128, C2636, C3545 Color (Europe)

Revision 3.0 February 2007

Last Revision July 2006

This supersedes any previous Recommended Media for Xerox CopyCenter C2128,C2636,C3545 & Workcentre Pro C2128,C2636,C3545 list.**Important Note:**

All media is listed by product, Paper Type System Setting, Paper Type, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications. Paper type System Setting and Paper Types for use with finisher option are identified within parentheses (). Any paper identified in parentheses can also be delivered to the Center Output Tray. Custom 5 has been preset to Bond S, you may change name if desired. Alternative Gloss settings are referenced in pink which will slow machine output speed and increase gloss on output. Alternative Gloss settings Gloss 1A, Gloss 1C, and Coated 1 Gloss cannot be auto duplexed. Please refer to the DC 3535 User Guide section 4.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

*Machine reliability specifications may be affected by increased usage of the Heavyweight, Extra Heavyweight, Coated, Heavyweight Coated, Transparency and Label modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Heavyweight, Extra Heavyweight, Coated, and Heavyweight Coated modes or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your equipment.






© 2003 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

| | | | | | |
|--|-----------------------|--|---|---|---|
| Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Heavyweight Plain & Glossy (106-169gsm) Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm) | Transparency label | | CopyCentre C2128, C2636, C3545 WorkCentre Pro C2128, C2636, C3545 Revision 3.0 | A=Auto Duplex, M=Manual Duplex, S=Simplex Only, PCW=Post Consumer Waste, ECF=Elemental Chlorine Free * Sizes Not Available from HCF | Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com , select "Country", then "Supplies". |
|--|-----------------------|--|---|---|---|

Note: Productivity will be decreased to enhance gloss

| Media | Paper Type | Weight | Re-Order # | Type | Size | TRAYS 1-4 | | | | | Bypass | Additional Information |
|--|-------------|---------|------------|------|-----------|-----------|----|----|----|---|--|------------------------|
| | | | | | | 1 | 2 | 3 | 4 | 5 | | |
| Xerox Premier | Lightweight | 60 gsm | 3R91713 | | A4 | | | | | S | Paper Type <i>Lightweight</i> should be displayed on the user interface for Trays/Bypass. | |
| | Plain | 80 gsm | 3R91720 | | A4 | A | A | A | A | A | Paper Type <i>Plain</i> should be displayed on the user interface for Trays/Bypass. | |
| | | | 3R91721 | | A3 | A | A | A* | A* | A | | |
| | Bond | 90 gsm | 3R91854 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. | |
| 3R91853 | | | | A3 | A | A | A* | A* | A | | | |
| | Heavyweight | 120gsm | 3R93007 | | A4 | A | A | A | A | A | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass. | |
| Xerox Recycled Supreme | Recycled | 80 gsm | 3R91165 | | A4 | A | A | A | A | A | Paper Type <i>Recycled</i> should be displayed on the user interface for Trays/Bypass. | |
| | | | 3R91166 | | A3 | A | A | A* | A* | A | | |
| Xerox Exclusive | Plain | 80 gsm | 3R90208 | | A4 | A | A | A | A | A | Paper Type <i>Plain</i> should be displayed on the user interface for Trays/Bypass. | |
| | | | 3R91712 | | A4-4 hole | A | A | A | A | A | | |
| | | | 3R90209 | | A3 | A | A | A* | A* | A | | |
| | Bond | 90 gsm | 3R90600 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. | |
| 3R90618 | | | | A3 | A | A | A* | A* | A | | | |
| Xerox Digital Colour Impressions | Bond | 80 gsm | 3R97661 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. | |
| | | | 3R97662 | | A3 | A | A | A* | A* | A | | |
| Xerox Digital Colour Impressions | Bond | 90 gsm | 3R97663 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. | |
| | | | 3R97664 | | A3 | A | A | A* | A* | A | | |
| | | | 3R97665 | | SRA3 | | | | | M | | |
| | Bond | 100 gsm | 3R97666 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss. | |
| | | | 3R97667 | | A3 | A | A | A* | A* | A | | |
| | | | 3R97668 | | SRA3 | | | | | M | | |
| Xerox Digital Colour Colotech+ Gold | Bond | 90 gsm | 3R97988 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. | |
| | | | 3R97990 | | A3 | A | A | A* | A* | A | | |
| | | | 3R97991 | | SRA3 | | | | | M | | |
| | Bond | 100 gsm | 3R97993 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss. | |
| | | | 3R97955 | | A3 | A | A | A* | A* | A | | |
| | | | 3R97956 | | SRA3 | | | | | M | | |
| Xerox Digital Colour Impressions | Bond | 120 gsm | 3R97669 | | A3 | A | A | A* | A* | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss. | |
| | | | 3R97670 | | SRA3 | | | | | M | | |
| | Bond | 160 gsm | 3R98007 | | A4 | A | A | A | A | A | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss. | |
| | | | 3R98008 | | A3 | A | A | A* | A* | A | | |

Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm)  transparency 
 Heavyweight Plain & Glossy (106-169gsm)  label 
 Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm) 

CopyCentre C2128,
C2636, C3545
WorkCentre Pro
C2128, C2636, C3545
Revision 3.0

A=Auto Duplex, M=Manual Duplex,
S=Simplex Only, PCW=Post
Consumer Waste,
ECF=Elemental Chlorine Free
* Sizes Not Available from HCF

Please use the Recommended Media List in conjunction with the user guide.
Updates to this Recommended Media List will be found on www.xerox.com, select
"Country", then "Supplies".

Note: Productivity will be decreased to enhance gloss

| Media | Paper Type | Weight | Re-Order # | Type | Size | TRAYS 1-4 | | | | | Bypass | Additional Information |
|-------|------------|--------|------------|------|------|-----------|---|---|---|---|--------|------------------------|
| | | | | | | 1 | 2 | 3 | 4 | 5 | | |

| | | | | | | | | | | | | |
|-------------------------------------|-------------------|---------|---------|------|---|---|----|----|---|---|--|---|
| Xerox Digital Colour Colotech+ | Bond | 90 gsm | 3R94641 | A4 | A | A | A | A | A | | | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. |
| | | | 3R94642 | A3 | A | A | A* | A* | A | | | |
| | | | 3R94643 | A3+ | | | | | | M | | |
| | | | 3R95838 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ | Bond | 100 gsm | 3R94646 | A4 | A | A | A | A | A | | | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss. |
| | | | 3R94647 | A3 | A | A | A* | A* | A | | | |
| | | | 3R94648 | A3+ | | | | | | M | | |
| | | | 3R95839 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ Gold | Heavyweight | 120gsm | 3R97958 | A4 | A | A | A | A | A | | | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass. |
| | | | 3R97959 | A3 | A | A | A* | A* | A | | | |
| | | | 3R97960 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ Gold | Heavyweight | 160gsm | 3R97963 | A4 | A | A | A | A | A | | | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass. |
| | | | 3R97964 | A3 | A | A | A* | A* | A | | | |
| | | | 3R97965 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ Gold | Extra Heavyweight | 200 gsm | 3R97967 | A4 | S | S | S | S | M | | | Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use Extra Heavywt (Side 2) as paper type. |
| | | | 3R97968 | A3 | S | S | S* | S* | M | | | |
| | | | 3R97969 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ Gold | Extra Heavyweight | 220 gsm | 3R97971 | A4 | S | | | | M | | | |
| | | | 3R97972 | A3 | S | | | | M | | | |
| | | | 3R97973 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ | Heavyweight | 120gsm | 3R94651 | A4 | A | A | A | A | A | | | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass. |
| | | | 3R94652 | A3 | A | A | A* | A* | A | | | |
| | | | 3R94653 | A3+ | | | | | | M | | |
| | | | 3R95840 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ | Heavyweight | 160gsm | 3R94656 | A4 | A | A | A | A | A | | | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass. |
| | | | 3R94657 | A3 | A | A | A* | A* | A | | | |
| | | | 3R94658 | A3+ | | | | | | M | | |
| | | | 3R95841 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ | Extra Heavyweight | 200 gsm | 3R94661 | A4 | S | S | S | S | M | | | Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use Extra Heavywt (Side 2) as paper type. |
| | | | 3R94662 | A3 | S | S | S* | S* | M | | | |
| | | | 3R94663 | A3+ | | | | | | M | | |
| | | | 3R95842 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ | Extra Heavyweight | 220 gsm | 3R94668 | A4 | S | | | | M | | | |
| | | | 3R94669 | A3 | S | | | | M | | | |
| | | | 3R94670 | A3+ | | | | | | M | | |
| | | | 3R95843 | SRA3 | | | | | | M | | |

| | | | | |
|--|-----------------------|--|---|---|
| Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Heavyweight Plain & Glossy (106-169gsm) Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm) | Transparency label | CopyCentre C2128, C2636, C3545 WorkCentre Pro C2128, C2636, C3545 Revision 3.0 | A=Auto Duplex, M=Manual Duplex, S=Simplex Only, PCW=Post Consumer Waste, ECF=Elemental Chlorine Free * Sizes Not Available from HCF | Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com , select "Country", then "Supplies". |
|--|-----------------------|--|---|---|

Note: Productivity will be decreased to enhance gloss

| Media | Paper Type | Weight | Re-Order # | Type | Size | TRAYS 1-4 | | | | | Bypass | Additional Information |
|--|--------------------|---------|------------|------|------|-----------|----|----|---|---|--------|--|
| | | | | | | 1 | 2 | 3 | 4 | 5 | | |
| Xerox Colotech+ Natural White | Bond | 100 gsm | 3R97102 | A4 | A | A | A | A | A | A | | Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss. |
| | | | 3R97103 | A3 | A | A | A* | A* | A | | | |
| | | | 3R97275 | SRA3 | | | | | | M | | |
| | Heavyweight | 160gsm | 3R95956 | A4 | A | A | A | A | A | A | | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass. |
| | | | 3R95957 | A3 | A | A | A* | A* | A | | | |
| | | | 3R97276 | SRA3 | | | | | | M | | |
| | Extra Heavyweight | 200gsm | 3R95958 | A4 | S | S | S | S | S | M | | Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass tray, use <i>Extra Heavywt (Side 2)</i> as paper type. |
| | | | 3R95959 | A3 | S | S | S* | S* | M | | | |
| | | | 3R97277 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Colotech+ Gloss Coated Text & Covers | Glossy | 120gsm | 3R97574 | A4 | A | | | | | A | | Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom 6</i> can be selected for higher gloss. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97575 | A3 | A | | | | | A | | |
| | | | 3R97576 | SRA3 | | | | | | M | | |
| | Glossy | 140gsm | 3R97577 | A4 | A | | | | | A | | Paper Type <i>Heavyweight Glossy</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use <i>Heavywt Glossy (Side 2)</i> as paper type. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97578 | A3 | A | | | | | A | | |
| | | | 3R97579 | SRA3 | | | | | | M | | |
| | Heavyweight Glossy | 170gsm | 3R97580 | A4 | S | | | | | M | | Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom 6</i> can be selected for higher gloss. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97581 | A3 | S | | | | | M | | |
| | | | 3R97582 | SRA3 | | | | | | M | | |
| | Heavyweight Glossy | 210gsm | 3R97583 | A4 | S | | | | | M | | Paper Type <i>Heavyweight Glossy</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use <i>Heavywt Glossy (Side 2)</i> as paper type. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97584 | A3 | S | | | | | M | | |
| | | | 3R97585 | SRA3 | | | | | | M | | |
| Xerox Digital Colour Impressions Gloss Coated Text & Cover | Glossy | 120gsm | 3R97886 | A3 | A | | | | | A | | Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom 6</i> can be selected for higher gloss. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97887 | SRA3 | A | | | | | M | | |
| | Heavyweight glossy | 210gsm | 3R97889 | A3 | S | | | | | M | | Paper Type <i>Heavyweight Glossy</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use <i>Heavywt Glossy (Side 2)</i> as paper type. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97890 | SRA3 | S | | | | | M | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Transparency Heavyweight Plain & Glossy (106-169gsm) label Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm) | CopyCentre C2128, C2636, C3545 WorkCentre Pro C2128, C2636, C3545 Revision 3.0 | A=Auto Duplex, M=Manual Duplex, S=Simplex Only, PCW=Post Consumer Waste, ECF=Elemental Chlorine Free * Sizes Not Available from HCF | Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com , select "Country", then "Supplies". |
|---|---|---|---|

Note: Productivity will be decreased to enhance gloss

| Media | Paper Type | Weight | Re-Order # | Type | Size | TRAYS 1-4 | | | | Bypass | Additional Information |
|--|--------------------|--------|-----------------------|-------|------|-----------|---|---|---|--------|--|
| | | | | | | 1 | 2 | 3 | 4 | 5 | |
| Xerox Digital Colour Colotech+ Silk Coated Text & Covers | Glossy | 120gsm | 3R97592 | | A4 | A | | | | A | Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom 6</i> can be selected for higher gloss. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97593 | | A3 | A | | | | A | |
| | | | 3R97594 | | SRA3 | | | | M | | |
| | Glossy | 140gsm | 3R97595 | | A4 | A | | | | A | |
| | | | 3R97596 | | A3 | A | | | A | | |
| | | | 3R97597 | | SRA3 | | | | M | | |
| | Heavyweight Glossy | 170gsm | 3R97598 | | A4 | S | | | | S | |
| | | | 3R97599 | | A3 | S | | | S | | |
| | | | 3R97600 | | SRA3 | | | | S | | |
| | Heavyweight Glossy | 210gsm | 3R97601 | | A4 | S | | | | S | |
| | | | 3R97602 | | A3 | S | | | S | | |
| | | | 3R97603 | | SRA3 | | | | S | | |
| Xerox Colotech+ Supergloss | Glossy | 135gsm | 3R97679 | | A4 | A | | | | M | Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom 6</i> can be selected for higher gloss. Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R97680 | | A4 | A | | | | M | |
| | Glossy | 160gsm | 3R97681 | | A3 | A | | | | M | |
| | | | 3R97682 | | A4 | A | | | | M | |
| | | | 3R97683 | | A3 | A | | | | M | |
| | | | 3R97685 Pre-Scored | | A4 | A | | | | M | |
| Xerox Colour Copier/Laser Labels | Label | | 3R93872 | 1-up | A4 | S | | | | S | Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> can be selected in case of any PQ related issues. Labels are not intended as sole application of machine. |
| | | | 3R95813 | 4-up | A4 | S | | | | S | |
| | | | 3R93874 | 8-up | A4 | S | | | | S | |
| | | | 3R93875 | 14-up | A4 | S | | | | S | |
| | | | 3R95815 | 21-up | A4 | S | | | | S | |
| | | | 3R97524 | 24-up | A4 | S | | | | S | |
| Xerox Supergloss Labels | Heavyweight Glossy | | 3R97288 | 1-up | A4 | S | | | | S | Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> or <i>Label</i> can be selected in case of any PQ related issues. Only allow a 5-10 sheets of the SRA3 labels to collect in the output tray. Labels are not intended as sole application of machine. |
| | | | 3R97540 | 1-up | SRA3 | S | | | | S | |

| | | | | |
|--|---------------------------|---|---|---|
| Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Heavyweight Plain & Glossy (106-169gsm) Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm) | Transparency label | CopyCentre C2128, C2636, C3545 WorkCentre Pro C2128, C2636, C3545 Revision 3.0 | A=Auto Duplex, M=Manual Duplex, S=Simplex Only, PCW=Post Consumer Waste, ECF=Elemental Chlorine Free * Sizes Not Available from HCF | Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com , select "Country", then "Supplies". |
|--|---------------------------|---|---|---|

Note: Productivity will be decreased to enhance gloss

| Media | Paper Type | Weight | Re-Order # | Type | Size | TRAYS 1-4 | | | | Bypass | Additional Information |
|---|--------------------|---------|------------|-------|--------|-----------|---|---|---|--------|---|
| | | | | | | 1 | 2 | 3 | 4 | 5 | |
| Xerox Color Laser Dura Paper Label | Label | | 3R97344 | 1-up | A4 | S | | | | S | Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> can be selected in case of any PQ related issues. Labels are not intended as sole application of machine. |
| Xerox Removable Label | Label | | 3R96177 | 16-up | A4 | S | | | | S | Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> can be selected in case of any PQ related issues. Labels are not intended as sole application of machine. |
| | | | 3R96178 | 24-up | A4 | S | | | | S | |
| Xerox Transparency for Colour | Transparency | | 3R98205 | | A4 | S | S | S | S | S | Paper Type <i>Transparency</i> should be displayed on the user interface for trays/Bypass. It is not recommended to output more than 20 transparencies at a time. |
| Xerox Digital Color DocuPac Prsentation Folder High Gloss White | Heavyweight Glossy | 210 gsm | 3R97251 | | Custom | | | | | S | Custom size setting is 232 x 310 mm. Paper Type <i>Heavyweight Glossy</i> should be displayed on the user interface for Bypass. Output will have some curl. Image one sheet then assemble folder to ensure correct image placement. |
| Xerox Digital Color DocuPac Prsentation Folder Matt White | Extra Heavyweight | 180 gsm | 3R97353 | | Custom | | | | | S | Custom size setting is 232 x 310 mm. Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Bypass. Image one sheet then assemble folder to ensure correct image placement. |
| Xerox Colour Laser Gloss CD labels | Heavyweight Glossy | | 3R97287 | 2-up | A4 | | | | | S | Only allow 5 to 10 sheets of the labels to collect in the output tray. Labels are not intended as sole application of machine. |
| Xerox Colour Laser Matt CD labels Combi Box | Heavyweight | | 3R97515 | 2-up | A4 | S | | | | S | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Tray/Bypass. Alternate Paper Type- <i>Label</i> can be selected in case of any PQ related issues. Labels are not intended as sole application of machine. |
| DuraPaper | Custom 6 | | 3R97513 | | SRA3 | | | | | M | Paper Type Custom 6 should be displayed on the user interface for Bypass. Environmental conditions may require that this product be fed one sheet at a time. |
| Xerox High Speed Laser Labels | Label | | 3R96284 | 10-up | A4 | S | | | | S | Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> can be selected in case of any PQ related issues. Labels are not intended as sole application of machine. |
| Transfer Paper | Heavyweight | | 3R97948 | | A4 | S | | | | S | Paper Type <i>Heavyweight</i> should be displayed on the user interface for Bypass. Only allow a 50 sheets maximum in tray Transfer paper are not intended as sole application of machine. |
| | | | 3R97950 | | A3 | S | | | | S | |

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies.

© 2003 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.