



Recommended Xerox Media for 7425 / 7428 / 7435(Europe)

Revision 1.1, January 2009

This is 1st Revision:

Important Note:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability specifications may be affected by increased usage of Heavyweight, Extra Heavyweight, Gloss and Heavyweight Gloss modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Heavyweight, Extra Heavyweight, Gloss and Heavyweight Gloss modes or special application media types for long duration copy/print runs

Environmental Conditions may require that Gloss papers be fed one sheet at a time through Tray 5, (Bypass/SMH). Relative Humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

The Integrated Office "A" Finisher is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Letter (8.5 x 11" / A4), Executive (7.25 x 10.5), in Long Edge Feed (LEF); or of Letter in Short Edge Feed (SEF)
30 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14"), or 8.5 x 13"

The Office Finisher LX is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):
50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)

Xerox® and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

© 2009 Xerox Corporation. All rights reserved.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm) Gloss (106 - 169 gsm) Heavyweight (106 - 169 gsm)

HW Gloss (170 - 256 gms) Extra Heavyweight (170 - 256 gsm)

Transparency Label

Paper Types are selected when Paper Tray is closed

7425 / 7428 / 7435

RML

Europe V 1.1

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

- Capable of Stacking Paper Type
- ♦ Capable of Stapling Paper Type
- n = not supported

| Media | Paper Type Setting | Weight | Re-Order # | Type | Size | Trays | | | | | | SMH (Bypass) | HCF | Finishes | | | | | | Additional Information |
|-------|--------------------|--------|------------|------|------|-------|---|-----|---|---|---|--------------|-----|---------------------|---|-------------------------|-------|--------|-------|------------------------|
| | | | | | | 3TM | | TTM | | 5 | 6 | | | Office (C) Finisher | | Office (SB) Finisher LX | | | | |
| | | | | | | 1 | 2 | 3 | 4 | | | | | 2 | 3 | 4 | Stack | Staple | Stack | |

| | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|-------------------|------------------------------|---------|--------|---------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Xerox Digital Colour Colotech+ | Bond | 90 gsm | 3R94641 | A4 | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94642 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94643 | A3+ | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | | | 3R95838 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | Bond | 100 gsm | 3R94646 | A4 | A | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | | ♦ |
| | | | 3R94647 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94648 | A3+ | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | | | 3R95839 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | Heavyweight | 120 gsm | 3R94651 | A4 | A | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | | ♦ |
| | | | 3R94652 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94653 | A3+ | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | | | 3R95840 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | Heavyweight | 160 gsm | 3R94656 | A4 | A | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | | ♦ |
| | | | 3R94657 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94658 | A3+ | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | | | 3R95841 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | Extra Heavyweight | 200 gsm | 3R94661 | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94662 | A3 | S | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94663 | A3+ | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |
| | | | 3R95842 | SRA3 | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |
| | Extra Heavyweight | 220 gsm | 3R94668 | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94669 | A3 | S | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94670 | A3+ | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |
| | | | 3R95843 | SRA3 | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |
| Extra Heavyweight | 250 gsm | 3R94671 | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | | | |
| | | 3R94672 | A3 | S | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | | |
| | | 3R95844 | SRA3 | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | | |
| | | Xerox Colotech+ (Gold label) | Bond | 90 gsm | 3R97988 | A4 | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ |
| 3R97990 | A3 | | | | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| 3R97991 | SRA3 | | | | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| 3R97993 | A4 | | | | A | A | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ |
| Bond | 100 gsm | | 3R97955 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97956 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | | | 3R97958 | A4 | A | A | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ |
| | | | 3R97959 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| Heavyweight | 120 gsm | | 3R97960 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| | | | 3R97963 | A4 | A | A | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ |
| | | | 3R97964 | A3 | A | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97965 | SRA3 | n | A | A | A | A | n | n | A | n | n | n | • | n | n | n | | |
| Heavyweight | 160 gsm | | 3R97967 | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97968 | A3 | S | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97969 | SRA3 | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |
| | | | 3R97971 | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| Extra Heavyweight | 200 gsm | | 3R97972 | A3 | S | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97973 | SRA3 | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |
| | | | 3R97975 | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97976 | A3 | S | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | |
| Extra Heavyweight | 250 gsm | | 3R97977 | SRA3 | n | S | S | S | S | n | n | M | n | n | n | • | n | n | n | | |

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm) Gloss (106 - 169 gsm) Heavyweight (106 - 169 gsm)

HW Gloss (170 - 256 gms) Extra Heavyweight (170 - 256 gsm)

Transparency Label

Paper Types are selected when Paper Tray is closed

7425 / 7428 / 7435

RML

Europe
V 1.1

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

• Capable of Stacking Paper Type
♦ Capable of Stapling Paper Type
n = not supported

| Media | Paper Type Setting | Weight | Re-Order # | Type | Size | Trays | | | | | | SMH (Bypass) | HCF | Finisher Capabilities | | | | | | Additional Information | |
|----------------------------------|--------------------|---------|-------------|-------------|------|-------|---|---|-----|---|---|--------------|-----|-----------------------|--------|-------------------------|--------|---|---|------------------------|--|
| | | | | | | 3TM | | | TTM | | | 5 | 6 | Office (C) Finisher | | Office (SB) Finisher LX | | | | | |
| | | | | | | 1 | 2 | 3 | 4 | 3 | 4 | | | Stack | Staple | Stack | Staple | | | | |
| Xerox Colotech+ Natural White | Bond | 100 gsm | 3R97102 | | A4 | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ | |
| | | | 3R97103 | | A3 | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R97254 | | A3+ | n | A | A | A | n | n | A | n | • | n | • | n | n | n | | |
| | | | 3R97275 | | SRA3 | n | A | A | A | n | n | A | n | • | n | • | n | n | n | | |
| | Heavyweight | 160 gsm | 3R95956 | | A4 | A | A | A | A | A | A | A | A | A | • | ♦ | • | ♦ | • | ♦ | |
| | | | 3R95957 | | A3 | A | A | A | A | n | n | A | n | • | ♦ | • | ♦ | • | ♦ | | |
| | | | 3R94648 | | A3+ | n | A | A | A | n | n | A | n | • | n | • | n | n | n | | |
| | | | 3R97276 | | SRA3 | n | A | A | A | n | n | A | n | • | n | • | n | n | n | | |
| | | | 3R95958 | | A4 | S | S | S | S | S | S | S | M | n | • | ♦ | • | ♦ | • | ♦ | |
| Extra Heavyweight | 200 gsm | 3R95959 | | A3 | S | S | S | S | n | n | M | n | • | ♦ | • | ♦ | • | ♦ | | | |
| | | 3R97256 | | A3+ | n | S | S | S | n | n | M | n | • | n | • | n | n | n | | | |
| | | 3R97277 | | SRA3 | n | S | S | S | n | n | M | n | • | n | • | n | n | n | | | |
| Xerox Colotech+ Gloss Coated | Gloss | 120 gsm | 3R97574 | Gloss Text | A4 | A | n | n | n | n | n | A | A | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97575 | | A3 | A | n | n | n | n | n | A | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97576 | | SRA3 | n | n | n | n | n | n | A | n | • | n | • | n | n | n | | |
| | Gloss | 140 gsm | 3R97577 | Gloss Text | A4 | A | n | n | n | n | n | A | A | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97578 | | A3 | A | n | n | n | n | n | A | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97579 | | SRA3 | n | n | n | n | n | n | A | n | • | n | • | n | n | n | | |
| | Heavyweight Gloss | 170 gsm | 3R97580 | Gloss Cover | A4 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97581 | | A3 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97582 | | SRA3 | n | n | n | n | n | n | M | n | • | n | • | n | n | n | | |
| | Heavyweight Gloss | 210 gsm | 3R97583 | Gloss Cover | A4 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97584 | | A3 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97585 | | SRA3 | n | n | n | n | n | n | M | n | • | n | • | n | n | n | | |
| Heavyweight Gloss | 250 gsm | 3R97586 | Gloss Cover | A4 | S | n | n | n | n | n | M | n | • | n | • | n | n | n | | | |
| | | 3R97587 | | A3 | S | n | n | n | n | n | M | n | • | n | • | n | n | n | | | |
| | | 3R97588 | | SRA3 | n | n | n | n | n | n | M | n | • | n | • | n | n | n | | | |
| Xerox Colotech + Silk Coated | Gloss | 120 gsm | 3R97592 | Silk Text | A4 | A | n | n | n | n | n | A | A | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97593 | | A3 | A | n | n | n | n | n | A | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97594 | | SRA3 | n | n | n | n | n | n | A | n | • | n | • | n | n | n | | |
| | Gloss | 140 gsm | 3R97595 | Silk Text | A4 | A | n | n | n | n | n | A | A | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97596 | | A3 | A | n | n | n | n | n | A | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97597 | | SRA3 | n | n | n | n | n | n | A | n | • | n | • | n | n | n | | |
| | Heavyweight Gloss | 170 gsm | 3R97598 | Silk Cover | A4 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97599 | | A3 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97600 | | SRA3 | n | n | n | n | n | n | M | n | • | n | • | n | n | n | | |
| | Heavyweight Gloss | 210 gsm | 3R97601 | Silk Cover | A4 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97602 | | A3 | S | n | n | n | n | n | M | n | • | n | • | ♦ | • | ♦ | | |
| | | | 3R97603 | | SRA3 | n | n | n | n | n | n | M | n | • | n | • | n | n | n | | |
| Heavyweight Gloss | 250 gsm | 3R97604 | Silk Cover | A4 | S | n | n | n | n | n | M | n | • | n | • | n | n | n | | | |
| | | 3R97605 | | A3 | S | n | n | n | n | n | M | n | • | n | • | n | n | n | | | |
| | | 3R97606 | | SRA3 | n | n | n | n | n | n | M | n | • | n | • | n | n | n | | | |

If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with coated papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with coated papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm) Gloss (106 - 169 gsm) Heavyweight (106 - 169 gsm)

HW Gloss (170 - 256 gms) Extra Heavyweight (170 - 256 gsm)

Transparency Label

Paper Types are selected when Paper Tray is closed

7425 / 7428 / 7435

RML

Europe
V 1.1

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only

M = Manual Duplex n = not supported

Finisher Capabilities

• Capable of Stacking Paper Type
♦ Capable of Stapling Paper Type
n = not supported

| Media | Paper Type Setting | Weight | Re-Order # | Type | Size | Trays | | | | | | | | | | SMH (Bypass) | | | | | | HCF | |
|---|--------------------|-------------|-------------------------------|------------------|------------------|-------|---|---|-----|---|---|---|---|---|---|--------------|---|---|---|---|---|-----|--|
| | | | | | | 3TM | | | TTM | | | | | | | | | | | | | | |
| | | | | | | 1 | 2 | 3 | 4 | 2 | 3 | 4 | 5 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 1 | 2 | |
| Xerox Colotech+ Supergloss | Gloss | 135 gsm | 3R97679 | | A4 | A | n | n | n | n | n | n | n | A | A | | | | | | | | |
| | Gloss | 160 gsm | 3R97680 3R97681 | | A4 A3 | A | n | n | n | n | n | n | n | A | A | | | | | | | | |
| | Heavyweight Gloss | 210 gsm | 3R97682 3R97683 3R97684 | | A4 A3 SRA3 | S | n | n | n | n | n | n | n | M | n | | | | | | | | |
| | | | | | | S | n | n | n | n | n | n | n | M | n | | | | | | | | |
| Xerox Colour Laser Labels | Label | | 3R93872 | 1 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| | | | 3R95813 | 4 up | A4 | S | n | n | n | n | n | n | n | n | S | S | | | | | | | |
| | | | 3R93874 | 8 up | A4 | S | n | n | n | n | n | n | n | n | S | S | | | | | | | |
| | | | 3R93875 | 14 up | A4 | S | n | n | n | n | n | n | n | n | S | S | | | | | | | |
| | | | 3R95815 | 21 up | A4 | S | n | n | n | n | n | n | n | n | S | S | | | | | | | |
| | | | 3R97524 | 24 up | A4 | S | n | n | n | n | n | n | n | n | S | S | | | | | | | |
| Xerox High Speed Laser Removable Labels | Label | | 3R96177 | 16 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| | | | 3R96178 | 24 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| Xerox High Speed Laser labels | Label | | 3R96284 | 10 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| Xerox Dura Paper Labels | Label | | 3R97344 | 1 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| Xerox Colotech Supergloss Labels | Heavyweight Gloss | | 3R97288 | 1 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| | | | 3R97540 | 1 up | SRA3 | n | n | n | n | n | n | n | n | n | S | n | | | | | | | |
| Xerox Colotech Super Gloss CD Labels | Heavyweight Gloss | | 3R97516 | 2 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| Xerox Colour Laser Matte CD Labels, Combi Box | Heavyweight | | 3R97515 | 2 up | A4 | S | n | n | n | n | n | n | n | S | S | | | | | | | | |
| Xerox Plain Transparency for Colour | Transparency | | 3R98205 | Standard Transp. | A4 | S | S | S | S | S | S | S | S | S | S | | | | | | | | |
| Xerox DocuPac Folders High Gloss White | Heavyweight Gloss | 210 gsm | 3R97251 | | A4 + | S | S | S | S | S | S | S | S | S | S | | | | | | | | |
| Xerox DocuPac Folders Matte White | Extra Heavyweight | 180 gsm | 3R97353 | | A4 + | S | S | S | S | S | S | S | S | S | S | | | | | | | | |
| Xerox Digital EA Color Transfer Paper | Heavyweight | | 3R97948 | T shirt | A4 | n | n | n | n | n | n | n | n | S | n | | | | | | | | |
| | | | 3R97950 | Transfer | A3 | n | n | n | n | n | n | n | n | n | S | n | | | | | | | |
| Envelopes | Envelope | 75 - 90 gsm | | C5 | 229 x 162 mm | n | n | n | n | n | n | n | n | S | n | | | | | | | | |
| | | | | DL | 221 x 109 mm | n | n | n | n | n | n | n | n | n | S | n | | | | | | | |

Additional Information

If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with coated papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

Office Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Heavyweight 2 mode.

Office Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Heavyweight 2 mode.

Office Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Heavyweight 2 mode.

Office Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Heavyweight 2 mode.

Office Finisher (C) can only stack to Top Tray

Office Finisher (C) can only stack to Top Tray

Office Finisher (C) can only stack to Top Tray

Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. C Finisher can only stack to Top Tray.

Envelope tray is available as a option. Envelopes are run in Heavyweight mode. Wrinkles with certain brands / type is possible. If wrinkles are encountered, try a different brand / type.