

Xerox AltaLink B8045-90 - Recommended Media List - Europe - March 2017

All media is listed by Re-Order Part Number, Description, Size, Media Weight, and Type. Also provided is the 2K LCSS and LVF runability information. Relative Humidity greater than 40% could cause multifeeds. The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled / Drilled / Coloured (60 - 105 gsm) ■

Transparency ■

Lightweight Cardstock (106 - 169 gsm) ■

Cardstock (170 - 200 gsm) ■

Envelope ■

Labels ■

Paper Types are selected when Paper Tray is closed

Simplex / Duplex Capabilities
 A = Auto Duplex
 S = Simplex Only

Finisher Capabilities
 ♦ = Capable of Stacking, Stapling or Folding Paper Type / Size
 n = not supported

**AltaLink B8045-90
 RML
 March 2017**

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities						Finisher Capabilities								Additional Information		
						Trays		MSI (Bypass)	PPF n = Kit Req'd	Office Finisher (2KLCSS)		HVFF/HVFL/VF Booklet Maker Finisher				CZ Folder						
						1	2			3	4	5	6	Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)		'Z'	Letter 'Z'
Xerox Business	Plain	80 gsm	003R91820	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	<p>The Office Finisher (2K LCSS) is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 20lb / 75 gsm):</p> <ul style="list-style-type: none"> * 50 Sheets of Letter (8.5 x 11" / A4) in Long Edge Feed (LEF) or Short Edge Feed (SEF) * 50 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13" <p>The Office Finisher with Booklet Maker (LVF) is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 20lb / 75 gsm):</p> <ul style="list-style-type: none"> * 50 Sheets of Letter (8.5 x 11" / A4) in Long Edge Feed (LEF) or Short Edge Feed (SEF) * 50 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13" <p>* 15 Sheets, maximum 24lb / 90 gsm, Short Edge Feed (SEF) of Letter (8.5 x 11" / A4), Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13" for the Booklet Maker</p> <p>Letter 'Z' and 'C' folding available only when sheets are fed SEF. Max Tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets.</p>
			003R91821		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	♦	n		
Xerox Premier	Plain	60 gsm	003R91713	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	n	n		
			003R91832		A5	A	A	A	A	A		♦	♦	♦	♦	♦	n	n	n			
			003R91720		A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦			
	003R91721	A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	n	n					
	Bond	90 gsm	003R91854	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
			003R91853		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	n	n		
		100 gsm	003R93608	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
			003R93609		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	n	n		
Xmail	Plain	60 gsm	003R95679	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
Digital Plus	Plain	75 gsm	003R98694	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
Performer	Plain	80 gsm	003R90649	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
			003R90569		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	n	n		
Neutral	Plain	80 gsm	003R93214	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
Unicopy Office Varicopy	Plain	80 gsm	003R90060	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
Transit	Plain	80 gsm	003R94585	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
Exclusive	Plain	90 gsm	003R90600	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
ColorPrint	Plain	90 gsm	003R95254	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
		100 gsm	003R95255		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	n	n		
ColorPrint	Plain	90 gsm	003R95256	Plain	A4	A	A	A	A	A	A	A	♦	♦	♦	♦	♦	n	♦	♦		
		100 gsm	003R95257		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	n	n		

Xerox AltaLink B8045-90 - Recommended Media List - Europe - March 2017

All media is listed by Re-Order Part Number, Description, Size, Media Weight, and Type. Also provided is the 2K LCSS and LVF runability information. Relative Humidity greater than 40% could cause multifeeds. The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF
Transparency ■ Lightweight Cardstock (106 - 169 gsm) ■
Cardstock (170 - 200 gsm) ■
Envelope Labels ■

Plain / Bond / Recycled / Drilled / Coloured (60 - 105 gsm) ■

Paper Types are selected when Paper Tray is closed

Simplex / Duplex Capabilities
A = Auto Duplex
S = Simplex Only

Finisher Capabilities
♦ Capable of Stacking, Stapling or Folding Paper Type / Size

**AltaLink B8045-90
RML
March 2017**

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities						Finisher Capabilities								
						Trays		MSI (Bypass)	PPF n = Kit Req'd	Office Finisher (2KLCSS)		HVF/HVF/LVF Booklet Maker Finisher				CZ Folder				
						1	2	3	4	5	6	Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)	'Z'	Letter 'Z'	Letter 'C'
Recycled	Recycled	80 gsm	003R91165	Recycled	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
Recycled +	Recycled	80 gsm	003R91912 003R91913	Recycled	A4 A3	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
Recycled Supreme	Recycled	80 gsm	003R94565	Recycled	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
		90 gsm	003R94568		A3	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
		100 gsm	003R95156		A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
			003R95162		A3	A	A	A	A	A	n	♦	♦	♦	♦	♦	♦	n	♦	♦
Recycled Pure	Recycled	80 gsm	003R98104 003R98105	Recycled	A4 A3	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Recycled Pure +	Recycled	80 gsm	003R98756 003R98757	Recycled	A4 A3	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Recycled Optimum	Recycled	80 gsm	003R98689 003R98690	Recycled	A4 A3	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Business	HolePunched	80 gsm	003R91823	4 hole	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
			003R91802	2 hole	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
			003R91824	Swedish 4 hole	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
Premier	HolePunched	80 gsm	003R91724	Swedish 4 Hole	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
			003R91723	4 hole	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
			003R93020	2 hole	A4	A	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦
Premier TCF	HolePunched	80 gsm	003R91808 003R91807	4 hole 2 hole	A4 A4	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Xerox Symphony	Coloured	80 gsm	003R93975	Pastel Yellow	A4	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Xerox Symphony	Coloured	80 gsm	003R93967	Pastel Blue	A4	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Xerox Symphony	Coloured	80 gsm	003R93965	Pastel Green	A4	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	
Xerox Symphony	Coloured	80 gsm	003R93970	Pastel Pink	A4	A	A	A	A	A	♦	♦	♦	♦	♦	♦	n	♦	♦	

Additional Information

The Office Finisher (2K LCSS) is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 20lb / 75 gsm):

- 50 Sheets of Letter (8.5 x 11" / A4) in Long Edge Feed (LEF) or Short Edge Feed (SEF)
- 50 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13"

The Office Finisher with Booklet Maker (LVF) is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 20lb / 75 gsm):

- 50 Sheets of Letter (8.5 x 11" / A4) in Long Edge Feed (LEF) or Short Edge Feed (SEF)
- 50 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13"
- 15 Sheets, maximum 24lb / 90 gsm, Short Edge Feed (SEF) of Letter (8.5 x 11" / A4), Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13" for the Booklet Maker

Letter 'Z' and 'C' folding available only when sheets are fed SEF. Max Tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets.

Xerox AltaLink B8045-90 - Recommended Media List - Europe - March 2017

All media is listed by Re-Order Part Number, Description, Size, Media Weight, and Type. Also provided is the 2K LCSS and LVF runability information. Relative Humidity greater than 40% could cause multifeeds. The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF
 Transparency ■ Lightweight Cardstock (106 - 169 gsm) ■
 Cardstock (170 - 200 gsm) ■
 Envelope Labels ■

Plain / Bond / Recycled / Drilled / Coloured (60 - 105 gsm) ■

Paper Types are selected when Paper Tray is closed

**AltaLink B8045-90
RML
March 2017**

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities						Finisher Capabilities								
						Trays		MSI (Bypass)	PPF n = Kit Req'd	n = not supported										
						1	2			3	4	5	6	Office Finisher (2KLCSS)		HVF/HVF/LVF Booklet Maker Finisher				CZ Folder
PFM	HCF						Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)	'Z'	Letter 'Z'	Letter 'C'					
ColorPrint	Lightweight Cardstock	120 gsm	003R95258		A4	A	A	A	A	A	A	◆	◆	◆	◆	◆	◆	n	◆	◆
Premier TCF	Lightweight Cardstock	160 gsm	003R93009		A4	A	A	A	A	A	A	◆	◆	◆	◆	◆	◆	n	◆	◆
Premier TCF	Lightweight Cardstock	120 gsm	003R93010		A3	A	A	A	A	A	n	◆	◆	◆	◆	◆	◆	n	n	n
Premier TCF	Cardstock	200 gsm	003R93011		A4	A	A	A	A	A	A	◆	◆	◆	◆	◆	◆	n	◆	◆
Xerox Monolaser Labels	Labels		003R97408	24UP	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Xerox Monolaser Labels	Labels		003R97407	16UP	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Xerox Monolaser Labels	Labels		003R97400	1UP	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Xerox Monolaser Labels	Labels		003R97402	4UP	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Xerox Premium Transparencies	Transparency		003R98202	Standard Clear Transp.	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Xerox Premium Transparencies	Transparency		003R98199	Paper Back Transp.	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Xerox Premium Transparencies	Transparency		003R98198	Removable strip Transp.	A4	S	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n
Envelopes	Envelope	75 - 90 gsm		C5	9 x 6.4 in	n	n	n	n	n	S	◆	n	◆	n	n	n	n	n	n

Additional Information

If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray.

Envelopes for MSI/Bypass must have a body length of 135mm or greater (with the flap closed). Envelope tray is available as an option. Envelopes are run in Heavyweight Cardstock mode. Wrinkles with certain brands / type are possible. If wrinkles are encountered, try a different brand / type.