

Recommended Xerox Materials List for Phaser 6700

For use in Europe

Version 1.0 - Issued October 2011

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runnability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.

© 2011 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Trays 1,2,3,4, 5 & 6

Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled (60 - 90 gsm)	<input type="checkbox"/>	Transparency	<input type="checkbox"/>	Label	<input type="checkbox"/>
Heavyweight / Letterhead (80 - 120 gsm)	<input type="checkbox"/>	Cardstock (105 - 163 gsm)	<input type="checkbox"/>	Glossy Cardstock (105 - 163 gsm)	<input type="checkbox"/>
		Heavyweight Cardstock (160 - 220 gsm)	<input type="checkbox"/>	Heavyweight Glossy Cardstock (160 - 220 gsm)	<input type="checkbox"/>

**Phaser 6700 RML Europe
October 2011**









Simplex / Duplex Capabilities
A = Auto Duplex
S = Simplex Only
n = not supported



Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Additional Information	
						1	2	3	4	5	6		
Xerox Premier	Plain	60gsm	003R91713	Recycled	A4	A	A	A	A	A	A	For all the cardstock, glossy, heavyweight cardstock, heavyweight glossy, label media, environmental conditions (very high or very low humidity) may require them be fed one sheet at a time.	
		80gsm	003R91720		A4	A	A	A	A	A	A		
		90gsm	003R91854		A4	A	A	A	A	A	A		
	HW Plain	100gsm	003R93608		A4	A	A	A	A	A	A		
	HW Cardstock	200gsm	003R93011		A4	A	A	A	A	A	A		
Xerox Recycled Paper	Plain	80gsm	003R91165 003R91857 (4hole)		A4	A	A	A	A	A	A		
Xerox Business	Plain	80gsm	003R91820 003R91823 (4-Hole)		A4	A	A	A	A	A	A		
Xerox Colour Impressions	Plain	80gsm	003R97661		A4	A	A	A	A	A	A		
	HW Plain	120gsm	003R98685		A4	A	A	A	A	A	A		
	Cardstock	160gsm	003R98007		A4	A	A	A	A	A	A		
Xerox Colotech+	Plain	90gsm	003R98837 003R94641	Gold label	A4	A	A	A	A	A	A	Although 6700 supports heavyweight cardstock media autoduplex, the expectation of their paper path performance (jam, multifeed) should be lower than those of plain paper.	
				Blue label	A4	A	A	A	A	A	A		
	HW Plain	100gsm	003R98842 003R94646	Gold label	A4	A	A	A	A	A	A		
				Blue label	A4	A	A	A	A	A	A		
	HW Plain	120gsm	003R98847 003R94651	Gold label	A4	A	A	A	A	A	A		
				Blue label	A4	A	A	A	A	A	A		
	HW Cardstock	200gsm	003R97967 003R94661	Gold label	A4	A	A	A	A	A	A		
			Blue label	A4	A	A	A	A	A	A			
Xerox Colotech+ Natural White	HW Plain	100gsm	003R97102	Gold label	A4	A	A	A	A	A	A	Although 6700 supports heavyweight cardstock media autoduplex, the expectation of their paper path performance (jam, multifeed) should be lower than those of plain paper.	
	HW Cardstock	200gsm	003R95958	Blue label	A4	A	A	A	A	A	A		

Trays 1,2,3,4, 5 & 6

Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled (60 - 90 gsm)		Transparency		Label	
Heavyweight / Letterhead (80 - 120 gsm)		Cardstock (105 - 163 gsm)		Glossy Cardstock (105 - 163 gsm)	
		Heavyweight Cardstock (160 - 220 gsm)		Heavyweight Glossy Cardstock (160 - 220 gsm)	

**Phaser 6700 RML Europe
October 2011**

Simplex / Duplex Capabilities
 A = Auto Duplex
 S = Simplex Only
 n = not supported



Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Additional Information
						1	2	3	4	5	6	
Xerox Colotech+ Gloss Coated	Gloss	120gsm	003R97574	Gloss Text	A4	A	A	A	A	A	A	Although 6700 supports heavyweight glossy cardstock media autoduplex, the expectation of their paper path performance (jam, multifeed) should be lower than those of plain paper.
	Gloss	140gsm	003R97577	Gloss Text	A4	A	A	A	A	A	A	
	Heavyweight Gloss	170gsm	003R97580	Gloss Cover	A4	A	A	A	A	A	A	
	Heavyweight Gloss	210gsm	003R97583	Gloss Cover	A4	A	A	A	A	A	A	
Xerox Colour Laser Labels	Label		003R93872	1 up	A4	S	S	S	S	S	S	Do not print on both sides of label media
			003R95813	4 up	A4	S	S	S	S	S	S	
			003R93874	8 up	A4	S	S	S	S	S	S	
			003R93875	14 up	A4	S	S	S	S	S	S	
			003R95815	21 up	A4	S	S	S	S	S	S	
			003R97524	24 up	A4	S	S	S	S	S	S	
Xerox Plain Transparency for Colour	Transparency		003R98205	Standard Transp.	A4	S	S	n	n	n	n	It is not recommended to load more than 50 transparencies at a time.