



Recommended Xerox Media for Phaser® 7500 - Europe

Version 2.0. June 2012

This supersedes any previous Recommended Media for Xerox Phaser 7500.

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runnability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Glossy papers, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

Warranty Disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox colour equipment, use only the best - Xerox Supplies.












© 2009-2012 Xerox Corporation. All rights reserved.

XEROX®, XEROX and Design® and Phaser® are trademarks of Xerox Corporation in the United States and/or other countries.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit www.xerox.com/europaper

Trays 1,2,3,4 & 5

Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled / Colored (67 - 90 gsm)		Transparency		Label	
Thin Card Stock (106 - 169 gsm)		Thin Glossy Paper (106 - 169 gsm)			
Heavy Plain / Letterhead (91 - 105 gsm)		Card Stock (170 - 220 gms)		Glossy Paper (170 - 220 gms)	
Thick Card Stock (221 - 256 gsm)		Thick Glossy Paper (221 - 256 gsm)			
Extra Thick Card Stock (257 -280 gsm)					

Phaser 7500

RML

Europe v 2.0

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex
n = not supported












Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					Additional Information
						1	2	3	4	5	
Xerox Business	Plain	80 gsm	003R91820		A4	A	A	A	A	A	
			003R91823 (4-Hole)		A4	A	A	A	A	A	
			003R91821		A3	A	A	A	A	A	
Xerox Premier	Plain	80 gsm	003R91720		A4	A	A	A	A	A	
			003R91721		A3	A	A	A	A	A	
	Plain	90 gsm	003R91854		A4	A	A	A	A	A	
			003R91853		A3	A	A	A	A	A	
Xerox Colotech+ (Gold label)	Plain	90 gsm	003R98837		A4	A	A	A	A	A	
			003R98839		A3	A	A	A	A	A	
			003R98840		SRA3	A	n	A	A	A	
	Heavy Plain	100 gsm	003R98842		A4	A	A	A	A	A	
			003R98844		A3	A	A	A	A	A	
			003R98845		SRA3	A	n	A	A	A	
	Thin Card Stock	120 gsm	003R98847		A4	A	A	A	A	A	
			003R98848		A3	A	A	A	A	A	
			003R98849		SRA3	A	n	A	A	A	
	Thin Card Stock	160 gsm	003R98852		A4	A	A	A	A	A	
			003R98854		A3	A	A	A	A	A	
			003R98855		SRA3	A	n	A	A	A	
	Card Stock	200 gsm	003R97967		A4	A	A	A	A	A	
			003R97968		A3	A	A	A	A	A	
			003R97969		SRA3	A	n	A	A	A	
	Card Stock	220 gsm	003R97971		A4	A	A	A	A	A	
			003R97972		A3	A	A	A	A	A	
			003R97973		SRA3	A	n	A	A	A	
Thick Card Stock	250 gsm	003R98975	A4	M	M	M	M	M			
		003R98976	A3	M	M	M	M	M			
		003R98977	SRA3	M	n	M	M	M			
Extra Thick Card Stock	280 gsm	003R98979	A4	S	n	n	n	n			
		003R98980	A3	S	n	n	n	n			
		003R97981	SRA3	S	n	n	n	n			

For best Print Quality on the Manual Duplex side print only low coverage images. Solid colors may print lighter than desired.

Environmental conditions (high or low relative humidity) may require that this product be fed one sheet at a time.

Trays 1,2,3,4 & 5

Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled / Colored (67 - 90 gsm)		Transparency		Label	
Thin Card Stock (106 - 169 gsm)		Thin Glossy Paper (106 - 169 gsm)			
Heavy Plain / Letterhead (91 - 105 gsm)		Card Stock (170 - 220 gms)		Glossy Paper (170 - 220 gms)	
		Thick Card Stock (221 - 256 gsm)		Thick Glossy Paper (221 - 256 gsm)	
		Extra Thick Card Stock (257 -280 gsm)			

Simplex / Duplex Capabilities
 A = Auto Duplex
 S = Simplex Only
 M = Manual Duplex
 n = not supported

Phaser 7500

RML

Europe v 2.0

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					Additional Information
						1	2	3	4	5	
Xerox Colotech+ Gloss Coated	Thin Glossy Paper	120 gsm	003R90336	Gloss Text	A4	A	A	A	A	A	If jams occur when feeding from Trays 2 - 5, switch to Tray 1 for improved performance. Environmental conditions (high or low relative humidity) may require that this product be fed one sheet at a time and prohibit reliable duplex printing.
			003R90337		A3	A	A	A	A	A	
			003R90338		SRA3	A	n	A	A	A	
	Thin Glossy Paper	140 gsm	003R90339	Gloss Text	A4	A	A	A	A	A	
			003R90340		A3	A	A	A	A	A	
			003R90341		SRA3	A	n	A	A	A	
	Glossy Paper	170 gsm	003R90342	Gloss Cover	A4	A	A	A	A	A	
			003R90343		A3	A	A	A	A	A	
			003R90344		SRA3	A	n	A	A	A	
	Glossy Paper	210 gsm	003R90345	Gloss Cover	A4	A	A	A	A	A	
			003R90346		A3	A	A	A	A	A	
			003R90347		SRA3	A	n	A	A	A	
	Thick Glossy Paper	250 gsm	003R90348	Gloss Cover	A4	S	S	S	S	S	
			003R90349		A3	S	S	S	S	S	
			003R90350		SRA3	S	n	S	S	S	
Xerox Colour Laser Labels	Label		003R93872	1 up	A4	S	n	n	n	n	
			003R95813	4 up	A4	S	n	n	n	n	
			003R93874	8 up	A4	S	n	n	n	n	
			003R93875	14 up	A4	S	n	n	n	n	
			003R95815	21 up	A4	S	n	n	n	n	
			003R97524	24 up	A4	S	n	n	n	n	
Xerox Plain Transparency for Colour	Transparency		003R98205	Standard Transp.	A4	S	S	n	n	n	It is not recommended to output more than 20 transparencies at a time.