



For more information on the Xerox 4110 Copier/Printer, call 1-800 ASK XEROX or visit us on the Web at: www.xerox.com

XEROX[®]

Technology | Document Management | Consulting Services

Xerox 4110™ Copier/Printer

Overview



Specifications for the Xerox 4110 Copier/Printer

Print Engine

- Xerographic Engine
- Print speed up to 110 ppm (8.5" x 11"/A4)
- First Copy Out Time: 3.0 seconds
- Simplex or duplex printing
- Up to 1200 x 1200 dpi RIP resolution and up to 2400 x 2400 dpi print resolution with halftone screen 106 lpi (default) or 150 lpi (high quality mode)

Document Storage

- 40 GB Hard Drive with 14.6 GB for document storage

Scanner/Document Handler

- Dual Head Scanner
 - 100 ipm black and white scanning Simplex
 - 100 ipm black and white scanning Duplex
- Optical 600 x 600 dpi 8-bit Gray (256 shades) scan resolution
- Scans in industry standard TIFF, multi-page TIFF or PDF
- Scan to Email with Mail Delivery Notification
- Scan to Network File Server
- 250 sheet Duplex Automatic Document Feeder
- Throughput sizes: 5" x 8" to 11" x 17"/A5 to A3
- Throughput weights:
 - Simplex or Duplex: 16 lb Bond to 110 lb Bond (52 gsm to 200 gsm)
- Optional Color Scan Enablement Kit

Paper Handling

Stock weights and capacity (at 20 lb/80 gsm):

- **Tray 1:** 1,100 sheets (8.5" x 11"/A4); 16 lb Bond to 80 lb Cover (52 gsm to 216 gsm)
- **Tray 2:** 1,600 sheets (8.5" x 11"/A4); 16 lb Bond to 80 lb Cover (52 gsm to 216 gsm)
- **Tray 3-4:** 550 sheets each 5.5" x 7.2" (140mm x 182mm) to 13.0" x 19.2" (330mm x 488mm/A5 to SRA3); 16 lb Bond to 80 lb Cover (52 gsm to 216 gsm)
- **Tray 5 Bypass Tray:** 250 sheets (4" x 6"/102mm x 152mm to 13" x 19.2"/330mm x 488mm); 16 lb Bond to 140 lb Index (52 gsm to 253 gsm)
- **Standard Post Fuse Inserter**
Inserts pre-printed offset and xerographic color documents in a post fuser manner; 175 sheets (8.5" x 11" to 11" x 17"/A4 to A3); 16 lb Bond to 90 lb Cover (52 gsm to 220 gsm)
- **Optional High Capacity Feeder:** 2 trays, 2,000 sheets each (8.5" x 11"/A4); 16 lb Bond to 80 lb Cover (52 gsm to 216 gsm)
- **Optional Oversize High Capacity Feeder:** 1 Tray; 2,000 sheets (8" x 10"/B5 to 13" x 19"/SRA3); 18 lb to 110 lb (64 gsm to 253 gsm) enables use of approved coated stocks*

Standard Finisher

- 3 position single or dual 100 sheet variable length stapling

- 2 and 3 hole punch North America; 2 and 4 hole punch Europe and South America
- Built in bi-directional de-curler
- Output capacity of 3,000 sheets (20 lb/80 gsm)

Optional Booklet Maker Finisher

Includes features of the Standard Finisher plus:

- Automatically creates booklets of up to 15 pages (60 imaged sides with saddle stitching)
- Creates booklets from 11" x 17"/A3, 8.5" x 14" and 8.5" x 11"/A4
- Output capacity of 2,000 sheets (20 lb/80 gsm)

Optional Folder

- C-fold and Z-fold of 8.5" x 11"/A4
- Print on inside or outside of folded paper
- Folds 11" x 17"/A3 Z-fold for insertion into letter/A4 document sets

Data Security

- Secure Print
- Image Overwrite up to 3 times (optional)
- Data Encryption (SSL/TLS) (optional)

Electrical Requirements

- Print Engine:
 - 208–240 VAC, 60/50 Hz, 15/13 amp service
 - KVA Rating: Max Power Consumption: 2.8–3.1 KVA
 - Agency certification: Energy Star[®], CSA, Europe: CE, NEMKO, WEEE compliance

*Refer to the Customer Expectation Setting Document for approved coated stocks.

Integrated Copy/Print Controller

Hardware Specifications

- 40 GB Hard disk drive, 512 MB RAM
- 10.4" color, touch screen flat panel display
- Ethernet interface (10 MBTX/sec or 100 MBTX/sec)

Client Environments Supported

- Windows 98/ME/2000/XP and NT 4.0
- Macintosh[®] OS 8.0x/8.5x/9.0x/10.1/10.2/10.3

PDLs and Data Formats

- Adobe[®] PostScript[®] Level 3
- PDF
- PCL 5e and 6
- TIFF
- HPGL, HPGL2

Connectivity

Native network environments

- TCP/IP, SNMP, SMB, Novell[®] IPX, AppleTalk[®], IPP

Xerox FreeFlow[®] DocuSP[®] Print Controller

Hardware Specifications

- SUN[®] Ultra 20 platform
- 1 GB memory
- 80 GB Hard Disk drive
- DVD Writer/CD Writer
- Color flat-panel monitor, keyboard and mouse

Client Environments Supported

- Windows[®] 2000 SP4/XP SP2/Server 2003
- Macintosh[®] OSX (10.3 or later)

Options

- DocuSP[®] stand
- VI Interpreter (VIPP[®] software)
- Imposition License
- LCDS enablement
- IPDS enablement
- Online CUP Kit (Channel-to-Universal PCI for online channel connectivity)
- Removable Hard Disk Drive

Connectivity

Native network environments

- TCP/IP, SNMP, Novell[®] IPX, AppleTalk[®], IPP

Optional EFI Fiery Print Controller

Hardware Specifications

- Memory: 1 GB
- CPU: 2.8 GHz, Celeron[®] D
- Hard disk: 2 x 80 GB SATA drive
- DVD/CD-RW drive

Client Environments Supported

- Windows[®] XP SP4, 2000 SP2, 2003 Server
- Macintosh OS 10.2.x or later
- Sun[™] Unix
- SGI Unix


Web Browser Support

- Microsoft[®] Internet Explorer (Version 6.0 SPI, for Windows only)
- Apple[®] Safari[™] (Version 1.2.x for Mac[®] OS X only)

Fiery Optional hardware/software

- Production Printing Package
- Fiery Impose Package
- FACI Kit (flat panel monitor, keyboard, mouse)
- FACI Furniture
- EFI FreeForm 1 & 2
- FreeFlow[®] VI Interpreter (formerly VIPP)

Reaching
New Heights...
Delivering Peak
Performance



©2008 XEROX Corporation. All rights reserved. XEROX[®], CentreWare[®], DocuSP[®], FreeFlow[®], VIPP[®], and 4110[®] are trademarks of Xerox Corporation in the U.S. and/or other countries. Product appearance, build status and/or specifications are subject to change without notice. The Xerox Total Satisfaction Guarantee applies to equipment under a Xerox warranty or a Full Service Maintenance Agreement and is subject to certain conditions. EFI[®], Fiery[™], and Command Workstation[™] are registered trademarks of Electronics for Imaging, Inc. Adobe[®] and PostScript[®] are registered trademarks of Adobe Systems, Inc., Apple[®] and Safari[™] are registered trademarks of Apple Computer, Inc., Windows[®] is a registered trademark of Microsoft Corporation, Sun[™] is a registered trademark of Sun Microsystems, Inc., SPARC is a registered trademark of SPARC International, Inc. in the U.S. and/or other countries. ENERGY STAR[®] and the ENERGY STAR mark are registered U.S. marks. As an ENERGY STAR partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. 02/08.

610P721890E

Making Every Step Faster, Easier and More Your Goals

one solution;
many options



Regardless of your industry, you're in a tight race to get to the top and you're facing greater challenges than ever before. Customer expectations for complex, finished documents are on the rise while the need for electronic delivery continues to climb. But work environments are changing, too, and you need a solution that fits your workflow—not a one-size-fits-all answer.

The Xerox 4110 Copier/Printer provides you with an unprecedented combination of performance, reliability and flexibility all in a space-saving footprint. The Xerox 4110 is built around a modified CentreWare® workflow and many customers in the office will recognize its look and feel. Customers, however, also have the option to choose either a Xerox FreeFlow® DocuSP® Print Controller or an EFI Fiery® Print Controller to support more demanding workflows and manage jobs across their enterprises. Feeding and finishing options round out your choices, providing a truly customized solution.

No matter how you configure the Xerox 4110, it can provide you with the features you need for your office, business or department. Now the choice is really yours.

- ▶ **Spend less time waiting for the copier and more time getting things done.** The Xerox 4110 Copier/Printer's dual head scanner scans at 100 images per minute for both single-sided and double-sided documents so you get outstanding copies faster than ever before!
- ▶ **Improve your productivity and your image.** The Xerox 4110 prints at an impressive 110 pages per minute at 2400 x 2400 dpi for outstanding image quality. It can handle more media types and large volumes to increase unattended run times and overall productivity.
- ▶ **Regardless of your preferred workflow, submitting and managing your jobs is hassle-free.** The touch-screen interface of the integrated copy/print server is ideal for walk-up users, and the print drivers enable fast and easy print job programming. More demanding print environments can take advantage of the FreeFlow DocuSP Print Controller's production-level processing power and feature set or a familiar EFI Fiery Print Controller. Either way, the Xerox 4110 offers maximum uptime and is backed by unparalleled Xerox service.
- ▶ **Enjoy big ticket benefits in a small, economical package.** The Xerox 4110 makes highly efficient use of your resources including floor space, manpower, and of course your bottom line. With the flexibility to choose the feeding, finishing, controller and software options that your business requires, you can customize the solution that works for you.
- ▶ **Offer the security features that your customers require.** You will benefit from a number of powerful security features and options that ensure job integrity and the privacy of your data. These include Safe Erase (disk overwrite), strong passwords, IP Filtering, SNMP for network management and system update notification.



Optional EFI Fiery Print Controller

- Familiar Fiery features deliver easy access to all the capabilities of the Xerox 4110 Copier/Printer in a familiar interface.
- Manages one or all of your Fiery-driven printers across your enterprise, both color and monochrome, from the easy Command WorkStation™.
- Security is ensured with extensive security features including Safe Erase, IP filtering and port blocking.
- Handles simple to complex jobs, mixed media programming, late-stage editing and personalization with the Xerox 4110's powerful processing capabilities and print features.
- Supports variable data including PPML, EFI Fiery FreeForm™ and FreeFlow VI Interpreter (formerly VIPP software).
- Leverages the added flexibility of on-the-fly imposition with the optional EFI Impose package—a WYSIWYG page imposition utility.
- Simplifies pre-press processes and complex workflows with the optional Production Print Package.

Xerox Paper and Specialty Media.
See the difference quality makes.™

Xerox digitally optimized papers and specialty media products have been specifically engineered in concert with the Xerox 4110 Copier/Printer to provide you with exceptional productivity, superior reliability and unmatched flexibility. The Optional Oversize High Capacity Feeder enables customers to expand their media latitude and application offerings to include a set of approved coated stocks. With our broad selection of paper and specialty media, full range of weights and sheet sizes, you will have the flexibility to create a variety of print applications and finished documents such as customized newsletters, booklets, reports and manuals on a wide variety of stocks. For more information, call 1-800-822-2200 in the U.S. or 1-800-668-0199 in Canada.



Xerox ProfitAccelerator
Digital Business Resources

ProfitAccelerator™ is today's most robust set of volume-building tools and resources designed to grow your business and maximize return on your digital investment. It brings together Xerox's unparalleled digital-printing experience and expertise, world-class resources, and industry-leading support to significantly boost your digital-print business and your profitability.

The ProfitAccelerator portfolio consists of seven key resource elements, each focusing on a particular aspect of the digital-printing business: financial, sales and marketing, agency and design, application and development, paper and media, business development and training, and professional support.

For more information, please visit www.xerox.com/driveprofit

Xerox Service:
All the Support
you'll need

You can rely on world-class Xerox Service to support you in many capacities:

- ▶ For **24/7** support, turn to our Welcome Center (**1-800-ASK-XEROX**) and Online Support Assistant (www.xerox.com).
- ▶ Learn to perform preventive maintenance and tune-ups yourself and maximize uptime via the Xerox Productivity Plus Integrated Maintenance Program.



Three Ways to Aim High and Achieve Productive



Integrated Copy/Print Controller

- Intuitive touch-screen operation enables walk-up copy and print and requires little operator training.
- Built on a modified CentreWare workflow that is widely known in office environments.
- Embedded controller means a smaller footprint in space-sensitive environments.
- Multifunctional features such as copy/print concurrency, common copy/print queue, store jobs for reprint and save jobs to the copy server boost productivity. You can cut costs and make optimal use of space by replacing several devices with one versatile system.
- Flexible job submission methods accommodate a wide range of users and jobs.
- Scan-to destinations like email, mailbox and FTP allow for fast and efficient document archiving and distribution.



Optional Xerox FreeFlow DocuSP Print Controller

- Enhances your copy/print capabilities with production level printing features and functionality, maximizing efficiency and productivity for excellent return on your investment.
- Simultaneously receives, RIPs and prints several jobs at once or one long streaming job.
- Accepts publishing, native transaction and personalization data streams, including PS, HP PCL, PDF, TIFF, ASCII, LCDS, IPDS, VIPP® and PPML.
- Control security for users, groups and enterprise with unmatched flexibility with features like strong passwords, automatic login, secure FTP, IP filter/blocking, secure print and more.
- Manages jobs and administration tasks remotely; for one device or a fleet of mono and color devices.
- Lets you preview, edit, impose, proof, interrupt, reprogram and forward jobs via job controls.
- Jobs can be submitted from anywhere, including desktop applications, host-based channel connections, the Web, CD-ROMs, portable USB devices and optional FreeFlow® components like Print Manager.
- Automates job ticketing and customizes job workflows through queues and hot folders with minimal operator intervention.
- Enhances effective use of media with stock library.
- Familiar interface minimizes operator training and learning curve.



Outstanding Scanning Capabilities

- Spend less time waiting at the copier. The dual head scanner scans at 100 images per minute for *both* simplex and duplex documents.
- High volume scan jobs are faster and easier with the 250 sheet document handler.
- Get consistent, high quality images with a scan resolution of up to 600 x 600 dpi 8-bit gray (256 shades).
- Achieve broader communication with scan to email capabilities (with LDAP support). Archive and distribute documents more efficiently with scan to FTP.
- Scan in full color with the optional Color Scan Enablement Kit. Documents (monochrome or color) can be scanned and distributed, stored or retrieved with the same touch-screen ease.



Flexible Media, Feeding and Finishing Options

- Make the most of your applications by using the right substrate for the job with flexible support for media weight and sizes.
- Enjoy increased productivity with uninterrupted long runs by adding a high capacity feeder to handle your standard or oversize stock requirements.
- Coated stocks* add to your document impact and can be used with the optional Oversize High Capacity Feeder.
- Create the application you need, when and where you want it, with robust in-line finishing options including collating, single and dual stapling (up to 100 sheets), hole punching, bi-folding, booklet making, C-folding, Z-folding and engineering Z-folding (tabloid (A3) folded to fit letter (A4) document set).
- Gain attention and impact with high-value documents by adding full color covers or inserts via the post-process insertion module.

*Refer to the Customer Expectation Setting Document for approved coated stocks.

Designed to Take You to the Top



Multiple finishing options let you deliver high quality documents where you need them

