

Monochrome Compatibility Matrix

Legend			
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.	1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF
	Click here for Labels	Size	4112/4127
	Click here for Transparencies	(inches)	
	Return To INDEX		
Application Thruput			
Premium Digital Carbonless			
3R12420	2 Part Straight/Reverse W/C	8.5 x 11	Y9
3R12421	2 Part Straight/Reverse W/P	8.5 x 11	Y9
3R12422	2 Part Straight/Reverse W/C	8.5 x14	N
3R12423	2 Part Straight/Reverse W/C	17 x11	N
3R12424	3 Part Reverse P/C/W	8.5 x 11	Y1/Y9/Y12
3R12425	3 Part Straight W/C/P	8.5 x 11	Y9
3R12426	3 Part Straight W/C/P (Mini carton)	8.5 x 11	Y9
3R12427	3 Part Straight W/C/P	8.5 x14	N
3R12428	3 Part Straight W/C/P	17 x11	N
3R12429	4 Part Reverse G/P/C/W	8.5 x 11	Y1/Y9/Y12
3R12430	4 Part Straight W/C/P/G	8.5 x 11	Y9
3R12431	4 Part Straight W/C/P/G	8.5 x14	N
3R12452	5 Part Straight W/B/C/P/G	8.5 x 11	Y9
3R12453	5 Part Straight W/Gr/C/P/G	8.5 x 11	Y9
3R12432	Vert. Perf'd - 3 Part Straight W/C/P	9 x11	Y9
3R12433	Vert. Perf'd - 3 Part Straight W/C/P	8.5 x 11	Y9
3R12434	Universal Singles - CB White	8.5 x 11	Y
3R12435	Universal Singles - CFB White	8.5 x 11	Y
3R12436	Universal Singles - CFB White (Mini carton)	8.5 x 11	Y
3R12437	Universal Singles - CFB Canary	8.5 x 11	Y
3R12438	Universal Singles - CF Canary	8.5 x 11	Y
3R12439	Universal Singles - CF Pink	8.5 x 11	Y
3R12440	Universal Singles - CF White	8.5 x 11	Y
Specialty Media, Tabs, Synthetics, Binding Supplies			
3R4885	Docupac Folders - 80 lb. X+ Cover	9.5 X 11.75	Y2,5,11
3R5105	Docupac Laser Folder - 80 lb. X+ Cover	9.5 X 11.75	Y2,5,11
Various	GBC/Velobind/Spiral 75gsm	8.5 x 11	Y2
3R12414	Xerox Polyester Papers 3.7 mil	8.5 x 11	N
3R12363	Xerox Polyester Papers 4.7 mil	8.5 x 11	N
3R12364	Xerox Polyester Papers 3HD 4.7 mil	8.5 x 11	N
3R12365	Xerox Polyester Papers 4.7 mil	11 x 17	N
Various	Tabs and Dividers - 90# Index	9 x 11	Y2,4,11
Various	Tabs - 110# Index	9 x 11	N
Various	Tabs - Plastic Printable	9 x 11	Y2,4,11
3R12321	10UP Digital Color Premium Business Cards	8.5 x 11	
3R12445	BRE	8.5 x 11	Y1
Labels			
Clear High Speed Label			
3R5139	33 up - 2.7" x 0.9"	8.5 x 11	Y2
High Speed Labels			
3R3139	33 up - 2.8" x 1"	8.5 x 11	Y2
3R4474	24 up - 2.8" x 1.3"	8.5 x 11	Y2
3R5719	14 up - 4.24" x 1.6"	8.5 x 11	Y2
3R4475	8 up - 4.25" x 2.7"	8.5 x 11	Y2
3R3146	6 up - 4.25" x 3.7"	8.5 x 11	Y2
3R4476	1 up -8.5" x 11" (170 gsm)	8.5 x 11	Y2

Monochrome Compatibility Matrix

Legend			
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.	1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF
	Click here for Labels	Size	4112/4127
	Click here for Transparencies	(inches)	
	Return To INDEX		
Application Thruput			
Ink Jet / Laser White Labels			
3R12050	33 up - 2.8" x 1"	8.5 x 11	
3R12052	24 up - 2.6" x 1.25" (copier)	8.5 x 11	
3R12056	8 up - 4" x 2.5" (copier)	8.5 x 11	
3R12057	1 up - 8.5" x 11" (copier)	8.5 x 11	
3R12051	30 up - 2.6" x 1"	8.5 x 11	
3R12053	20 up - 4" x 1"	8.5 x 11	
3R12055	10 up - 4" x 2"	8.5 x 11	
Custom	8up - Vinyl -	8.5 x 11	
Transparencies			
3R3117	Clear, Stripeless	8.5 x 11	Y2
3R2780	Painted Stripe	8.5 x 11	N
3R3028	Paper Backed	8.5 x 11	N
3R3108	Removeable Stripe	8.5 x 11	N
3R6218	3HD - Clear, Removable Stripe	8.5 x 11	N

Monochrome Compatibility Matrix

Legend			
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.	1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF
	Click here for Labels	Size	4112/4127
	Click here for Transparencies	(inches)	
	Return To INDEX		
Application Thruput			
Paper Products			
3R11600	Business Plus 96 Bright	8.5 x 11	Y
3R11601	20 # Paper (75 gsm)	8.5 x 11 3-HD	Y
3R11602		8.5 x 14	Y
3R11603		11 x 17	Y
3R11604	24 # Paper (90 gsm)	11" 5-ream ctn	Y
3R2047	Xerox Business 4200 92 Bright	8.5 x 11	Y
3R2641	20 # Paper (75 gsm)	8.5 x 11 3-HD	Y
3R2051		8.5 x 14	Y
3R3761		11 x 17	Y
3R2594		A 4	Y
3R6162		DocuXpress	Y
3R6163		DocuXpress 3HD	Y
3R2531	24 # Paper (90 gsm)	8.5 x 11	Y
3R3317		8.5 x 11 3HD	Y
3R3871		11 x 17	Y
3R2353	28 # Paper (105gsm)	8.5 x 11	Y
3R3873		11 x 17	Y
3R11664	67# Vellum	8.5 x 11	Y
3R3041	65# Cover (163 gsm)	8.5 x 11	Y2,3,11
3R3004	90 lb. Index (163 gsm)	8.5 x 11	Y2,3,11
3R5102		17 x 11 SG	Y2,3,11
3R6383	110 lb. Index (199 gsm)	8.5 x 11	Y2,3,11
	Xerox Business 4200 Ring Tuff 92 Bright		
3R4299	20 lb. Paper (75 gsm)	8.5 x 11 3-HD	Y
	High Yield Business Paper 84 Bright		
3R11720	17.7 lb. Paper (67 gsm)	8.5 x 11	Y
	Xerox Business Recycled 92 Bright		
3R6296	20 lb. Paper (75 gsm) 30%PCW	8.5 x 11	Y
3R6297		8.5 x 11 3HD	Y
3R6298		8.5 x 14	Y
3R6299		11 x 17	Y

Monochrome Compatibility Matrix

Legend				
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.	1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF	
	Click here for Labels	Size	4112/4127	
	Click here for Transparencies	(inches)		
	Return To INDEX			
Application Thruput				
Digital Laser Opaques (94 Brite)				
3R5670	18 lb. (67.5 gsm)		8.5 x 11	Y
3R5672			17 x 11 SG	N
3R5664	20 lb. (75 gsm)		8.5 x 11	Y
3R5666			17 x 11 SG	Y
3R5667	24 lb. (90 gsm)		8.5 x 11	Y
3R5669			17 X 11 SG	Y
3R5725	28 lb. (105 gsm)		8.5 x 11	Y
3R5673	65 lb. Cover (176 gsm)		8.5 x 11	Y2,3,11
3R5674			17 X 11 SG	Y2,3,11
Image Series				
3R54	Image Series Smooth 93 Bright - 20 lb.		8.5 x 11	Y
3R1950	Image Series Elite 95 Bright - 20 lb.		8.5 x 11	Y
Multipurpose Pastels				
Various	20 lb. (75gsm)		8.5 x 11	Y
			8.5 x 14	Y
			11 x 17	Y
Various	Pastels Plus - 24 lb. Text	30% PCW	8.5 x 11	Y2,3,11
Various	Pastels - 90 lb. Index	30% PCW	8.5 x 11	Y2,3,11
Brights				
Various	24 lb.	0-20%	8.5 x 11	Y
Various	65 lb. Cover	0-20% F	8.5 x 11	
Perforated Papers				
Various	Horizontal	4200 - 20 lb. (75 gsm)	8.5 X 11	Y
Various	Horizontal	4200 - 24 lb. (75 gsm)	8.5 X 11	Y
3R4175	Vertical	4200 - 20 lb. (75 gsm)	8.5 X 11	Y
3R4160	Vertical	4200 - 20 lb. (75 gsm)	9 x 11	Y2
COLOR APPLICATION MEDIAS				
3R12063	DuraPaper 10mil (163gsm)		8.5 x 11	Y2,3,11
3R12064	DuraPaper 10mil (163gsm)		8.5 x 11 3HD	Y2,3,11
3R12065	DuraPaper 10mil (163gsm)		17 x 11	Y2,3,11
3R12314	DuraDocument Paper (120gsm)		8.5 x 11	Y2,3,11
3R12348	DocuCard ID Cards(163 gsm)1-card format		8.5 x 11	Y2,3,5,11
Laser Transfer Paper				
3R5811			8.5 x 11	N
3R5812			11 x 17	N
Digital EA Color Transfer Paper				
3R12398			8.5 x 11	
3R12397			17 x 11 SG	
3R6340	Glossy Greeting Cards - 10 pt. C1S (210 gsm)		8.5 x 11	N
3R6348	Glossy Trifold Brochure - 8 pt. C1S (160 gsm)		8.5 x 11	N
3R12310	PlainTrifold Borchure - 32 lb. (120gsm)		8.5 x 11	N
Xpressions Tabs				
3R12366	5-bank Single Reverse	Plain		Y2,4,11
3R12367	5-bank Single Reverse	3-Hole		Y2,4,11
3R12368	5-bank Single Straight	Plain		N

Monochrome Compatibility Matrix

Legend			
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.	1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF
	Click here for Labels	Size	4112/4127
	Click here for Transparencies	(inches)	
	Return To INDEX		
Application Thruput			
3R12369	5-bank Single Straight 3-Hole		N
Digital Color Xpressions Labels			
<i>Glossy</i>			
3R12370	1 UP Full Face Sheet	8.5 x 11	N
3R5770	1 UP	8.5 x 11	N
3R5771	4 UP	8.5 x 11	N
3R6324	10 UP	8.5 x 11	N
3R6325	30 UP	8.5 x 11	N
3R6322	CDR 2 up	8.5 x 11	N
3R12372	CDR 6 UP	11 x 17	N
<i>Matte</i>			
3R12371	1 UP Full Face Sheet	8.5 x 11	N
3R5772	1 UP	8.5 x 11	N
3R5773	4 UP	8.5 x 11	N
3R6332	10 UP	8.5 x 11	N
3R6333	30 UP	8.5 x 11	N
3R6330	CDR 2 up	8.5 x 11	N
3R12373	CDR 6 UP	11 x 17	N
Window Decals			
3R6339	Clear	8.5 x 11	Y2,11
3R12059	Opaque	8.5 x 11	Y2,11
3R12315	Opaque	11 x 17	Y2, 11
Digital Color Elite Gloss (C2S)			
3R11450	80 lb. Text (120 gsm)	8.5 x 11	N
3R11451		17 x 11 SG	N
3R11452		18 x 12 SG	N
3R11454	100 lb. Text (140 gsm)	8.5 x 11	Y
3R11455		17 x 11 SG	Y
3R11456		18 x 12 SG	Y
3R11458	80 lb. Cover (210 gsm)	8.5 x 11	Y
3R11459		17 x 11 SG	Y
3R11460		18 x 12 SG	Y
Digital Color Elite Silk (C2S)			
3R11470	80 lb. Text (120 gsm)	8.5 x 11	N
3R11471		17 x 11 SG	N
3R11472		18 x 12 SG	N
3R11474	100 lb. Text (140 gsm)	8.5 x 11	Y
3R11475		17 x 11 SG	Y
3R11476		18 x 12 SG	Y
3R11478	80 lb. Cover (210 gsm)	8.5 x 11	Y
3R11479		17 x 11 SG	Y
3R11480		18 x 12 SG	Y
Digital Color Supreme Gloss Covers (Coated 1 Side)			
3R11430	8 Point Gloss (184 gsm)	8.5 x 11	Y
3R11431		17 x 11 SG	Y
3R11432		18 x 12 SG	Y

Monochrome Compatibility Matrix

Legend				
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.		1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF
	Click here for Labels		Size	4112/4127
	Click here for Transparencies		(inches)	
	Return To INDEX			
Application Thruput				
3R11434	10 Point Gloss (210 gsm)		8.5 x 11	Y
3R11435			17 x 11 SG	Y
3R11436			18 x 12 SG	Y
3R11437			20.5 x 14.33	Y
3R11438	12 Point Gloss (250 gsm)		8.5 x 11	N
3R11439			17 x 11 SG	N
3R11440			18 x 12 SG	N
Digital Color Select Gloss				
3R11500	60 lb. Text (90gsm)		11 x 17	N
3R11501			12 x 18 SG	N
3R11503	80 lb. Text (120gsm)		11 x 17	N
3R11504			12 x 18 SG	N
3R11505			20.5 x 14.33	N
3R11510	100 lb. Text (140 gsm)		11 x 17	Y
3R11511			12 x 18 SG	Y
3R11512			20.5 x 14.33	Y
3R11506	80 lb. Cover (210gsm)		11 x 17	Y
3R11507			12 x 18 SG	Y
3R11508			20.5 x 14.33	Y
3R11513	100 lb. Cover (280gsm)		11 x 17	N
3R11514			12 x 18 SG	N
3R11515			20.5 x 14.33	N
Digital Color Papers - Uncoated				
Digital Color Xpressions +				
3R11540	24 lb. Text (90 gsm)	98 Bright	8.5 x 11	Y
3R11541			8.5 x 11 3HD	Y
3R11542			8.5 x 14	Y
3R11543			17 x 11 SG	Y
3R11545	28 lb. Text (105 gsm)	98 Bright	8.5 x 11	Y
3R11546			8.5 x 11 3HD	Y
3R11547			17 x 11 SG	Y
3R11550	32 lb. Text (120 gsm)	98 Bright	8.5 x 11	Y
3R11551			17 x 11 SG	Y
3R11552			18 x 12 SG	Y
3R11553	60 lb. Cover (163 gsm)	98 Bright	8.5 x 11	Y2,3,11
3R11554			17 x 11 SG	Y2,3,11
3R11555			18 x 12 SG	Y2,3,11
3R11556	80 lb. Cover (216gsm)	98 Bright	8.5 x 11	Y2,3,11
3R11557			17 x 11 SG	Y2,3,11
3R11558			18 x 12 SG	Y2,3,11
Graphic Xpressions Papers & Covers				
	True White	98 Bright		
3R11152	24# Paper (90 gsm)	20% PCW	8.5 x 11	Y
3R11153			8.5 x 11 3HD	Y
3R11154			11 x 17	Y
3R5529	28# Paper (105 gsm)	20% PCW	8.5 x 11	Y
3R5530			17 x 11 SG	Y

Monochrome Compatibility Matrix

Legend				
	Y - Machine Compatible N - Not Recommended Blank - To Be Determined *Media exceeds machine specifications but approved by machine program.	1 - Simplex Only 2 - Bypass Tray 3 - Manual Duplex 4 - Long edge Feed 5 - Short edge Feed 6 - Machine Retrofit Required	7 - Limited duplex. Image text or areas of low toner coverage on uncoated side first. 8 - Remove frequently from output tray with 2-sided heavy toner coverage documents. 9- Hi Cap Tray(s) 10-Coated paper mode 11-Heavy weight paper mode 12-Face Up Delivery 13-OHCF	
	Click here for Labels	Size	4112/4127	
	Click here for Transparencies	(inches)		
	Return To INDEX			
Application Thruput				
3R5531			18 x 12 SG	Y3
3R5533	65# Cover (163 gsm) 20% PCW		8.5 x 11	Y2,3,11
3R5534			17 x 11 SG	Y2,3,11
3R5535			18 x 12 SG	Y2,3,11
3R5537	80# Cover (216 gsm) 20% PCW		8.5 x 11	Y2,3
3R5538			17 x 11 SG	Y2,3
3R5539			18 x 12 SG	Y2,3
3R11160	100# Cover (270 gsm) No PCW		8.5 x 11	N
3R11161			17 x 11 SG	N
3R11162			18 x 12 SG	N
Cream White				
3R11164	28# Paper (105 gsm) 30% PCW		8.5 x 11	Y
3R11168			17 x 11 SG	Y
3R11172			18 x 12 SG	Y2
3R11176	80# Cover (216 gsm) 30% PCW		8.5 x 11	Y2,3
3R11180			17 x 11 SG	Y2,3
3R11184			18 x 12 SG	Y2,3
Warm White				
3R11165	28# Paper (105 gsm) 30% PCW		8.5 x 11	Y
3R11169			17 x 11 SG	Y
3R11173			18 x 12 SG	Y2
3R11177	80# Cover (216 gsm) 30% PCW		8.5 x 11	Y2,3
3R11181			17 x 11 SG	Y2,3
3R11185			18 x 12 SG	Y2,3