

Recommended Materials List for DocuColor 2060/2045/5252

Review Date: 1/02/2007

Last review 7/19/2006

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2007 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the most recent Recommended Materials Lists access www.Xerox.com and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060/5252

	Standard Cut Sizes	Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation																					
				8.5X11 216x279 mm		8.5X14 216x356 mm		Short Grain 17x11 432x279 mm		Short Grain 18x12 457x305 mm		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		High Capacity Stacker Compatible?			
				64-80 gsm												81-105 gsm		106-135 gsm		136-150 gsm			151-220 gsm		221- 280 gsm
Simplex												Duplex		Simplex		Duplex		Simplex		Duplex			Simplex		Duplex
Business Papers (Bond, xerographic, and laser grades)		Decurler Setting paper type		Xerographic/ Bond																					
Xerox Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11540				24	90															Yes			
		3R11541		Load SEF with holes towards the back of the machine.		24	90																Top Tray Only		
Xerox Graphic Xpressions (True White), 24 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11542				24	90															Yes			
		3R11543				24	90															Yes			
Xerox Color Xpressions +, 28 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11544				24	90															Yes			
		3R11545		Load SEF with holes towards the back of the machine.		28	105																Top Tray Only		
Xerox Graphic Xpressions (True White), 28 LB	B	3R11546				28	105															Yes			
		3R11549				28	105															Yes			
Xerox Color Xpressions +, 32 LB	A	3R11548				28	105															Yes			
		3R11550				32	120															Yes			
Xerox Graphic Xpressions (True White), 32 LB	A	3R11551				32	120															Yes			
		3R11552				32	120															Yes			
Uncoated Cover Stocks		Decurler Setting paper type		Cover Weight																					
Xerox Color Xpressions +, 60 LB Cover	A	3R11553				60	163															Yes			
		3R11554				60	163															Yes			
Xerox Graphic Xpressions (True White), 65 LB Cover	A	3R11555				60	163															Yes			
		3R5533				65	176															Yes			
Xerox Color Xpressions +, 80 LB Cover	A	3R5534				65	176															Yes			
		3R5535				80	216															Yes			
Xerox Graphic Xpressions (True White), 80 LB Cover	A	3R11556				80	216															Yes			
		3R11557				80	216															Yes			
Xerox Color Xpressions +, 100 LB Cover	A	3R11558				80	216															Yes			
		3R5537				80	216															Yes			
Xerox Graphic Xpressions (True White), 100 LB Cover	A	3R5538				80	216															Yes			
		3R5539				80	216															Yes			
Xerox Digital Color Elite Gloss 80# Text	A	3R11160				100	270															Yes			
		3R11161				100	270															Yes			
Xerox Digital Color Elite Gloss 100# Text	A	3R11162				100	270															Yes			
		3R11163				100	270															Yes			
Coated Text or Book Stock C2S		Decurler Setting paper type		Text Weight																					
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120															Yes			
		3R11451				80	120															Yes			
Xerox Digital Color Select Gloss 80# Text	A	3R11452				80	120															Yes			
		3R11503				80	120															Yes			
Xerox Digital Color Elite Gloss 100# Text	A	3R11504				80	120															Yes			
		3R11454				100	140															Yes			
Xerox Digital Color Select Gloss 100# Text	A	3R11455				100	140															Yes			
		3R11456				100	140															Yes			
Xerox Digital Color Elite Silk 80# Text	A	3R11510				100	140															Yes			
		3R11511				100	140															Yes			
Xerox Digital Color Elite Silk 100# Text	A	3R11470				80	120															Yes			
		3R11471				80	120															Yes			
Xerox Digital Color Elite Silk 100# Cover	A	3R11472				80	120															Yes			
		3R11474				100	140															Yes			
Xerox Digital Color Select Gloss 80# Cover	A	3R11475				100	140															Yes			
		3R11476				100	140															Yes			
Coated Cover Stock C2S		Decurler Setting paper type		Cover Weight																					
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458				80	210															Yes			
		3R11459				80	210															Yes			
Xerox Digital Color Select Gloss 80# Cover	A	3R11460				80	210															Yes			
		3R11506				80	210															Yes			
Xerox Digital Color Elite Gloss 100# Cover	A	3R11507				80	210															Yes			
		3R11462				100	280															Yes			
Xerox Digital Color Select Gloss 100# Cover	A	3R11463				100	280															Yes			
		3R11464				100	280															Yes			
Xerox Digital Color Elite Silk 80# Cover	A	3R11513				100	280															Yes			
		3R11514				100	280															Yes			
Xerox Digital Color Elite Silk 100# Cover	A	3R11478				80	210															Yes			
		3R11479				80	210															Yes			
Xerox Digital Color Select Gloss 80# Cover	A	3R11480				80	210															Yes			
		3R11482				100	280															Yes			
Xerox Digital Color Elite Silk 100# Cover	A	3R11483				100	280															Yes			
		3R11484				100	280															Yes			

* SEF- Short Edge Feeding is Recommended

For the most recent Recommended Materials Lists access our www.Xerox.com and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060/5252

	Standard Cut Sizes	Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation																							
				8.5X11 216x279 mm		8.5X14 216x356 mm		Short Grain 17x11 432x279 mm		Short Grain 18x12 457x305 mm		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		High Capacity Stacker Compatible?					
				Weight Range Specification												64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm	
Instructions for Printing one (Simplex) or two (Duplex) sides													Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Gloss Coated 1 Side Cover Stock C1S	Decurler Setting paper type	Load coated side up. Image quality will be best on first side.				No weight equiv. Trade unit is caliper																					
Xerox Digital Color Supreme Gloss 8 pt. Cover C1S	A	3R11430		3R11431	3R11432	8 pt	160														Tray 3 & 4 Only	Tray 3 & 4 Only			Yes		
Xerox Digital Color Supreme Gloss 10 pt. Cover C1S	A	3R11434		3R11435	3R11436	10 pt	210														Tray 3 & 4 Only	Tray 3 & 4 Only			Yes		
Xerox Digital Color Supreme Gloss 12 pt. Cover C1S	A	3R11438		3R11439	3R11440	12 pt	250														Tray 3 & 4 Only	Tray 3 & 4 Only			Yes		
Transparencies	Decurler Setting paper type					Transparencies																					
Xerox Removable Stripe Transparency	Default	3R3108	Load with stripe down			OHP*	NA																				
Xerox Production Printer Transparency	A	3R5764	Image quality will vary with productivity. 3R5764 is recommended for best results.			NA	NA														Tray 3 Only						
Specialties	Decurler Setting paper type					Various Categories	Approximately																				
Xerox Digital Color Supreme Gloss Greeting Cards, 10 pt Cover C1S Folds to 8.5"x5.5"	A	3R6340	Second side image quality is not as good as that obtainable on side one			10 pt	210														Tray 3 Only	Tray 3 Only			Yes		
Xerox Digital Color Trifold Brochures	A	3R12310				32lb. Xero / Bond	120					OK All Trays	OK All Trays														
Xerox Digital Color Supreme Gloss Trifold Brochures, 8 pt Cover C1S	A	3R6348	Second side image quality is not as good as that obtainable on side one			8 pt	160														Tray 3 Only	Tray 3 Only			Yes		
Xerox Window Decals, Clear	B	3R6339				NA	NA														Tray 3 Only						
Xerox Window Decals, Opaque	B	3R12059	3R12315			NA	NA														Tray 3 Only						
Xerox DocuPac Folders (9.3 x 11.7")	A	3R4885				NA	160														Tray 3 Only						
Xerox High Gloss Coated Presentation Folders (9" x 11")	A	3R5570				8 pt	160														Tray 3 Only						
Xerox Docupac Laser Folders	A	3R5105				NA	160														Tray 3 Only						
Xerox Color Xpressions + Document Folder	A		3R12406			80 lb. Cover	216														Tray 3 Only	Tray 3 Only					
Xerox 10 pt. Supreme Gloss Document Folder	A		3R12407			10 pt.	210														Tray 3 Only	Tray 3 Only					
Xerox Digital Color Premium Business Cards (10 UP)	A	3R12321				NA	250														Tray 3 Only			Tray 3 Only	Manual Duplex	Top Tray	
Xerox DuraPaper	A	3R12064				10 pt	200														Tray 3 Only			Tray 3 Only	Manual Duplex	Yes	
8.5 x 11, 3-Hole Drilled** (SEF)	A	3R12065	Load SEF with holes towards the back of the machine			10 pt	200														Tray 3 Only			Tray 3 Only	Manual Duplex	Top Tray	
	A		3R12063			10 pt	200														Tray 3 Only			Tray 3 Only	Manual Duplex	Yes	
Xerox Polyester Papers	A	3R12414	Run 25 sheets of plain paper at 200 sheet intervals to avoid gloss / oil streaks. Static may limit ability to stack neatly.			3.7 mils	125														Tray 3 Only						
8.5 x 11, 3-Hole Drilled** (SEF)	A	3R12363				4.7 mils	160														Tray 3 Only						
	A	3R12364				4.7 mils	NA														Tray 3 Only						
Xerox DocuCard ID Card (1-UP)*** (50 sheet stacks maximum)	A	3R12348				NA	165														Tray 3 Only						
Xerox Laser Transfer Paper	A	3R5811				NA	NA														Tray 3 Only						
	A		3R5812			NA	NA														Tray 3 Only						
Xpressions Tabs - 5 Bank; Single reverse collated (SEF)**	A	3R12366(SEF)	Load tabs SEF with tab towards the back of the machine.			60 lb. Cover	163														Tray 3 Only (SEF)						
Xpressions Tabs - 5 Bank; Single straight collated (SEF)**	A	3R12368(SEF)	Load tabs SEF with tab towards the back of the machine.			60 lb. Cover	163														Tray 3 Only (SEF)						
Xerox Digital Metallic Cover, Silver	A	3R12311	Color reproduction will be affected.			10 pt	213														Tray 3 Only	Manual Duplex			Yes		

* OHP Refers to Overhead projector

**SEF- Short Edge Feeding Recommended

*** Maximum of 50 sheet stacks in tray 3

For the most recent Recommended Materials Lists access our www.Xerox.com and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060/5252

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation											
		8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	High Capacity Stacker Compatible?				
Weight Range Specification		64-80 gsm						81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides		Simplex						Duplex		Simplex		Duplex		Simplex		Duplex			
Tinted and textured stocks Offset/ Text weights		Decurler Setting paper type				When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.		Xerographic/ Bond											
Xerox Graphic Xpressions Cream White, 28/ 70 LB.	A	3R11164				28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3					Yes			
				3R11168			28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3				Yes			
Xerox Graphic Xpressions Warm White, 28/ 70 LB.	A	3R11165			3R11172	28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3					Yes			
				3R11169			28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3				Yes			
					3R11173		28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3				Yes			
Tinted and textured stocks Cover weights		Decurler Setting paper type				When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.		Cover Weight											
Xerox Graphic Xpressions Cream White, 80 LB. Cover	A	3R11176				80	216							OK Trays 1, 2 and 3	OK Trays 1, 2 and 3	Yes			
				3R11180			80	216						OK Trays 1, 2 and 3	OK Trays 1, 2 and 3	Yes			
Xerox Graphic Xpressions Warm White, 80 LB. Cover	A	3R11177			3R11184	80	216							OK Trays 1, 2 and 3	OK Trays 1, 2 and 3	Yes			
				3R11181			80	216						OK Trays 1, 2 and 3	OK Trays 1, 2 and 3	Yes			
					3R11185		80	216						OK Trays 1, 2 and 3	OK Trays 1, 2 and 3	Yes			
Label Stock		Decurler Setting paper type				Label Stocks		Approximately											
Xerox Digital Color Xpressions Gloss Coated Labels 1 UP 8.5 x 11 (die cut face) 1 UP 8.5 x 11 (full sheet) 4 UP 8.5 x 11 CD-ROM 8.5 x 11 6 UP CD-ROM 11 x 17	C	3R5770				NA	190							Tray 3 Only		Top Tray Only			
	C	3R12370				NA	190							Tray 3 Only		Top Tray Only			
	C	3R5771				NA	190							Tray 3 Only		Top Tray Only			
	C	3R6322				NA	190							Tray 3 Only		Top Tray Only			
	C			3R12372		NA	190							Tray 3 Only		Top Tray Only			
Xerox Digital Color Xpressions Matte Coated Labels 1 UP 8.5 x 11 (die cut face) 1 UP 8.5 x 11 (full sheet) 4 UP 8.5 x 11 10 UP 8.5 x 11 30 UP 8.5 x 11 CD-ROM 8.5 x 11 6 UP CD-ROM 11 x 17	C	3R5772				NA	190							Tray 3 Only		Top Tray Only			
	C	3R12371				NA	190							Tray 3 Only		Top Tray Only			
	C	3R5773				NA	190							Tray 3 Only		Top Tray Only			
	C	3R6332				NA	190							Tray 3 Only		Top Tray Only			
	C	3R6333				NA	190							Tray 3 Only		Top Tray Only			
	C	3R6330				NA	190							Tray 3 Only		Top Tray Only			
	C			3R12373		NA	190							Tray 3 Only		Top Tray Only			
Carbonless Paper		Decurler Setting				When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.		Bond Weight		Approximately									
Xerox Premium Digital Carbonless Paper																			
Singles	A	CB Singles White (W)				22	82			Tray 3 only						Yes			
		CFB Singles White (W)				23	86			Tray 3 only						Yes			
		CFB Singles White (Mini carton)				23	86			Tray 3 only									
		CFB Singles Canary (C)				23	86			Tray 3 only						Yes			
		CF Singles Canary (C)				22	82			Tray 3 only						Yes			
		CF Singles Pink (P)				22	82			Tray 3 only						Yes			
2 Part	A	CF Singles White (W)				22	82			Tray 3 only						Yes			
		2 Part Straight/Reverse W/C				22/22	82/82			Tray 3 only						Yes			
		2 Part Straight/Reverse W/P				22/22	82/82			Tray 3 only						Yes			
		2 Part Straight/Reverse W/C		3R12422		22/22	82/82			Tray 3 only						Yes			
3 Part	A	2 Part Straight/Reverse W/C		3R12423		22/22	82/82			Tray 3 only						Yes			
		3 Part Reverse P/C/W				22/23/22	82/86/82			Tray 3 only						Yes			
		3 Part Straight W/C/P				22/23/22	82/86/82			Tray 3 only						Yes			
		3 Part Straight W/C/P (Mini carton)				22/23/22	82/86/82			Tray 3 only						Yes			
		3 Part Straight W/C/P		3R12427		22/23/22	82/86/82			Tray 3 only						Yes			
4 Part	A	3 Part Straight W/C/P		3R12428		22/23/22	82/86/82			Tray 3 only						Yes			
		4 Part Reverse G/P/C/W				22/23/23/22	82/86/86/82			Tray 3 only						Yes			
		4 Part Straight W/C/P/G				22/23/23/22	82/86/86/82			Tray 3 only						Yes			
		4 Part Straight W/C/P/G		3R12431		22/23/23/22	82/86/86/82			Tray 3 only						Yes			
Perf	A	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P (9" x 11")				22/23/22	82/86/82			Tray 3 only						Yes			
		1/2 Vertical Pre-Perfed 3 Part Straight W/C/P				22/23/22	82/86/82			Tray 3 only						Yes			

* Contact your local Service representative and refer to the System Administration Guide for details