

Recommended Materials List for DocuColor 5000

Review Date: 1/02/2007

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2007 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 5000

	Decurler Setting paper type	Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC5000 Trays / Weight Selection and Best Practices for Operation													
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4					
		Weight Range Specification Instructions for Printing one (Simplex) or two (Duplex) sides						60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm			
						Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex	
Business Papers (Bond, xerographic, and laser grades)						Xerographic/ Bond															
Xerox Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11540				24	90			OK All Trays	OK All Trays										
		3R11541				24	90			OK All Trays	OK All Trays										
			3R11542			24	90			OK All Trays	OK All Trays										
				3R11543		24	90			OK All Trays	OK All Trays										
Xerox Graphic Xpressions (True White), 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11152				24	90			OK All Trays	OK All Trays										
		3R11153				24	90			OK All Trays	OK All Trays										
				3R11154		24	90			OK All Trays	OK All Trays										
Xerox Color Xpressions +, 28 LB 8.5 x 11, 3-Hole Drilled*	A	3R11545				28	105			OK All Trays	OK All Trays										
		3R11546				28	105			OK All Trays	OK All Trays										
				3R11549		28	105			OK All Trays	OK All Trays										
					3R11548	28	105			OK All Trays	OK All Trays										
Xerox Graphic Xpressions (True White), 28 LB	A	3R5529				28	105			OK All Trays	OK All Trays										
				3R5530		28	105			OK All Trays	OK All Trays										
					3R5531	28	105			OK All Trays	OK All Trays										
Xerox Color Xpressions +, 32 LB	B	3R11550				32	120					OK All Trays	OK All Trays								
				3R11551		32	120					OK All Trays	OK All Trays								
					3R11552	32	120					OK All Trays	OK All Trays								
Uncoated Cover Stocks						Cover Weight															
Xerox Color Xpressions +, 60 LB Cover	A	3R11553				60	163											OK All Trays	OK All Trays		
				3R11554		60	163											OK All Trays	OK All Trays		
					3R11555	60	163											OK All Trays	OK All Trays		
Xerox Graphic Xpressions (True White), 65 LB Cover	A	3R5533				65	176											OK All Trays	OK All Trays		
				3R5534		65	176											OK All Trays	OK All Trays		
					3R5535	65	176											OK All Trays	OK All Trays		
Xerox Color Xpressions +, 80 LB Cover	A	3R11556				80	216											OK All Trays	OK All Trays		
				3R11557		80	216											OK All Trays	OK All Trays		
					3R11558	80	216											OK All Trays	OK All Trays		
Xerox Graphic Xpressions (True White), 80 LB Cover	A	3R5537				80	216											OK All Trays	OK All Trays		
				3R5538		80	216											OK All Trays	OK All Trays		
					3R5539	80	216											OK All Trays	OK All Trays		
Xerox Graphic Xpressions (True White), 100 LB Cover	A	3R11160				100	270													OK All Trays	Manual Duplex
				3R11161		100	270													OK All Trays	Manual Duplex
					3R11162	100	270													OK All Trays	Manual Duplex
Coated Text or Book Stock C2S						Text Weight															
Xerox Digital Color Select Gloss 60# Text	A			3R11500		60	90			OK All Trays	OK All Trays										
					3R11501	60	90			OK All Trays	OK All Trays										
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120					OK All Trays	OK All Trays								
				3R11451		80	120					OK All Trays	OK All Trays								
					3R11452	80	120					OK All Trays	OK All Trays								
Xerox Digital Color Select Gloss 80# Text	A			3R11503		80	120					OK All Trays	OK All Trays								
					3R11504	80	120					OK All Trays	OK All Trays								
Xerox Digital Color Elite Gloss 100# Text	A	3R11454				100	140							OK All Trays	OK All Trays						
				3R11455		100	140							OK All Trays	OK All Trays						
					3R11456	100	140							OK All Trays	OK All Trays						
Xerox Digital Color Select Gloss 100# Text	A			3R11510		100	140							OK All Trays	OK All Trays						
					3R11511	100	140							OK All Trays	OK All Trays						
Xerox Digital Color Elite Silk 80# Text	A	3R11470				80	120					OK All Trays	OK All Trays								
				3R11471		80	120					OK All Trays	OK All Trays								
					3R11472	80	120					OK All Trays	OK All Trays								
Xerox Digital Color Elite Silk 100# Text	A	3R11474				100	140							OK All Trays	OK All Trays						
				3R11475		100	140							OK All Trays	OK All Trays						
					3R11476	100	140							OK All Trays	OK All Trays						
Coated Cover Stock C2S						Cover Weight															
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458				80	210											OK All Trays	OK All Trays		
				3R11459		80	210											OK All Trays	OK All Trays		
					3R11460	80	210											OK All Trays	OK All Trays		
Xerox Digital Color Select Gloss 80# Cover	A			3R11506		80	210											OK All Trays	OK All Trays		
					3R11507	80	210											OK All Trays	OK All Trays		
Xerox Digital Color Elite Gloss 100# Cover	A	3R11462				100	280													OK All Trays	Manual Duplex
				3R11463		100	280													OK All Trays	Manual Duplex
					3R11464	100	280													OK All Trays	Manual Duplex
Xerox Digital Color Select Gloss 100# Cover	A			3R11513		100	280													OK All Trays	Manual Duplex
					3R11514	100	280													OK All Trays	Manual Duplex
Xerox Digital Color Elite Gloss 110# Cover	A	3R11466				110	300													OK All Trays	Manual Duplex
				3R11467		110	300													OK All Trays	Manual Duplex
					3R11468	110	300													OK All Trays	Manual Duplex
Xerox Digital Color Elite Silk 80# Cover	A	3R11478				80	210											OK All Trays	OK All Trays		
				3R11479		80	210											OK All Trays	OK All Trays		
					3R11480	80	210											OK All Trays	OK All Trays		
Xerox Digital Color Elite Silk 100# Cover	A	3R11482				100	280													OK All Trays	Manual Duplex
				3R11483		100	280													OK All Trays	Manual Duplex
					3R11484	100	280													OK All Trays	Manual Duplex
Xerox Digital Color Elite Silk 110# Cover	A	3R11486				110	300													OK All Trays	Manual Duplex
				3R11487		110	300													OK All Trays	Manual Duplex
					3R11488	110	300													OK All Trays	Manual Duplex

* See "Specialty Media Guide: hints and tips" document for special run instructions

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 5000

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC5000 Trays / Weight Selection and Best Practices for Operation												
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4				
Weight Range Specification								60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221- 300 gsm		
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Super Gloss Coated Cover Stock C1S		Decurler Setting paper type	Load coated side up. Image quality will be best on first side.				No weight equiv. Trade unit is caliper													
Xerox Digital Color Supreme Gloss 8pt. Cover C1S	A	3R11430		3R11431	3R11432	8 pt	160							OK All Trays	OK All Trays					
Xerox Digital Color Supreme Gloss 10pt. Cover C1S	A	3R11434		3R11435		10 pt	210							OK All Trays	OK All Trays					
Xerox Digital Color Supreme Gloss 12pt. Cover C1S	A	3R11438		3R11439	3R11440	12 pt	250							OK All Trays	OK All Trays			OK All Trays	Manual Duplex	
Transparencies		Decurler Setting paper type	Load with stripe down				Transparencies	NA												
Xerox Removable Stripe Transparencies	Default	3R3108	Load with stripe down				OHP	NA												
Specialties		Decurler Setting paper type	Various Categories				Approximately													
Xerox Supreme Gloss Greeting Cards, 10 pt Cover C1S Folds to 8.5"x5.5"	A	3R6340	Second side image quality is not as good as that obtainable on side one				10 pt	210							OK All Trays	OK All Trays				
Xerox Trifold Brochures	A	3R12310					32lb. Xero / Bond	120			OK All Trays	OK All Trays								
Xerox Supreme Gloss Trifold Brochures, 8 pt Cover C1S	A	3R6348	Second side image quality is not as good as that obtainable on side one				8 pt	160							OK All Trays	OK All Trays				
Xerox DocuPac Folders (9.3" x 11.7")	A	3R4885					NA	160							OK All Trays					
Xerox High Gloss Coated Presentation Folders (9x11")	A	3R5570					8 pt	160							OK All Trays					
Xerox Docupac Laser Folders	A	3R5105					NA	160							OK All Trays					
Xerox Color Xpressions + Document Folder	A						3R12406	80 lb. Cover	216						OK All Trays	OK All Trays				
Xerox 10 pt. Supreme Gloss Document Folder	A						3R12407	10 pt.	210						OK All Trays	OK All Trays				
Xerox Digital Color Premium Business Cards (10 UP)	A	3R12321					NA	250											OK All Trays	Manual Duplex
Xerox DuraPaper	A	3R12064					10 pt	200											OK All Trays	Manual Duplex
8.5 x 11, 3-Hole Drilled**	A	3R12065					10 pt	200											OK All Trays	Manual Duplex
	A		3R12063				10 pt	200											OK All Trays	Manual Duplex
Xerox Xpressions Tabs - 5 Bank; Single reverse collated**	A	3R12366	Load tabs LEF with tabs trailing				60 lb. Cover	163							OK All Trays					
Xerox Xpressions Tabs - 5 Bank; Single straight collated**	A	3R12368	Load tabs LEF with tabs trailing				60 lb. Cover	163							OK All Trays					
Tinted and textured stocks		Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Xerographic/ Bond													
Offset/ Text weights		A	3R11164		3R11168	28	105			OK All Trays	OK All Trays									
Xerox Graphic Xpressions Cream White, 28/ 70 LB.	A				3R11172	28	105			OK All Trays	OK All Trays									
Xerox Graphic Xpressions Warm White, 28/ 70 LB.	A	3R11165		3R11169		28	105			OK All Trays	OK All Trays									
	A				3R11173	28	105			OK All Trays	OK All Trays									
Tinted and textured stocks		Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Cover Weight													
Cover weights		A	3R11176		3R11180	80	216							OK All Trays	OK All Trays					
Xerox Graphic Xpressions Cream White, 80 LB. Cover	A				3R11184	80	216							OK All Trays	OK All Trays					
Xerox Graphic Xpressions Warm White, 80 LB. Cover	A	3R11177		3R11181		80	216							OK All Trays	OK All Trays					
	A				3R11185	80	216							OK All Trays	OK All Trays					

* OHP Refers to Overhead projector
 ** See "Specialty Media Guide: hints and tips" document for special run instructions
 *** Maximum of 50 sheet stacks in tray 3

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 5000

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC5000 Trays / Weight Selection and Best Practices for Operation													
		8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4							
Weight Range Specification		Instructions for Printing one (Simplex) or two (Duplex) sides						60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm			
Label Stock		Decurler Setting paper type					Label Stocks	Approximately	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Xerox Digital Color Xpressions Gloss Coated Labels		A					NA	190													
	1 UP 8.5 x 11 (die cut face)	A					3R5770													OK All Trays	
	1 UP 8.5 x 11 (full sheet)	A					3R12370													OK All Trays	
	4 UP 8.5 x 11	A					3R5771													OK All Trays	
	CD-ROM 8.5 x 11	A					3R6322													OK All Trays	
	6-up CD-ROM 11"x17"	A					3R12372													OK All Trays	
Xerox Digital Color Xpressions Matte Coated Labels		A					NA	190												OK All Trays	
	1 UP 8.5 x 11 (die cut face)	A					3R5772													OK All Trays	
	1 UP 8.5 x 11 (full sheet)	A					3R12371													OK All Trays	
	4 UP 8.5 x 11	A					3R5773													OK All Trays	
	10 UP 8.5 x 11	A					3R6332													OK All Trays	
	30 UP 8.5 x 11	A					3R6333													OK All Trays	
	CD-ROM 8.5 x 11	A					3R6330													OK All Trays	
	6-up CD-ROM 11"x17"	A					3R12373													OK All Trays	
Carbonless Paper **		Decurler Setting	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Bond Weight	Approximately													
Xerox Premium Digital Carbonless Paper																					
Singles	CB Singles White (W)	A					3R12434	22	82											OK All Trays	
	CFB Singles White (W)						3R12435	23	86											OK All Trays	
	CFB Singles White (Mini carton)						3R12436	23	86											OK All Trays	
	CFB Singles Canary (C)						3R12437	23	86											OK All Trays	
	CF Singles Canary (C)						3R12438	22	82											OK All Trays	
	CF Singles Pink (P)						3R12439	22	82											OK All Trays	
	CF Singles White (W)						3R12440	22	82											OK All Trays	
2 Part	2 Part Straight/Reverse W/C	A					3R12420	22/22	82/82											OK All Trays	
	2 Part Straight/Reverse W/P						3R12421	22/22	82/82										OK All Trays		
	2 Part Straight/Reverse W/C							3R12422	22/22	82/82									OK All Trays		
	2 Part Straight/Reverse W/C								3R12423	22/22	82/82								OK All Trays		
3 Part	3 Part Reverse P/C/W	A					3R12424	22/23/22	82/86/82											OK All Trays	
	3 Part Straight W/C/P						3R12425	22/23/22	82/86/82										OK All Trays		
	3 Part Straight W/C/P (Mini carton)						3R12426	22/23/22	82/86/82										OK All Trays		
	3 Part Straight W/C/P								3R12427	22/23/22	82/86/82								OK All Trays		
	3 Part Straight W/C/P									3R12428	22/23/22	82/86/82							OK All Trays		
4 Part	4 Part Reverse G/P/C/W	A					3R12429	22/23/23/22	82/86/86/82											OK All Trays	
	4 Part Straight W/C/P/G						3R12430	22/23/23/22	82/86/86/82										OK All Trays		
	4 Part Straight W/C/P/G								3R12431	22/23/23/22	82/86/86/82								OK All Trays		
Perf	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P (9" x 11")	A					3R12432	22/23/22	82/86/82											OK All Trays	
	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P						3R12433	22/23/22	82/86/82											OK All Trays	

* Contact your local Service representative and refer to the *System Administration Guide* for details

** See "Specialty Media Guide: hints and tips" document for special run instructions