

Recommended Materials List for DocuColor 6060

Review Date: 1/02/2007

Last review 7/19/2006

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2007 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the most recent Recommended Materials Lists access our www.Xerox.com and do a search on DocuColor 6060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 6060

	Decurler Setting paper type	Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 6060 Trays / Weight Selection and Best Practices for Operation														
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4						
		Weight Range Specification Instructions for Printing one (Simplex) or two (Duplex) sides						64-74 gsm		75-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 300 gsm				
						Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		
Business Papers (Bond, xerographic, and laser grades)						Xerographic/ Bond																
Xerox Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11540				24	90			OK All Trays	OK All Trays											
		3R11541	Load SEF with holes towards the back of the machine.			24	90			OK All Trays	OK All Trays											
Xerox Graphic Xpressions (True White), 24 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11542				24	90			OK All Trays	OK All Trays											
		3R11543				24	90			OK All Trays	OK All Trays											
		3R11544	Load SEF with holes towards the back of the machine.			24	90			OK All Trays	OK All Trays											
Xerox Color Xpressions +, 28 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11545				28	105			OK All Trays	OK All Trays											
		3R11546	Load SEF with holes towards the back of the machine.			28	105			OK All Trays	OK All Trays											
		3R11549				28	105			OK All Trays	OK All Trays											
Xerox Graphic Xpressions (True White), 28 LB	A	3R5529			3R11548	28	105			OK All Trays	OK All Trays											
					3R5530	28	105			OK All Trays	OK All Trays											
					3R5531	28	105			OK All Trays	OK All Trays											
Xerox Color Xpressions +, 32 LB	B	3R11550				32	120					OK All Trays	OK All Trays									
					3R11551	32	120					OK All Trays	OK All Trays									
					3R11552	32	120					OK All Trays	OK All Trays									
Uncoated Cover Stocks						Cover Weight																
Xerox Color Xpressions +, 60 LB Cover	A	3R11553				60	163													OK All Trays	OK All Trays	
					3R11554	60	163													OK All Trays	OK All Trays	
Xerox Graphic Xpressions (True White), 65 LB Cover	A	3R5533			3R11555	65	176													OK All Trays	OK All Trays	
					3R5534	65	176													OK All Trays	OK All Trays	
					3R5535	65	176													OK All Trays	OK All Trays	
Xerox Color Xpressions +, 80 LB Cover	A	3R11556				80	216													OK All Trays	OK All Trays	
					3R11557	80	216													OK All Trays	OK All Trays	
					3R11558	80	216													OK All Trays	OK All Trays	
Xerox Graphic Xpressions (True White), 80 LB Cover	A	3R5537				80	216													OK All Trays	OK All Trays	
					3R5538	80	216													OK All Trays	OK All Trays	
					3R5539	80	216													OK All Trays	OK All Trays	
Xerox Graphic Xpressions (True White), 100 LB Cover	A	3R11160				100	270													OK All Trays	Manual Duplex	
					3R11161	100	270													OK All Trays	Manual Duplex	
					3R11162	100	270													OK All Trays	Manual Duplex	
Coated Text or Book Stock C2S						Text Weight																
Xerox Digital Color Select Gloss 60# Text	A			3R11500		60	90			OK All Trays	OK All Trays											
					3R11501	60	90			OK All Trays	OK All Trays											
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120					OK All Trays	OK All Trays									
					3R11451	80	120					OK All Trays	OK All Trays									
					3R11452	80	120					OK All Trays	OK All Trays									
Xerox Digital Color Select Gloss 80# Text	A			3R11503		80	120					OK All Trays	OK All Trays									
					3R11504	80	120					OK All Trays	OK All Trays									
Xerox Digital Color Elite Gloss 100# Text	A	3R11454				100	140							OK All Trays	OK All Trays							
					3R11455	100	140							OK All Trays	OK All Trays							
					3R11456	100	140							OK All Trays	OK All Trays							
Xerox Digital Color Select Gloss 100# Text	A			3R11510		100	140							OK All Trays	OK All Trays							
					3R11511	100	140							OK All Trays	OK All Trays							
Xerox Digital Color Elite Silk 80# Text	A	3R11470				80	120					OK All Trays	OK All Trays									
					3R11471	80	120					OK All Trays	OK All Trays									
					3R11472	80	120					OK All Trays	OK All Trays									
Xerox Digital Color Elite Silk 100# Text	A	3R11474				100	140							OK All Trays	OK All Trays							
					3R11475	100	140							OK All Trays	OK All Trays							
					3R11476	100	140							OK All Trays	OK All Trays							
Coated Cover Stock C2S						Cover Weight																
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458				80	210													OK All Trays	OK All Trays	
					3R11459	80	210													OK All Trays	OK All Trays	
Xerox Digital Color Select Gloss 80# Cover	A				3R11460	80	210													OK All Trays	OK All Trays	
					3R11506	80	210													OK All Trays	OK All Trays	
					3R11507	80	210													OK All Trays	OK All Trays	
Xerox Digital Color Elite Gloss 100# Cover	A	3R11462				100	280													OK All Trays	Manual Duplex	
					3R11463	100	280													OK All Trays	Manual Duplex	
					3R11464	100	280													OK All Trays	Manual Duplex	
Xerox Digital Color Select Gloss 100# Cover	A				3R11513	100	280													OK All Trays	Manual Duplex	
					3R11514	100	280													OK All Trays	Manual Duplex	
					3R11466	110	300													OK All Trays	Manual Duplex	
Xerox Digital Color Elite Gloss 110# Cover	A	3R11466				110	300													OK All Trays	Manual Duplex	
					3R11467	110	300													OK All Trays	Manual Duplex	
					3R11468	110	300													OK All Trays	Manual Duplex	
Xerox Digital Color Elite Silk 80# Cover	A	3R11478				80	210													OK All Trays	OK All Trays	
					3R11479	80	210													OK All Trays	OK All Trays	
					3R11480	80	210													OK All Trays	OK All Trays	
Xerox Digital Color Elite Silk 100# Cover	A	3R11482				100	280													OK All Trays	Manual Duplex	
					3R11483	100	280													OK All Trays	Manual Duplex	
					3R11484	100	280													OK All Trays	Manual Duplex	
Xerox Digital Color Elite Silk 110# Cover	A	3R11486				110	300													OK All Trays	Manual Duplex	
					3R11487	110	300													OK All Trays	Manual Duplex	
					3R11488	110	300													OK All Trays	Manual Duplex	

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 6060

		Standard Cut Sizes				Basis	Grammage	Docucolor 6060 Trays / Weight Selection and Best Practices for Operation													
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight (lb) Weight of 500 sheets of the paper specific to trade type	Weight (gsm) Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4					
Weight Range Specification								64-74 gsm		75-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 300 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Supreme Gloss Cast Coated Cover Stock C1S	Decurler Setting paper type	Load coated side up. Image quality will be best on first side.				No weight equiv. Trade unit is caliper															
Xerox Digital Color Supreme Gloss 8 pt. Cover C1S	A	3R11430		3R11431	3R11432	8 pt	160											OK All Trays	OK All Trays		
						8 pt	160											OK All Trays	OK All Trays		
						8 pt	160											OK All Trays	OK All Trays		
Xerox Digital Color Supreme Gloss 10 pt. Cover C1S	A	3R11434		3R11435		10 pt	210											OK All Trays	OK All Trays		
						10 pt	210											OK All Trays	OK All Trays		
					3R11436	10 pt	210											OK All Trays	OK All Trays		
Xerox Digital Color Supreme Gloss 12 pt. Cover C1S	A	3R11438		3R11439		12 pt	250														
						12 pt	250											OK All Trays	Manual Duplex		
					3R11440	12 pt	250											OK All Trays	Manual Duplex		
Transparencies	Decurler Setting paper type					Transparencies															
Xerox Removable Stripe Transparency	Default	3R3108	Load with stripe down			OHP	NA														
Xerox Production Printer Transparency	A	3R5764	Image Quality will vary with productivity. 3R5765 is recommended for best results.			NA	NA											OK All Trays		OK All Trays	
Specialties	Decurler Setting paper type					Various Categories	Approximately														
Xerox Digital Color Supreme Gloss Greeting Cards, 10 pt Cover C1S Folds to 8.5"x5.5"	A	3R6340	Second side image quality is not as good as that obtainable on side one			10 pt	210											OK All Trays	OK All Trays		
Xerox Digital Color Trifold Brochures	A	3R12310				32lb. Xero / Bond	120					OK All Trays	OK All Trays								
Xerox Digital Color Supreme Gloss Trifold Brochures, 8 pt Cover C1S	A	3R6348	Second side image quality is not as good as that obtainable on side one			8 pt	160											OK All Trays	OK All Trays		
Xerox Window Decals, Clear	B	3R6339				NA	NA											OK All Trays			
Xerox Window Decals, Opaque	B	3R12059				NA	NA											OK All Trays			
	B		3R12315			NA	NA											OK All Trays			
Xerox DocuPac Folders (9.3" x 11.7")	A	3R4885				NA	160											OK All Trays			
Xerox High Gloss Coated Presentation Folders (9x11")	A	3R5570				8 pt	160											OK All Trays			
Xerox Docupac Laser Folders	A	3R5105				NA	160											OK All Trays			
Xerox Color Xpressions + Document Folder	A					3R12406	80 lb. Cover	216										OK All Trays	OK All Trays		
Xerox 10pt. Supreme Gloss Document Folder	A					3R12407	10 pt.	210										OK All Trays	OK All Trays		
Xerox DocuCard ID Card (1-UP)*** (50 sheet stacks maximum)	A	3R12348				NA	165											OK All Trays			
Xerox 1-up Uncoated DocuMagnet**	A	3R12418				60 lb. Cover	163											OK All Trays	Manual Duplex		
Xerox 1-up Coated DocuMagnet**	A	3R12419				8 pt	160											OK All Trays	Manual Duplex		
Xerox Digital Color Premium Business Cards (10 UP)	A	3R12321				NA	250											OK All Trays	Manual Duplex		
Xerox DuraPaper	A	3R12064				10 pt	200											OK All Trays	Manual Duplex		
8.5 x 11, 3-Hole Drilled (SEF)**	A	3R12065				10 pt	200											OK All Trays	Manual Duplex		
			3R12063			10 pt	200											OK All Trays	Manual Duplex		
Xerox Polyester Paper	A	3R12414	Run 25 sheets of plain paper at 200 sheet intervals to avoid gloss / oil streaks. Static may limit ability to stack neatly.			3.7 mils	125											OK All Trays			
		3R12363				4.7 mils	160													OK All Trays	
		3R12364				4.7 mils	160													OK All Trays	
Xerox Laser Transfer Paper	A	3R5811				NA	NA											OK All Trays			
			3R5812			NA	NA											OK All Trays			
Xerox Xpressions Tabs - 5 Bank; Single reverse collated (SEF)**	A	3R12366(SEF)	Load tabs SEF with tab towards the back of the machine			60 lb. Cover	163											OK All Trays (SEF)			
Xerox Xpressions Tabs - 5 Bank; Single straight collated (SEF)**	A	3R12368(SEF)	Load tabs SEF with tab towards the back of the machine			60 lb. Cover	163											OK All Trays (SEF)			
Xerox Digital Metallic Cover, Silver	A	3R12311	Color reproduction will be affected			10 pt	213											OK All Trays	Manual Duplex		

* OHP Refers to Overhead projector

**SEF- Short Edge Feeding Recommended

*** Maximum of 50 sheet stacks in tray 3

For the most recent Recommended Materials Lists access our www.Xerox.com and do a search on DocuColor 6060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 6060

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 6060 Trays / Weight Selection and Best Practices for Operation												
		8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4				
Weight Range Specification								64-74 gsm		75-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 300 gsm		
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Tinted and textured stocks		Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Xerographic/ Bond													
Offset/ Text weights																				
Xerox Graphic Xpressions Cream White, 28/ 70 LB.		A	3R11164			28	105			OK All Trays	OK All Trays									
					3R11168	28	105			OK All Trays	OK All Trays									
						28	105			OK All Trays	OK All Trays									
Xerox Graphic Xpressions Warm White, 28/ 70 LB.		A	3R11165			28	105			OK All Trays	OK All Trays									
					3R11169	28	105			OK All Trays	OK All Trays									
						28	105			OK All Trays	OK All Trays									
Tinted and textured stocks		Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Cover Weight													
Cover weights																				
Xerox Graphic Xpressions Cream White, 80 LB. Cover		A	3R11176			80	216										OK All Trays	OK All Trays		
					3R11180	80	216										OK All Trays	OK All Trays		
						80	216										OK All Trays	OK All Trays		
Xerox Graphic Xpressions Warm White, 80 LB. Cover		A	3R11177			80	216										OK All Trays	OK All Trays		
					3R11181	80	216										OK All Trays	OK All Trays		
						80	216										OK All Trays	OK All Trays		
Label Stock		Decurler Setting paper type					Label Stocks		Approximately											
Xerox Digital Color Xpressions Gloss Coated Labels		A	3R5770			NA	190										OK All Trays			
1 UP 8.5 x 11 (die cut face)		A	3R12370			NA	190										OK All Trays			
1 UP 8.5 x 11 (full sheet)		A	3R5771			NA	190										OK All Trays			
4 UP 8.5 x 11		A	3R6322			NA	190										OK All Trays			
CD-ROM 8.5 x 11		A			3R12372	NA	190										OK All Trays			
6 UP CD-ROM 11 x 17		A				NA	190										OK All Trays			
Xerox Digital Color Xpressions Matte Coated Labels		A	3R5772			NA	190										OK All Trays			
1 UP 8.5 x 11 (die cut face)		A	3R12371			NA	190										OK All Trays			
1 UP 8.5 x 11 (full sheet)		A	3R5773			NA	190										OK All Trays			
4 UP 8.5 x 11		A	3R6332			NA	190										OK All Trays			
10 UP 8.5 x 11		A	3R6333			NA	190										OK All Trays			
30 UP 8.5 x 11		A	3R6330			NA	190										OK All Trays			
CD-ROM 8.5 x 11		A			3R12373	NA	190										OK All Trays			
6 UP CD-ROM 11 x 17		A				NA	190										OK All Trays			
Carbonless Paper		Decurler Setting	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Bond Weight		Approximately											
Note: IOT Common Software V 2.191 must be installed, and fan disabled, prior to use.*																				
Xerox Premium Digital Carbonless Paper																				
Singles	CB Singles White (W)	A	3R12434			22	82			OK All Trays										
	CFB Singles White (W)	A	3R12435			23	86			OK All Trays										
	CFB Singles White (Mini carton)	A	3R12436			23	86			OK All Trays										
	CFB Singles Canary (C)	A	3R12437			23	86			OK All Trays										
	CF Singles Canary (C)	A	3R12438			22	82			OK All Trays										
	CF Singles Pink (P)	A	3R12439			22	82			OK All Trays										
	CF Singles White (W)	A	3R12440			22	82			OK All Trays										
2 Part	2 Part Straight/Reverse W/C	A	3R12420			22/22	82/82			OK All Trays										
	2 Part Straight/Reverse W/P	A	3R12421			22/22	82/82			OK All Trays										
	2 Part Straight/Reverse W/C	A			3R12422	22/22	82/82			OK All Trays										
	2 Part Straight/Reverse W/C	A				22/22	82/82			OK All Trays										
3 Part	3 Part Reverse P/C/W	A	3R12424			22/23/22	82/86/82			OK All Trays										
	3 Part Straight W/C/P	A	3R12425			22/23/22	82/86/82			OK All Trays										
	3 Part Straight W/C/P (Mini carton)	A	3R12426			22/23/22	82/86/82			OK All Trays										
	3 Part Straight W/C/P	A			3R12427	22/23/22	82/86/82			OK All Trays										
	3 Part Straight W/C/P	A				22/23/22	82/86/82			OK All Trays										
4 Part	4 Part Reverse G/P/C/W	A	3R12429			22/23/23/22	82/86/86/82			OK All Trays										
	4 Part Straight W/C/P/G	A	3R12430			22/23/23/22	82/86/86/82			OK All Trays										
	4 Part Straight W/C/P/G	A			3R12431	22/23/23/22	82/86/86/82			OK All Trays										
Perf	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P (9" x 11")	A	3R12432			22/23/22	82/86/82			OK All Trays										
	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P	A	3R12433			22/23/22	82/86/82			OK All Trays										

* Contact your local Service representative and refer to the System Administration Guide for details