

Recommended Xerox Media for Phaser 6300N, 6300DN, 6350DP, 6350DT, and 6350DX (USA and Canada)

For use in the US and Canada

Revision 2.0, Publish Date: December, 2007

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.

For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.

© 2005 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Plain	Thick Card
Glossy Coated	Business Card
Thin Card	Heavy Plain
Label	Transparency

December, 2007
Phaser 6300N,
6300DN, 6350DP,
6350DT, and 6350DX

A=Auto Duplex
 M=Manual Duplex
 S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Cross Reference #	Type	Size	Trays					Additional Information
							1/MPT	2	3	4	5	
Xerox Color Xpressions+	Plain	90gsm/ 24lb Bond	3R11540 3R11542			8.5 x 11 8.5 x 14	A	A	A	A	A	Refer to the "Paper Tips" embedded page for additional printer-specific information, e.g., High Capacity tray usage. Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT. For higher print gloss, use the <i>Heavy Plain</i> setting. Use Lower MAX-FILL line for 8.5 x 14 media.
	Heavy Plain	105gsm/ 28lb Bond	3R11545			8.5 x 11	A	A	A	A	A	
	Heavy Plain	120gsm/ 32lb Bond	3R11550			8.5 x 11	A	A	A	A	A	Paper Type <i>Heavy Plain</i> should be selected on the user interface for Trays/MPT. Use Lower MAX-FILL line.
	Thin Card	163gsm/ 60lb Cover	3R11553			8.5 x 11	A	A	A	A	A	Paper Type <i>Thin Card</i> should be selected on the user interface for Trays/MPT. Use Lower MAX-FILL line.
Xerox Graphic Xpressions True White	Thick Card	216gsm/ 80lb Cover	3R5537			8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface.
Xerox Business Plus	Plain	75gsm/ 20lb Bond	3R11600 3R11602			8.5 x 11 8.5 x 14	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
	Plain	90gsm/ 24lb Bond	3R11604			8.5 x 11	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT. For higher print gloss, use the <i>Heavy Plain</i> setting.
Xerox Business Multipurpose 4200	Plain	75gsm/ 20lb Bond	3R2047 3R2641 (3-hole)			8.5 x 11 8.5 x 11	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
Xerox Business Recycled Paper	Plain	75gsm/ 20lb Bond	3R6296			8.5 x 11	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
Xerox Digital Color Elite Gloss	Glossy Coated	140gsm/ 100lb Text	3R11454			8.5 x 11	A	A	A	A	A	Paper Type <i>Glossy Coated</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls especially on high area coverage prints.
Xerox Postcard	Thick Card	176gsm/ 65lb Cover	3R12508	103R01016	4 Cards/ Sheet	8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface for Tray1/MPT. Fan media before loading into Tray1/MPT.
Xerox Trifold Brochures	Thin Card	176gsm/ 65lb Cover	3R12507	103R01018		8.5 x 11	M					Paper Type <i>Thin Card</i> should be selected on the user interface for Tray1/MPT. Fan media before loading into Tray1/MPT.
Xerox Premium Business Cards	Thick Card	195gsm	3R12321	016-1898-00		8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface for Tray1/MPT.
Xerox Digital Color Duradocument	Heavy Plain	100gsm/ 27lb Bond	3R12314	103R01020		8.5 x 11	A	A	A	A	A	Paper Type <i>Heavy Plain</i> should be selected on the user interface for Trays/MPT. Use Photo Quality mode.

Plain	Thick Card
Glossy Coated	Business Card
Thin Card	Transparency
Heavy Plain	
Label	

December, 2007
Phaser 6300N,
6300DN, 6350DP,
6350DT, and 6350DX

A=Auto Duplex
 M=Manual Duplex
 S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Cross Reference #	Type	Size	Trays					Additional Information
							1/MPT	2	3	4	5	
Xerox Color Matte Labels	Label		3R5772		1 up	8.5 x 11	S					Refer to the "Paper Tips" embedded page for additional printer-specific information, e.g., High Capacity tray usage.
			3R5773		4 up	8.5 x 11	S					
			3R6332		10 up	8.5 x 11	S					
			3R6333		30 up	8.5 x 11	S					
Xerox Laser White/ Ink Jet Labels	Label		3R12057		1 up	8.5 x 11	S					Paper Type <i>Labels</i> should be selected on the user interface for Trays/MPT.
			3R12056		8 up	8.5 x 11	S					
			3R12052		24 up	8.5 x 11	S					
			3R12051		30 up	8.5 x 11	S					
			3R12050		33 up	8.5 x 11	S					
Xerox Phaser™ 25-Series Premium Transparencies	Transparency		3R12502	016-1948-00		8.5 x 11	S	S	S	S	S	Paper Type <i>Transparency</i> should be selected on the user interface for trays/MPT. It is not recommended to output more than 20 transparencies at a time.

WARRANTY DISCLAIMER
 Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Francais).

© 2005 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.