

Recommended Xerox Media for Phaser 6360N, 6360DN, 6360DT, and 6360DX

For use in North America

Publish Date: February, 2007

For the most recent version of this quarterly published document, visit www.xdss.com, select "Free Downloads", then "Color".

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.








*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.

For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.

© 2005 Xerox Corporation. All rights reserved.








Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Plain		Glossy Coated	
Heavy Plain		Transparency	
Thin Card		Label	
Thick Card			

**Phaser 6360N, 6360DN, 6360DT,
and 6360DX
North America**

A=Auto Duplex
M=Manual Duplex
S=Simplex Only








Paper	Paper Type	Weight	Re-Order #	Type	Size	Trays					Additional Information
						1/MPT	2	3	4	5	
Xerox Color Xpressions+	Plain	90gsm/ 24lb Bond	3R11540	3HD	8.5 x 11	A	A	A	A	A	Refer to the "Paper Tips" embedded page for additional printer-specific information, e.g., High Capacity tray usage.
			3R11541		8.5 x 11	A	A	A	A	A	
			3R11542		8.5 x 14	A	A	A	A	A	
	Heavy Plain	105gsm/ 28lb Bond	3R11545	8.5 x 11	A	A	A	A	A		
			3R11546	8.5 x 11	A	A	A	A	A		
			3R11550	8.5 x 11	A	A	A	A	A		
Thin Card	163gsm/ 60lb Cover	3R11553	8.5 x 11	A	A	A	A	A			
Thick Card	216gsm/ 80lb Cover	3R11556	8.5 x 11	M							
Xerox Graphic Xpressions	Thick Card	216gsm/ 80lb Cover	3R5537	8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.	
Xerox Business 4200	Plain	75gsm/ 20lb Bond	3R2047	3HD	8.5 x 11	A	A	A	A		A
			3R2641		8.5 x 11	A	A	A	A	A	
			3R2051		8.5 x 14	A	A	A	A	A	
Xerox Digital Laser Opaque	Plain	90gsm/ 24lb Bond	3R2531	8.5 x 11	A	A	A	A	A		
			3R5670	8.5 x 11	A	A	A	A	A		
Xerox Multipurpose Recycled Paper	Plain	75gsm/ 20lb Bond	3R6296	8.5 x 11	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.	

Plain		Glossy Coated	
Heavy Plain		Transparency	
Thin Card		Label	
Thick Card			

**Phaser 6360N, 6360DN, 6360DT,
and 6360DX
North America**

A=Auto Duplex
M=Manual Duplex
S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Type		Trays					Additional Information
					Size	1/MPT	2	3	4	5	
Xerox Digital Color Elite Gloss	Glossy Coated	120gsm/ 80lb Text	3R11450		8.5 x 11	A	A	A	A	A	Paper Type <i>Glossy Coated</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
	Glossy Coated	140gsm/ 100lb Text	3R11454		8.5 x 11	A	A	A	A	A	
	Thick Card	210gsm/ 80lb Cover	3R11458		8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
Xerox Postcard	Thick Card	176gsm/ 65lb Cover	3R12507	4 Cards/ Sheet	8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface for Tray1/MPT. Fan media before loading into Tray1/MPT.
Xerox Trifold Brochures	Thick Card	176gsm/ 65lb Cover	3R12508		8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface for Tray1/MPT. Fan media before loading into Tray1/MPT.
Xerox Premium Business Cards	Thick Card	195gsm	3R12321		8.5 x 11	M					Paper Type <i>Thick Card</i> should be selected on the user interface for Tray1/MPT.
Xerox Digital Color Duradocument	Heavy Plain	100gsm/ 27lb Bond	3R12314		8.5 x 11	A	A	A	A	A	Paper Type <i>Heavy Plain</i> should be selected on the user interface for Trays/MPT.
Xerox Color Matte Labels	Label		3R5772	1 up	8.5 x 11	S					Paper Type <i>Labels</i> should be selected on the user interface for Trays/MPT.
			3R5773	4 up	8.5 x 11	S					
			3R6332	10 up	8.5 x 11	S					
			3R6333	30 up	8.5 x 11	S					

Plain		Glossy Coated	
Heavy Plain		Transparency	
Thin Card		Label	
Thick Card			

**Phaser 6360N, 6360DN, 6360DT,
and 6360DX
North America**

A=Auto Duplex
M=Manual Duplex
S=Simplex Only

Paper

Paper Type

Weight

Re-Order #

Type	Size
------	------

Trays				
1/MPT	2	3	4	5

Additional Information

Xerox Laser White/
Ink Jet Labels

Label

3R12050
3R12051
3R12052
3R12053
3R12054
3R12055
3R12056
3R12057

1 up	8.5 x 11
8 up	8.5 x 11
10 up	8.5 x 11
14 up	8.5 x 11
20 up	8.5 x 11
24 up	8.5 x 11
30 up	8.5 x 11
33 up	8.5 x 11

S				
S				
S				
S				
S				
S				
S				
S				

Paper Type *Labels* should be selected on the user interface for Trays/MPT.

Xerox Phaser™ 25-
Series Premium
Transparencies

Transparency

3R12502

	8.5 x 11
--	----------

S	S	S	S	S
---	---	---	---	---

Paper Type *Transparency* should be selected on the user interface for trays/MPT. It is not recommended to output more than 20 transparencies at a time.

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Francais).

© 2005 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.