

Recommended Xerox Media for Phaser Phaser 7400N, 7400DN, 7400DT, 7400DX, and 7400DXF (USA and Canada)

For use in the US and Canada

Revision 3.0, Publish Date: December, 2007

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.

For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.

© 2005 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Plain	Heavy Plain		
Glossy Coated Paper	Thin Card	Thick Card	Extra Thick Card
Labels	Transparency		

December, 2007
Phaser 7400N,
7400DN, 7400DT,
7400DX, and 7400DXF

A=Auto Duplex
M=Manual Duplex
S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Cross Reference #	Type	Size	Trays						Additional Information	
							1/MPT	2	3	4	5	6		
Xerox Color Xpressions+	Plain	90gsm 24lb Bond	3R11540			8.5 x 11	A	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.	
			3R11543			11 x 17	A	A	A	A	A	A		
	Thin Card	163gsm/ 60lb Cover	3R11553			8.5 x 11	A	A	A	A	A	A		
			3R11554			17 x 11	A	A	A	A	A	A	Paper Type <i>Thin Card</i> should be selected on the user interface for Trays/MPT.	
Xerox Graphic Xpressions True White	Thick Card	216gsm/ 80lb Cover	3R5537		True White	8.5 x 11	M						Paper Type <i>Thick Card</i> should be selected on the user interface for Trays/MPT.	
			3R5538		True White	11 x 17	M							
			3R5539		True White	12 x 18	M							
	Extra Thick	270gsm/ 100lb Cover	3R11160		True White	8.5 x 11	M						Paper Type <i>Extra Thick Card</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time.	
			3R11161		True White	11 x 17	M							
			3R11162		True White	12 x 18	M							
Xerox Business 4200	Plain	75gsm/ 20lb Bond	3R2047			8.5 x 11	A	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.	
			3R2641			8.5x11	A	A	A	A	A	A		
			3R2051			A4	A	A	A	A	A	A		
			3R3761			8.5x14	A	A	A	A	A	A		
				11x17	A	A	A	A	A	A				
				3-hole										
	Plain	90gsm/ 24lb Bond	3R2531			8.5 x 11	A	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.	
	Heavy Plain	105gsm/ 28lb Bond	3R2353			8.5 x 11	A	A	A	A	A	A	Paper Type <i>Heavy Plain</i> should be selected on the user interface for Trays/MPT.	
	Thin Card	163gsm/ 90lb Index	3R5102			8.5 x 11	A	A	A	A	A	A	Paper Type <i>Thin Card</i> should be selected on the user interface for Trays/MPT.	
Xerox Digital Color Elite Gloss	Glossy Coated Paper	120gsm/ 80lb Text	3R11450			8.5 x 11	M						Paper Type <i>Glossy Coated Paper</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.	
			3R11451			17 x 11	M							
			3R11452			18 x 12	M							
	3R11454			8.5 x 11	M									
	3R11455			17 x 11	M									
	3R11456			18 x 12	M									
Thick Card	210gsm/ 80lb	3R11458				8.5 x 11	M						Paper Type <i>Thick Card</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.	
		3R11459			17 x 11	M								
		3R11460			18 x 12	M								
Xerox Digital Color Elite Silk	Thick Card	210gsm/ 80lb	3R11478			8.5 x 11	M							Paper Type <i>Thick Card</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
			3R11479			17 x 11	M							
			3R11480			18 x 12	M							

Plain	Heavy Plain		
Glossy Coated Paper	Thin Card	Thick Card	Extra Thick Card
Labels	Transparency		

December, 2007
Phaser 7400N,
7400DN, 7400DT,
7400DX, and 7400DXF

A=Auto Duplex
M=Manual Duplex
S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Cross Reference #	Type	Size	Trays						Additional Information		
							1/MPT	2	3	4	5	6			
Xerox Postcard	Thick Card	176gsm/ 65lb Cover	3R12508	103R01016		8.5 x 11	M							Paper Type <i>Thick Card</i> should be selected on the user interface for MPT.	
Xerox Trifold Brochures	Thick Card	176gsm/ 65lb Cover	3R12507	103R01018		8.5 x 11	M							Paper Type <i>Thick Card</i> should be selected on the user interface for MPT.	
Xerox Premium Business Cards	Thick Card	190gsm	3R12321	016-1898-00		8.5 x 11	M							Paper Type <i>Thick Card</i> should be selected on the user interface for MPT.	
Xerox Digital Color Durapaper	Thick Card	10 pt.	3R12064			8.5 x 11	M							Paper Type <i>Thick Card</i> should be selected on the user interface for MPT.	
Xerox Laser White/ Ink Jet Labels	Label		3R12050		33-up	8.5 x 11	S							Paper Type <i>Labels</i> should be selected on the user interface for Trays/MPT.	
			3R12051		30-up	8.5 x 11	S								
			3R12052		24-up	8.5 x 11	S								
			3R12056		8-up	8.5 x 11	S								
			3R12057		1-up	8.5 x 11	S								
Xerox Digital Color Xpressions Gloss Labels	Label		3R5770		1-up	8.5 x 11	S							Paper Type <i>Labels</i> should be selected on the user interface for Trays/MPT.	
			3R5771		4-up	8.5 x 11	S								
			3R6322		CD Rom	8.5 x 11	S								
Xerox Digital Color Clear Transparency	Transparency		3R12501	016-1896-00		8.5 x 11	S	S						Paper Type <i>Transparency</i> should be selected on the user interface for Trays/MPT. It is not recommended to output more than 20 transparencies at a time.	

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199(English) or 1-800-668-0133 (Francais).

© 2004 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.