



Xerox® WorkCentre™ 7220, 7220i / 7225, 7225i - Europe Paper and Specialty Media Guide - March 2016

Version 2.0 - March 2016

This supersedes any previous Recommended Materials List for Xerox® WorkCentre™ 7220, 7220i / 7225, 7225i

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com

Important Notes:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability specifications may be affected by increased usage of all Cardstock, Glossy and special media modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on the use of all Cardstocks, Glossy or special application media types for long duration copy/print runs

Environmental Conditions may require that Glossy, Glossy Cardstock and HW Glossy Cardstock papers be fed one sheet at a time to avoid jams.

Relative Humidity greater than 40% could cause multifeeds.

The Integrated Office "A" Finisher is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Letter (8.5 x 11" / A4), Executive (7.25 x 10.5), in Long Edge Feed (LEF); or of Letter in Short Edge Feed (SEF)

30 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14"), or 8.5 x 13"

The Office Finisher LX (SB) is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)



© 2016 Antalis International. All rights reserved. Xerox® and Xerox Design® are trademarks of Xerox Corporation in the United States and other countries and are used under license from Xerox Corporation. Antalis International is a trademark licensee of Xerox Corporation.

Xerox® WorkCentre™ 7220, 7220i / 7225, 7225i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2, TTM, MSI & HCF

Plain / Bond / Recycled (64 - 105 gsm)

Transparency

Labels

Glossy (106 - 169 gsm)

Glossy Cardstock (170 - 216 gsm)

HW Glossy Cardstock (217 - 256 gsm)

Lightweight Cardstock (106 - 169 gsm)

Cardstock (170 - 216 gsm)

Heavyweight Cardstock (217 - 256 gsm)

Paper Types are selected when Paper Tray is closed

WorkCentre™
7220 / 7220i / 7225 / 7225i
RML
Europe
V 2.0 March 2016

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					MSI (Bypass)	Finisher Capabilities				Additional Information
						IOT		2 TM		5		Integrated (A) Office Finisher		Office (SB) Finisher LX		
						1	2	3	4		Stack	Staple	Stack	Staple		
Xerox® Business	Plain	80 gsm	003R91820		A4	A	A	A	A	A	-	t	-	t		
			003R91821		A3	A	A	A	A	A	-	t	-	t		
Xerox® Premier	Plain	80 gsm	003R91720		A4	A	A	A	A	A	-	t	-	t		
			003R91721		A3	A	A	A	A	A	-	t	-	t		
	Bond	90 gsm	003R91854		A4	A	A	A	A	A	-	t	-	t		
			003R91853		A3	A	A	A	A	A	-	t	-	t		
Xerox® Recycled	Recycled	80 gsm	003R91165	Recycled	A4	A	A	A	A	A	-	t	-	t		
			003R91166		A3	A	A	A	A	A	-	t	-	t		
Xerox® Recycled Supreme 100%	Recycled	80 gsm	003R95860	Recycled	A4	A	A	A	A	A	-	t	-	t		
			003R95861		A3	A	A	A	A	A	-	t	-	t		
Xerox® Exclusive	Plain	80 gsm	003R90208	4 hole	A4	A	A	A	A	A	-	t	-	t		
			003R91712		A4	A	A	A	A	A	-	t	-	t		
			003R90209		A3	A	A	A	A	A	-	t	-	t		
	Bond	90 gsm	003R90600		A4	A	A	A	A	A	-	t	-	t		
			003R90618		A3	A	A	A	A	A	-	t	-	t		
			Xerox® Colour Impressions		Plain	80 gsm	003R97661	A4	A	A	A	A	A	-		t
003R97662	A3	A		A			A	A	A	-	t	-	t			
Bond	90 gsm	003R97663		A4			A	A	A	A	A	-	t	-	t	
		003R97664	A3	A	A	A	A	A	-	t	-	t				
Bond	100 gsm	003R97666	A4	A	A	A	A	A	-	t	-	t				
		003R97667	A3	A	A	A	A	A	-	t	-	t				
Xerox® Colour Impressions	Lightweight Cardstock	120 gsm	003R98685	A4	A	A	A	A	A	-	t	-	t	Cannot run heavier than 216 gsm from MSI. A & SB Finisher Stack/Staple only to 220 gsm		
			003R97669	A3	A	A	A	A	A	-	t	-	t			
	Lightweight Cardstock	160 gsm	003R98007	A4	A	A	A	A	A	-	t	-	t			
			003R98008	A3	A	A	A	A	A	-	t	-	t			
Heavyweight Cardstock	250 gsm	003R98687	A4	M	M	M	M	n/a	n	n	n	n				
		003R97671	A3	M	M	M	M	n/a	n	n	n	n				

Xerox® WorkCentre™ 7220, 7220i / 7225, 7225i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2, TTM, MSI & HCF

Plain / Bond / Recycled (64 - 105 gsm)

Transparency

Labels

Glossy (106 - 169 gsm)

Glossy Cardstock (170 - 216 gsm)

HW Glossy Cardstock (217 - 256 gsm)

Lightweight Cardstock (106 - 169 gsm)

Cardstock (170 - 216 gsm)

Heavyweight Cardstock (217 - 256 gsm)

Paper Types are selected when Paper Tray is closed

WorkCentre™
7220 / 7220i / 7225 / 7225i
RML
Europe
V 2.0 March 2016

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					MSI (Bypass)	Finisher Capabilities				Additional Information
						IOT		2 TM		5		Integrated (A) Office Finisher		Office (SB) Finisher LX		
						1	2	3	4		Stack	Staple	Stack	Staple		
Xerox® Colotech+ (Blue label)	Bond	90 gsm	003R94641		A4	A	A	A	A	A	A	-	t	-	t	Cannot run heavier than 216 gsm from MSI. A & SB Finisher Stack/Staple only to 220 gsm
			003R94642		A3	A	A	A	A	A	A	-	t	-	t	
	Bond	100 gsm	003R94646		A4	A	A	A	A	A	A	-	t	-	t	
			003R94647		A3	A	A	A	A	A	A	-	t	-	t	
	Lightweight Cardstock	120 gsm	003R94651		A4	A	A	A	A	A	A	-	t	-	t	
			003R94652		A3	A	A	A	A	A	A	-	t	-	t	
	Lightweight Cardstock	160 gsm	003R94656		A4	A	A	A	A	A	A	-	t	-	t	
			003R94657		A3	A	A	A	A	A	A	-	t	-	t	
	Cardstock	200 gsm	003R94661		A4	M	M	M	M	M	M	-	t	-	t	
			003R94662		A3	M	M	M	M	M	M	-	t	-	t	
Heavyweight Cardstock	220 gsm	003R94668		A4	M	M	M	M	n/a	n/a	-	t	-	t		
		003R94669		A3	M	M	M	M	n/a	n/a	-	t	-	t		
Heavyweight Cardstock	250 gsm	003R94671		A4	M	M	M	M	n/a	n/a	n	n	n	n		
		003R94672		A3	M	M	M	M	n/a	n/a	n	n	n	n		
Xerox® Colotech+ (Gold label)	Bond	90 gsm	003R98837		A4	A	A	A	A	A	A	-	t	-	t	Cannot run heavier than 216 gsm from MSI. A & SB Finisher Stack/Staple only to 220 gsm
			003R98839		A3	A	A	A	A	A	A	-	t	-	t	
	Bond	100 gsm	003R98842		A4	A	A	A	A	A	A	-	t	-	t	
			003R98844		A3	A	A	A	A	A	A	-	t	-	t	
	Lightweight Cardstock	120 gsm	003R98847		A4	A	A	A	A	A	A	-	t	-	t	
			003R98848		A3	A	A	A	A	A	A	-	t	-	t	
	Lightweight Cardstock	160 gsm	003R98852		A4	A	A	A	A	A	A	-	t	-	t	
			003R98854		A3	A	A	A	A	A	A	-	t	-	t	
	Cardstock	200 gsm	003R97967		A4	M	M	M	M	M	M	-	t	-	t	
			003R97968		A3	M	M	M	M	M	M	-	t	-	t	
Heavyweight Cardstock	220 gsm	003R97971		A4	M	M	M	M	n/a	n/a	-	t	-	t		
		003R97972		A3	M	M	M	M	n/a	n/a	-	t	-	t		
Heavyweight Cardstock	250 gsm	003R98975		A4	M	M	M	M	n/a	n/a	n	n	n	n		
		003R98976		A3	M	M	M	M	n/a	n/a	n	n	n	n		
Xerox® Colotech+ Natural White	Bond	100 gsm	003R97102		A4	A	A	A	A	A	A	-	t	-	t	
			003R97103		A3	A	A	A	A	A	A	-	t	-	t	
	Lightweight Cardstock	160 gsm	003R95956		A4	A	A	A	A	A	A	-	t	-	t	
			003R95957		A3	A	A	A	A	A	A	-	t	-	t	
	Cardstock	200 gsm	003R95958		A4	M	M	M	M	M	M	-	t	-	t	
			003R95959		A3	M	M	M	M	M	M	-	t	-	t	

Xerox® WorkCentre™ 7220, 7220i / 7225, 7225i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2, TTM, MSI & HCF

Plain / Bond / Recycled (64 - 105 gsm)

Transparency

Labels

Glossy (106 - 169 gsm)

Glossy Cardstock (170 - 216 gsm)

HW Glossy Cardstock (217 - 256 gsm)

Lightweight Cardstock (106 - 169 gsm)

Cardstock (170 - 216 gsm)

Heavyweight Cardstock (217 - 256 gsm)

Paper Types are selected when Paper Tray is closed

WorkCentre™
7220 / 7220i / 7225 / 7225i
RML
Europe
V 2.0 March 2016

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					MSI (Bypass)	Finisher Capabilities				Additional Information
						IOT		2 TM		5		Office (SB) Finisher LX		Office (SB) Finisher LX		
						1	2	3	4		Stack	Staple	Stack	Staple		
Xerox® Colotech+ Gloss Coated	Glossy	120 gsm	003R90336		A4	A	A	A	A	A	-	n	-	t	Run from trays 1 - 4 for best results. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time to avoid jams. If jams still occur, load paper with curl up. Cannot run heavier than 216gsm from MSI. If poor toner transfer occurs when running this 250gsm media, in low temperature / humidity conditions, have your service rep. change 745-240 from 6 to 7.	
			003R90337		A3	A	A	A	A	A	-	n	-	t		
	Glossy	140 gsm	003R90339	A4	A	A	A	A	A	-	n	-	t			
			003R90340	A3	A	A	A	A	A	-	n	-	t			
	Glossy Cardstock	170 gsm	003R90342	A4	M	M	M	M	M	-	n	-	t			
			003R90343	A3	M	M	M	M	M	-	n	-	t			
	Glossy Cardstock	210 gsm	003R90345	A4	M	M	M	M	M	-	n	-	t			
			003R90346	A3	M	M	M	M	M	-	n	-	t			
Heavyweight Glossy Cardstock	250 gsm	003R90348	A4	M	M	M	M	n/a	n	n	n	n				
		003R90349	A3	M	M	M	M	n/a	n	n	n	n				
Xerox® Colotech+ Silk Coated	Glossy	120 gsm	003R90355		A4	A	A	A	A	A	-	n	-	t		Run from trays 1 - 4 for best results. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time to avoid jams. If jams still occur, load paper with curl up. Cannot run heavier than 216gsm from MSI. If poor toner transfer occurs when running this 250gsm media, in low temperature / humidity conditions, have your service rep. change 745-240 from 6 to 7.
			003R90356		A3	A	A	A	A	A	-	n	-	t		
	Glossy	140 gsm	003R90358	A4	A	A	A	A	A	-	n	-	t			
			003R90359	A3	A	A	A	A	A	-	n	-	t			
	Glossy Cardstock	170 gsm	003R90361	A4	M	M	M	M	M	-	n	-	t			
			003R90362	A3	M	M	M	M	M	-	n	-	t			
	Glossy Cardstock	210 gsm	003R90364	A4	M	M	M	M	M	-	n	-	t			
			003R90365	A3	M	M	M	M	M	-	n	-	t			
Heavyweight Glossy Cardstock	250 gsm	003R90367	A4	M	M	M	M	n/a	n	n	n	n				
		003R90368	A3	M	M	M	M	n/a	n	n	n	n				
Xerox® Colotech+ Supergloss Coated 1 side	Glossy	160 gsm	003R97680		A4	A	A	A	A	M	-	n	-	t	Run from trays 1 - 4 for best results. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time to avoid jams. If jams still occur, load paper with curl up. Cannot run heavier than 216gsm from MSI	
			003R97681		A3	A	A	A	A	M	-	n	-	t		
	Glossy Cardstock	210 gsm	003R97682	A4	M	M	M	M	M	-	n	-	t			
			003R97683	A3	M	M	M	M	M	-	n	-	t			
	Heavyweight Glossy Cardstock	250 gsm	003R97686	A4	M	M	M	M	n/a	n	n	n	n			
			003R97687	A3	M	M	M	M	n/a	n	n	n	n			

Xerox® WorkCentre™ 7220, 7220i / 7225, 7225i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2, TTM, MSI & HCF

Plain / Bond / Recycled (64 - 105 gsm)

Transparency

Labels

Glossy (106 - 169 gsm)

Glossy Cardstock (170 - 216 gsm)

HW Glossy Cardstock (217 - 256 gsm)

Lightweight Cardstock (106 - 169 gsm)

Cardstock (170 - 216 gsm)

Heavyweight Cardstock (217 - 256 gsm)

Paper Types are selected when Paper Tray is closed

WorkCentre™

7220 / 7220i / 7225 / 7225i

RML

Europe

V 2.0 March 2016

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					MSI	Finisher Capabilities			
						IOT		2 TM		(Bypass)	Office (SB) Finisher LX	Integrated (A) Office Finisher		Office (SB) Finisher LX	
						1	2	3	4			5	Stack	Staple	Stack
Xerox® Colour Laser Labels	Heavyweight Labels		003R93872	1 up	A4	S	S	S	S	S	S	.	n	n	n
			003R95813	4 up	A4	S	S	S	S	S	S	.	n	n	n
			003R93874	8 up	A4	S	S	S	S	S	S	.	n	n	n
			003R93875	14 up	A4	S	S	S	S	S	S	.	n	n	n
			003R95815	21 up	A4	S	S	S	S	S	S	.	n	n	n
Xerox® High Speed Laser Removable Labels	Heavyweight Labels		003R96177	16 up	A4	S	S	S	S	S	S	.	n	n	n
			003R96178	24 up	A4	S	S	S	S	S	S	.	n	n	n
Xerox® High Speed Laser labels	Heavyweight Labels		003R96281	16 up	A4	S	S	S	S	S	S	.	n	n	n
Xerox® DuraPaper Labels	Labels		003R97344	1 up	A4	S	S	S	S	S	S	.	n	n	n
Xerox® Colotech Supergloss Labels	Glossy Cardstock		003R97288	1 up	A4	S	S	S	S	n/a	S	.	n	n	n
Xerox® Colotech Super Gloss CD Labels	Glossy Cardstock		003R97516	2 up	A4	S	S	S	S	S	S	.	n	n	n
Xerox® Colour Laser Matte CD Labels	Lightweight Cardstock		003R97514	2 up	A4	S	S	S	S	S	S	.	n	n	n
Xerox® Plain Transparency for Colour	Transparency (Cardstock)		003R98205	Standard Transp.	A4	n/a	n/a	n/a	n/a	S	S	.	n	n	n
Envelopes	Envelope	75 - 90 gsm		C5	162 x 229 mm	n/a	n/a	n/a	n/a	S	S	.	n	n	n
				DL	220 x 110 mm	n/a	n/a	n/a	n/a	S	S	.	n	n	n

Additional Information

For all Labels;

- If Glossy labels jam from MSI, switch to main trays.
- Labels with high curl may jam from Main trays. Uncurl labels or feed from MSI.
- If Toner rubs off of labels, switch to the next heavier mode.
- Poor stacking in exit tray may require removing individual sheets when they exit.
- Environmental conditions may require feeding 1 sheet at a time.
- If Smears are seen in Black & White mode, print in colour mode or have service person increase paper to paper pitch.
- Labels should not be fed more than once through the machine.

Feed from MSI only, LEF only. If image defects occur in low temperature / humidity conditions, have the service rep set 745-237 from 6 to 8. Each sheet should be removed individually as it exits the machine.

Envelope tray is available as a option. Misfeed jams may occur in high temperature / humidity conditions. If Wrinkles occur, try another brand or type.