



Xerox® WorkCentre™ 7830, 7830i / 7835, 7835i / 7845, 7845i / 7855, 7855i - Europe Paper and Specialty Media Guide - March 2016

Version 2.0 - March 2016

This supersedes any previous Recommended Materials List for Xerox® WorkCentre™ 7830, 7830i / 7835, 7835i / 7845, 7845i / 7855, 7855i

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com

Important Notes:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability specifications may be affected by increased usage of Cardstock, Heavyweight Cardstock, Glossy and Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock, Heavyweight Cardstock, Glossy and Glossy Cardstock modes or special application media types for long duration copy/print runs.

Environmental Conditions may require that Glossy papers be fed one sheet at a time through Tray 5, (Bypass/SMH). Relative Humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

The Integrated Office "A" Finisher is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Letter (8.5 x 11" / A4), Executive (7.25 x 10.5), in Long Edge Feed (LEF); or of Letter in Short Edge Feed (SEF)

30 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14"), or 8.5 x 13".

The Office Finisher LX is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)



© 2016 Antalis International. All rights reserved. Xerox® and Xerox Design® are trademarks of Xerox Corporation in the United States and other countries and are used under license from Xerox Corporation. Antalis International is a trademark licensee of Xerox Corporation.

Xerox® WorkCentre™ 7830, 7830i / 7835, 7835i / 7845, 7845i / 7855, 7855i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled
(64 - 105 gsm)



Glossy (106 - 169 gsm)



Glossy Cardstock (170 - 256 gsm)



Heavy Glossy Cardstock (257 - 300 gsm)



Transparency



Lightweight Cardstock (106 - 169 gsm)



Cardstock (170 - 256 gsm)



Heavyweight Cardstock (257 - 300 gsm)



Labels



Paper Types are selected when Paper Tray is closed

A Finisher is for Low speed model only

SB & Care for both

WorkCentre™

7830, 7830i / 7835, 7835i

7845, 7845i / 7855, 7855i

RML - Europe

V 2.0 March 2016

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

- Capable of Stacking Paper Type
t Capable of Stapling Paper Type
n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Finisher Capabilities						Additional Information					
						3TM			TTM			SMH (Bypass)	HCF	Integrated (A) Office Finisher		Professional (C) Finisher			Office (SB) Finisher LX				
						1	2	3	4	2	3	4	5	6	Stack	Staple	Stack		Staple	Stack	Staple		
Xerox® Colotech+ (Blue label)	Bond	90 gsm	003R94641	Bond	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R94642		A3	A	A	A	A	A	A	n	n	A	A	n	n	-	t	-	t	-	t
			003R95838		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Bond	100 gsm	003R94646	Bond	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R94647		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R95839		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Lightweight Cardstock	120 gsm	003R94651	Lightweight Cardstock	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R94652		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R95840		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Lightweight Cardstock	160 gsm	003R94656	Lightweight Cardstock	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R94657		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R95841		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
Cardstock	200 gsm	003R94661	Cardstock	A4	A	A	A	A	A	A	A	M	A	A	A	A	-	t	-	t	-	t	
		003R94662		A3	A	A	A	A	A	n	n	M	n	n	n	-	t	-	t	-	t		
		003R95842		SRA3	n	A	A	A	A	n	n	M	n	n	n	-	n	n	n	-	n	-	n
Cardstock	220 gsm	003R94668	Cardstock	A4	A	A	A	A	A	A	A	M	A	A	A	A	-	t	-	t	-	t	
		003R94669		A3	A	A	A	A	A	n	n	M	n	n	n	-	t	-	t	-	t		
		003R94671		SRA3	n	A	A	A	A	n	n	M	n	n	n	-	n	n	n	-	n	-	n
Cardstock	250 gsm	003R94672	Cardstock	A4	S	S	S	S	S	S	M	A	A	A	n	n	n	n	n	n	n	n	
		003R94672		A3	S	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n	n		
		003R95844		SRA3	n	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n	n		
Xerox® Colotech+ (Gold label)	Bond	90 gsm	003R98837	Bond	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R98839		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R98840		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Bond	100 gsm	003R98842	Bond	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R98844		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R98845		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Lightweight Cardstock	120 gsm	003R98847	Lightweight Cardstock	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R98848		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R98849		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Lightweight Cardstock	160 gsm	003R98852	Lightweight Cardstock	A4	A	A	A	A	A	A	A	A	A	A	A	A	-	t	-	t	-	t
			003R98854		A3	A	A	A	A	A	n	n	A	n	n	n	-	t	-	t	-	t	
			003R98855		SRA3	n	A	A	A	A	n	n	A	n	n	n	-	n	n	n	-	n	-
	Cardstock	200 gsm	003R97967	Cardstock	A4	A	A	A	A	A	A	M	A	A	A	A	A	-	t	-	t	-	t
			003R97968		A3	A	A	A	A	A	n	n	M	n	n	n	-	t	-	t	-	t	
			003R97969		SRA3	n	A	A	A	A	n	n	M	n	n	n	-	n	n	n	-	n	-
	Cardstock	220 gsm	003R97971	Cardstock	A4	A	A	A	A	A	A	M	A	A	A	A	A	-	t	-	t	-	t
			003R97972		A3	A	A	A	A	A	n	n	M	n	n	n	-	t	-	t	-	t	
			003R97973		SRA3	n	A	A	A	A	n	n	M	n	n	n	-	n	n	n	-	n	-
Cardstock	250 gsm	003R98975	Cardstock	A4	S	S	S	S	S	S	M	A	A	A	n	n	n	n	n	n	n	n	
		003R98976		A3	S	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n	n		
		003R98977		SRA3	n	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n	n		
Heavyweight Cardstock	280 gsm	003R98979	Heavyweight Cardstock	A4	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n	n	n	n	
		003R98980		A3	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n	n	n	n	
		003R97981		SRA3	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n	n	n	n	
Heavyweight Cardstock	300 gsm	003R97983	Heavyweight Cardstock	A4	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n	n	n	n	
		003R97984		A3	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n	n	n	n	
		003R92072		SRA3	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n	n	n	n	

Xerox® WorkCentre™ 7830, 7830i / 7835, 7835i / 7845, 7845i / 7855, 7855i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm) ■	Glossy (106 - 169 gsm) ■ Glossy Cardstock (170 - 256 gsm) ■ Heavy Glossy Cardstock (257 - 300 gsm) ■ Transparency ■	Lightweight Cardstock (106 - 169 gsm) ■ Cardstock (170 - 256 gsm) ■ Heavyweight Cardstock (257 - 300 gsm) ■ Labels ■	
---	---	---	--

Paper Types are selected when Paper Tray is closed

A Finisher is for Low speed model only
SB & Care for both

WorkCentre™
7830, 7830i / 7835, 7835i
7845, 7845i / 7855, 7855i
RML - Europe
V 2.0 March 2016

Simplex / Duplex Capabilities

A = Auto Duplex
 S = Simplex Only
 M = Manual Duplex n = not supported

Finisher Capabilities

- Capable of Stacking Paper Type
 t Capable of Stapling Paper Type
 n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays										Finisher Capabilities						Additional Information	
						3TM			TTM			SMH (Bypass)	HCF	Office (SB) Finishes	Professional (C) Finishes	Office (SB) Finishes LX	Stack	Staple	Stack	Staple	Stack		Staple
						1	2	3	4	2	3												
Xerox® Colotech+ Silk Coated	Glossy	120 gsm	003R90355	Silk Text	A4	A	n	n	n	n	n	n	n	A	A	-	n	-	t	-	t	If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.	
			A3		A	n	n	n	n	n	n	n	n	A	n	-	n	-	t	-	t		
	SRA3		n		n	n	n	n	n	n	n	n	A	n	n	n	-	n	n	n			
	Glossy	140 gsm	003R90358	Silk Text	A4	A	n	n	n	n	n	n	n	A	A	-	n	-	t	-	t		
			A3		A	n	n	n	n	n	n	n	n	A	n	-	n	-	t	-	t		
	SRA3		n		n	n	n	n	n	n	n	n	A	n	n	n	-	n	n	n			
	Glossy Cardstock	170 gsm	003R90361	Silk Cover	A4	S	n	n	n	n	n	n	n	M	n	-	n	-	t	-	t		
			A3		S	n	n	n	n	n	n	n	M	n	-	n	-	t	-	t			
	SRA3		n		n	n	n	n	n	n	n	n	M	n	n	n	-	n	n	n			
	Glossy Cardstock	210 gsm	003R90364	Silk Cover	A4	S	n	n	n	n	n	n	n	M	n	-	n	-	t	-	t		
A3			S		n	n	n	n	n	n	n	M	n	-	n	-	t	-	t				
SRA3	n		n		n	n	n	n	n	n	n	M	n	n	n	-	n	n	n				
Glossy Cardstock	250 gsm	003R90367	Silk Cover	A4	S	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n			
		A3		S	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n				
SRA3		n		n	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n				
Heavy Glossy Cardstock	280 gsm	003R90370	Gloss Cover	A4	n	n	n	n	n	n	n	n	M	n	n	n	n	n	-	n			
		A3		n	n	n	n	n	n	n	n	M	n	n	n	n	n	-	n				
		SRA3		n	n	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n			
Xerox® Colotech+ Supergloss (C15)	Glossy	160 gsm	003R97680		A4	A	n	n	n	n	n	n	A	A	-	n	-	t	-	t	If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.		
			A3		A	n	n	n	n	n	n	n	A	n	-	n	-	t	-	t			
	Glossy Cardstock	210 gsm	003R97682		A4	S	n	n	n	n	n	n	n	M	n	-	n	-	t	-	t		
			A3		S	n	n	n	n	n	n	n	M	n	-	n	-	t	-	t			
			SRA3		n	n	n	n	n	n	n	n	n	M	n	-	n	-	t	-	t		
Xerox® Colour Laser Labels	Labels		003R93872	1 up	A4	S	n	n	n	n	n	n	S	S	-	n	-	n	n	n	Professional Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Cardstock mode.		
			003R95813		A4	S	n	n	n	n	n	n	n	S	S	-	n	-	n	n		n	
			003R93874		A4	S	n	n	n	n	n	n	n	S	S	-	n	-	n	n		n	
			003R93875		A4	S	n	n	n	n	n	n	n	S	S	-	n	-	n	n		n	
			003R95815		A4	S	n	n	n	n	n	n	n	S	S	-	n	-	n	n		n	
003R97524	A4	S	n	n	n	n	n	n	n	S	S	-	n	-	n	n	n						
Xerox® High Speed Laser Removable Labels	Labels		003R96177	16 up	A4	S	n	n	n	n	n	n	S	S	-	n	-	n	n	n	Professional Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Cardstock mode.		
			003R96178		A4	S	n	n	n	n	n	n	n	S	S	-	n	-	n	n		n	
Xerox® High Speed Laser Labels	Labels		003R96281	16 up	A4	S	n	n	n	n	n	n	S	S	-	n	-	n	n	n	Professional Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Cardstock mode.		
Xerox® Colotech Supergloss Labels	Glossy Cardstock		003R97288	1 up	A4	S	n	n	n	n	n	n	S	S	-	n	-	n	n	n	Professional Finisher (C) can only stack to Top Tray		
			003R97540		SRA3	n	n	n	n	n	n	n	n	S	n	n	n	-	n	n		n	
Xerox® Colotech Supergloss CD Labels	Glossy Cardstock		003R97516	2 up	A4	S	n	n	n	n	n	n	S	S	-	n	-	n	n	n	Professional Finisher (C) can only stack to Top Tray		
Xerox® Colour Laser Matte CD Labels	Lightweight Cardstock		003R97514	2 up	A4	S	n	n	n	n	n	n	S	S	-	n	-	n	n	n	Professional Finisher (C) can only stack to Top Tray		

Xerox® WorkCentre™ 7830, 7830i / 7835, 7835i / 7845,7845i / 7855,7855i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®.

Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF										Simplex / Duplex Capabilities		Finisher Capabilities		WorkCentre™ 7830, 7830i / 7835, 7835i 7845,7845i / 7855,7855i RML - Europe V 2.0 March 2016									
Plain / Bond / Recycled (64 - 105 gsm)		Glossy (106 - 169 gsm)		Lightweight Cardstock (106 - 169 gsm)		A = Auto Duplex S = Simplex Only M = Manual Duplex n = not supported		A Finisher is for Low speed model only SB & C are for both		Capable of Stacking Paper Type Capable of Stapling Paper Type n = not supported				Additional Information									
		Glossy Cardstock (170 - 256 gsm)		Cardstock (170 - 256 gsm)										Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. Professional Finisher (C) can only stack to Top Tray.									
		Heavy Glossy Cardstock (257 - 300 gsm)		Heavyweight Cardstock (257 - 300 gsm)																			
		Transparency		Labels										Transfer Paper is not intended as sole application of machine. Limit monthly usage.									
		Paper Types are selected when Paper Tray is closed																					
Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays				SMH (Bypass)		HCF		Integrated (A) Office Finisher		Professional (C) Finisher		Office (SB) Finisher LX		Additional Information			
Xerox® Plain Transparency for Colour	Transparency		003R98205	Standard Transp.	A4	1	2	3	4	2	3	4	5	6			Stack	Staple	Stack	Staple	Stack	Staple	Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. Professional Finisher (C) can only stack to Top Tray.
Xerox® Universal Transfer Paper	Lightweight Cardstock		003R93544 003R93545	T shirt Transfer	A4 A3	n	n	n	n	n	n	n	S	S	.	n	.	n	n	n	Transfer Paper is not intended as sole application of machine. Limit monthly usage.		
Envelopes	Envelope	75 - 90 gsm		C5 DL	162x229mm 110x220mm	n	n	n	n	n	n	n	S	n	.	n	n	n	n	n	Envelope tray is available as an option. Envelopes are run in Heavyweight mode. Wrinkles with certain brands / type is possible. If wrinkles are encountered, try a different brand / type.		