

Recommended Media List

Xerox® AltaLink® C8030/C8035/C8045/C8055 Color Multifunction Printer

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® AltaLink® C8030/C8035/C8045/C8055 Color Multifunction Printer for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® AltaLink® C8030/C8035/C8045/C8055 Color Multifunction Printer.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are

unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.



Recommended Media List

General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Altalink. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit www.xeroxpaperusa.com/resources/recommended-media-list.

Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1-866-814-2401.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

Xerox® AltaLink® C8030/C8035/C8045/C8055 Color Multifunction Printer

Xerox® Bold™ Coated Gloss Digital Printing Paper																							
3R11450	80 lb. Text	8.5 x 11																					
3R11451	80 lb. Text	17 x 11																					
3R11452	80 lb. Text	18 x 12																					
3R11454	100 lb. Text	8.5 x 11																					
3R11455	100 lb. Text	17 x 11																					
3R11456	100 lb. Text	18 x 12																					
3R11458	80 lb. Cover	8.5 x 11																					
3R11459	80 lb. Cover	17 x 11																					
3R11460	80 lb. Cover	18 x 12																					
3R11462	100 lb. Cover	8.5 x 11																					
3R11463	100 lb. Cover	17 x 11																					
3R11464	100 lb. Cover	18 x 12																					
Xerox® Bold™ Coated Satin Digital Printing Paper																							
3R11470	80 lb. Text	8.5 x 11																					
3R11471	80 lb. Text	17 x 11																					
3R11472	80 lb. Text	18 x 12																					
3R11474	100 lb. Text	8.5 x 11																					
3R11475	100 lb. Text	17 x 11																					
3R11476	100 lb. Text	18 x 12																					
3R11478	80 lb. Cover	8.5 x 11																					
3R11479	80 lb. Cover	17 x 11																					
3R11480	80 lb. Cover	18 x 12																					
3R11482	100 lb. Cover	8.5 x 11																					
3R11483	100 lb. Cover	17 x 11																					
3R11484	100 lb. Cover	18 x 12																					
Xerox® Bold™ Super Gloss Cover																							
3R11680	8 pt. CIS	8.5 x 11																					
3R11681	8 pt. CIS	17 x 11																					
3R11682	8 pt. CIS	18 x 12																					
3R11683	10 pt. CIS	8.5 x 11																					
3R11684	10 pt. CIS	17 x 11																					
3R11685	10 pt. CIS	18 x 12																					
3R11686	12 pt. CIS	8.5 x 11																					
3R11687	12 pt. CIS	17 x 11																					
3R11688	12 pt. CIS	18 x 12																					
Xerox® Revolution™ Label																							
3R12735	Gloss Coated, 1-up	8.5 x 11																					
3R12737	Gloss Coated, 4-up	8.5 x 11																					
3R12740	Gloss Coated, 10-up	8.5 x 11																					
3R12741	Gloss Coated, 30-up	8.5 x 11																					
3R05772	Matte Coated, 1-up	8.5 x 11																					
3R05773	Matte Coated, 4-up	8.5 x 11																					
3R06332	Matte Coated, 10-up	8.5 x 11																					
3R06333	Matte Coated, 30-up	8.5 x 11																					
3R06330	Matte Coated, CDDVD 2-up	8.5 x 11																					
Xerox® Revolution™ Marketing Media – Transparency																							
3R03108	Monochrome and Color Printer, Removable Stripe	8.5 x 11																					
3R12505	Color Printer, Clear	8.5 x 11																					

Notes: Machine reliability specifications may be affected by increased usage of Cardstock, Heavyweight Cardstock, Glossy Cardstock and Heavy Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock, Heavyweight Cardstock, Glossy Cardstock and Heavy Glossy Cardstock modes or special application media types for long duration copy/print runs. Environmental conditions may require that Glossy papers be fed one sheet at a time through Tray 5 (Bypass/SMH). Relative humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

The Integrated Office 'A' Finisher is capable of stapling at maximum (max number will decrease if paper weight is greater than 24lb):
 50 sheets of Letter (8.5x11") in Long Edge Feed or Short Edge Feed or 30 sheets of Tabloid/Ledger (11x17") or Legal (11x14")

The Office Finisher LX is capable of stapling at maximum (max number will decrease if paper weight is greater than 24lb):
 50 sheets of paper up to the size of 11x17", Short Edge Feed

If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.

If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.

If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.

Select Paper Type Transparency on user interface for trays/Bypass. It is not recommended to output more than 20 transparencies at a time to avoid blocking. Stack only to Top Finisher Tray.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

www.domtar.com
www.xeroxpaperUSA.com
www.xeroxpaper.ca