

Recommended Media List

Xerox® Color 800/1000 Press and
Xerox® Color 800i/1000i Press

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® Color 800/1000 Press and the Xerox® Color 800i/1000i Press for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® Versant® 80 Press.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended

Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.

Recommended Media List

General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Color Press. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit www.xeroxpaperusa.com/resources/recommended-media-list.

Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1-866-814-2401.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

Xerox® Color 800/1000 Press and Xerox® Color 800i/1000i Press Recommended Media List

Item Number	Paper & Specialty Media Description	Size	gsm	Sides Coated	Coating Type	Type	Sequence	Color	Thickness (microns)	Cleanup	Finish	Notes
Xerox® Bold™ Digital Printing Paper												
3R11540	24 lb./60 lb. Text	8.5 x 11	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11541	24 lb./60 lb. Text	8.5 x 11 3HP	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11542	24 lb./60 lb. Text	8.5 x 14	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11543	24 lb./60 lb. Text	11 x 17	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11760	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11761	28 lb./70 lb. Text	8.5 x 11 3HP	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20150	28 lb./70 lb. Text	8.5 x 14	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11762	28 lb./70 lb. Text	17 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11763	28 lb./70 lb. Text	18 x 12	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11764	32 lb./80 lb. Text	8.5 x 11	120	Uncoated	N/A	Plain	0	White	128	No	Regular	
3R11765	32 lb./80 lb. Text	17 x 11	120	Uncoated	N/A	Plain	0	White	128	No	Regular	
3R11766	32 lb./80 lb. Text	18 x 12	120	Uncoated	N/A	Plain	0	White	128	No	Regular	
3R11767	60 lb. Cover	8.5 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R11768	60 lb. Cover	17 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R11770	80 lb. Cover	8.5 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R11771	80 lb. Cover	17 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R11772	80 lb. Cover	18 x 12	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R11774	100 lb. Cover	8.5 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R11775	100 lb. Cover	17 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R11776	100 lb. Cover	18 x 12	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
Xerox® Bold™ Digital Printing Paper, 30% Recycled												
3R20160	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20161	28 lb./70 lb. Text	17 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20162	28 lb./70 lb. Text	18 x 12	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20163	60 lb. Cover	8.5 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R20164	60 lb. Cover	17 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R20165	60 lb. Cover	18 x 12	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R20166	80 lb. Cover	8.5 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R20167	80 lb. Cover	17 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R20168	80 lb. Cover	18 x 12	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R20169	100 lb. Cover	8.5 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R20170	100 lb. Cover	17 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R20171	100 lb. Cover	18 x 12	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
Xerox® Bold™ Digital Printing Paper, 100% Recycled												
3R11815	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	Plain	0	White	112	No	Regular	
Xerox® Bold™ Coated Gloss Digital Printing Paper												
3R11450	80 lb. Text	8.5 x 11	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11451	80 lb. Text	17 x 11	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11452	80 lb. Text	18 x 12	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11443	80 lb. Text	19 x 13	121	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11454	100 lb. Text	8.5 x 11	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R11455	100 lb. Text	17 x 11	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R11456	100 lb. Text	18 x 12	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R11444	100 lb. Text	19 x 13	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R11458	80 lb. Cover	8.5 x 11	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R11459	80 lb. Cover	17 x 11	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R11460	80 lb. Cover	18 x 12	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R11445	80 lb. Cover	19 x 13	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R11462	100 lb. Cover	8.5 x 11	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth	

Xerox® Color 800/1000 Press and Xerox® Color 800i/1000i Press Recommended Media List

3R11463	100 lb. Cover	17 x 11	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth
3R11464	100 lb. Cover	18 x 12	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth
3R11446	100 lb. Cover	19 x 13	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth
3R11466	110 lb. Cover	8.5 x 11	300	C2S	Gloss	Plain	0	White	264	Yes	Smooth
3R11467	110 lb. Cover	17 x 11	300	C2S	Gloss	Plain	0	White	264	Yes	Smooth
3R11468	110 lb. Cover	18 x 12	300	C2S	Gloss	Plain	0	White	264	Yes	Smooth
3R11448	130 lb. Cover	18 x 12	350	C2S	Gloss	Plain	0	White	315	Yes	Smooth
Xerox® Bold™ Coated Sahn Digital Printing Paper											
3R11470	80 lb. Text	8.5 x 11	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth
3R11471	80 lb. Text	17 x 11	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth
3R11472	80 lb. Text	18 x 12	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth
3R11496	80 lb. Text	19 x 13	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth
3R11474	100 lb. Text	8.5 x 11	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth
3R11475	100 lb. Text	17 x 11	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth
3R11476	100 lb. Text	18 x 12	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth
3R11497	100 lb. Text	19 x 13	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth
3R11478	80 lb. Cover	8.5 x 11	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth
3R11479	80 lb. Cover	17 x 11	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth
3R11480	80 lb. Cover	18 x 12	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth
3R11518	80 lb. Cover	19 x 13	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth
3R11482	100 lb. Cover	8.5 x 11	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth
3R11483	100 lb. Cover	17 x 11	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth
3R11484	100 lb. Cover	18 x 12	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth
3R11519	100 lb. Cover	19 x 13	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth
3R11486	110 lb. Cover	8.5 x 11	300	C2S	Semi-Gloss	Plain	0	White	277	Yes	Smooth
3R11487	110 lb. Cover	17 x 11	300	C2S	Semi-Gloss	Plain	0	White	277	Yes	Smooth
3R11488	110 lb. Cover	18 x 12	300	C2S	Semi-Gloss	Plain	0	White	277	Yes	Smooth
3R11495	130 lb. Cover	18 x 12	350	C2S	Semi-Gloss	Plain	0	White	353	Yes	Smooth
Xerox® Bold™ Super-Gloss Cover											
3R11680	8 Point	8.5 x 11	170	C1S	High-Gloss	Plain	0	White	203	Yes	Smooth
3R11681	8 Point	17 x 11	170	C1S	High-Gloss	Plain	0	White	203	Yes	Smooth
3R11682	8 Point	18 x 12	170	C1S	High-Gloss	Plain	0	White	203	Yes	Smooth
3R11683	10 Point	8.5 x 11	219	C1S	High-Gloss	Plain	0	White	254	Yes	Smooth
3R11684	10 Point	17 x 11	219	C1S	High-Gloss	Plain	0	White	254	Yes	Smooth
3R11685	10 Point	18 x 12	219	C1S	High-Gloss	Plain	0	White	254	Yes	Smooth
3R11686	12 Point	8.5 x 11	247	C1S	High-Gloss	Plain	0	White	305	Yes	Smooth
3R11687	12 Point	17 x 11	247	C1S	High-Gloss	Plain	0	White	305	Yes	Smooth
3R11688	12 Point	18 x 12	247	C1S	High-Gloss	Plain	0	White	305	Yes	Smooth
Xerox® Revolution NeverFear™											
3R20172	5 mil	8.5 x 11	135	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20173	5 mil	8.5 x 11 3HP	135	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20174	5 mil	11 x 17	135	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20175	5 mil	12 x 18	135	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20176	8 mil	8.5 x 11	230	C2S	Matte	Plain	0	White	203	Yes	Smooth
3R20177	8 mil	12 x 18	230	C2S	Matte	Plain	0	White	203	Yes	Smooth
3R20179	10 mil	8.5 x 11	300	C2S	Matte	Plain	0	White	254	Yes	Smooth
3R20180	10 mil	12 x 18	300	C2S	Matte	Plain	0	White	254	Yes	Smooth
3R20182	14 mil	8.5 x 11	450	C2S	Matte	Plain	0	White	356	Yes	Smooth
3R20183	14 mil	12 x 18	450	C2S	Matte	Plain	0	White	356	Yes	Smooth
3R20185	8 mil Pre-Scored Horizontal	8.5 x 11	230	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20186	8 mil Pre-Scored Vertical	8.5 x 11	230	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20187	8 mil Pre-Perforated Shelf Tags	8.5 x 11	230	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20188	8 mil Pre-Perforated Door Hangers	8.5 x 11	230	C2S	Matte	Plain	0	White	127	Yes	Smooth
3R20189	8 mil Pre-Perforated Luggage Tags	8.5 x 11	230	C2S	Matte	Plain	0	White	127	Yes	Smooth

Xerox® Color 800/1000 Press and Xerox® Color 800i/1000i Press Recommended Media List

Product ID	Description	Size	Weight	Material	Finish	Color	Yield	Yes	Smooth	Notes
3R20190	8 mil Pre-Perforated Badges	8.5 x 11	230	Matte	Plain	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20191	8 mil Pre-Perforated ID Cards	8.5 x 11	230	Matte	Plain	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20192	8 mil Pre-Perforated Parking Passes	8.5 x 11	230	Matte	Plain	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20193	8 mil Pre-Perforated Portrait Badges	8.5 x 11	230	Matte	Plain	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
Xerox® Revolution™ ID Cards										
3R20077	2-Side Laminated with Peel-Off, 1-Up	8.5 x 11	163	Gloss	Plain	White	170	No	Smooth	Load trays long edge feed with card inboard. BTB adjustment may be required; minor color variability is to be expected.
3R20078	2-Side Laminated with Peel-Off, 2-Up	8.5 x 11	163	Gloss	Plain	White	170	No	Smooth	Load trays long edge feed with card inboard. BTB adjustment may be required; minor color variability is to be expected.
3R14733	1-Side Laminated with Peel-Off, 1-Up	8.5 x 11	163	Gloss	Plain	White	170	No	Smooth	Load trays long edge feed with card inboard. BTB adjustment may be required; minor color variability is to be expected.
3R14734	1-Side Laminated with Peel-Off, 2-Up	8.5 x 11	163	Gloss	Plain	White	170	No	Smooth	Load trays long edge feed with card inboard. BTB adjustment may be required; minor color variability is to be expected.
3R14735	1-Side Laminated with Microperforation, 1-Up	8.5 x 11	163	Gloss	Plain	White	170	No	Smooth	Load trays long edge feed with card inboard. BTB adjustment may be required; minor color variability is to be expected.
3R14736	1-Side Laminated with Microperforation, 2-Up	8.5 x 11	163	Gloss	Plain	White	170	No	Smooth	Load trays long edge feed with card inboard. BTB adjustment may be required; minor color variability is to be expected.
3R14700	7 mil Synthetic with Microperforation, 1-Up	8.5 x 11	216	Uncoated	Plain	White	194	No	Regular	Face up delivery is required.
3R14701	7 mil Synthetic with Microperforation, 2-Up	8.5 x 11	216	Uncoated	Plain	White	194	No	Regular	Face up delivery is required.
3R14706	10 mil Synthetic with Microperforation, 1-Up	8.5 x 11	216	Uncoated	Plain	White	194	No	Regular	Face up delivery is required.
3R14707	10 mil Synthetic with Microperforation, 2-Up	8.5 x 11	216	Uncoated	Plain	White	194	No	Regular	Face up delivery is required.
3R14714	7 mil Synthetic with Peel-Off, 1-Up	8.5 x 11	188	Uncoated	Plain	White	170	No	Regular	Load trays long edge feed with card inboard, to a maximum of 200 sheets.
3R14716	7 mil Synthetic with Peel-Off, 2-Up	8.5 x 11	188	Uncoated	Plain	White	170	No	Regular	Load trays long edge feed with card inboard, to a maximum of 200 sheets.
Xerox® Revolution™ Carbonless – Premium Digital										
3R12420	2-Part Straight/Reverse	8.5 x 11	80	Uncoated	Ordered	White/Canary	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12422	2-Part Straight/Reverse	8.5 x 14	80	Uncoated	Ordered	White/Canary	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12423	2-Part Straight/Reverse	11 x 17	80	Uncoated	Ordered	White/Canary	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12421	2-Part Straight/Reverse	8.5 x 11	80	Uncoated	Ordered	White/Pink	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12424	3-Part Reverse	8.5 x 11	80	Uncoated	Ordered	Pink/Canary/White	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12425	3-Part Straight	8.5 x 11	80	Uncoated	Ordered	White/Canary/Pink	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12427	3-Part Straight	8.5 x 14	80	Uncoated	Ordered	White/Canary/Pink	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12426	3-Part Straight (Mini Carton)	8.5 x 11	80	Uncoated	Ordered	White/Canary/Pink	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12429	4-Part Reverse	8.5 x 11	80	Uncoated	Ordered	Gold/Red/Pink/Canary/White	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12430	4-Part Straight	8.5 x 11	80	Uncoated	Ordered	White/Canary/Pink/Gold/Red	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12434	Singles CB	8.5 x 11	80	Uncoated	Plain	White	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12435	Singles CFB	8.5 x 11	80	Uncoated	Plain	White	110	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12437	Singles CFB	8.5 x 11	80	Uncoated	Plain	Canary	112	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
3R12439	Singles CF	8.5 x 11	80	Uncoated	Plain	Pink	107	No	Regular	Not intended for extensive/exclusive usage. Print volumes should not exceed 30k/month.
Xerox® Revolution™ Label										
3R12735	1-Up, Die Cut	8.5 x 11	190	Gloss	Plain	White	187	No	Smooth	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R12736	1-Up, Full Sheet	8.5 x 11	190	Gloss	Plain	White	187	No	Smooth	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.

Xerox® Color 800/1000 Press and Xerox® Color 800i/1000i Press Recommended Media List

Media ID	Description	Weight	Size	Color	Finish	Weight	Score	Notes
3R12737	4-Up	190	8.5 x 11	CIS	Plain	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R12740	10-Up	190	8.5 x 11	CIS	Plain	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R12741	30-Up	190	8.5 x 11	CIS	Plain	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R05772	1-Up, Die Cut	190	8.5 x 11	CIS	Matte	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R12371	1-Up, Full Sheet	190	8.5 x 11	CIS	Matte	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R05773	4-Up	190	8.5 x 11	CIS	Matte	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R06332	10-Up	190	8.5 x 11	CIS	Matte	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R06333	30-Up	190	8.5 x 11	CIS	Matte	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R06330	2-Up, CDD/DVD	190	8.5 x 11	CIS	Plain	0	187	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R14626	4 ml Vinyl with Permanent Adhesive	274	12 x 18	CIS	Plain	0	254	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R14627	4 ml Vinyl with Permanent Adhesive	274	12 x 18	CIS	Plain	0	254	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R14628	4 ml Vinyl with Removable Adhesive	274	8.5 x 11	CIS	Plain	0	254	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
3R14629	4 ml Vinyl with Removable Adhesive	274	12 x 18	CIS	Plain	0	254	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality.
Xerox® Revolution™ Mailing Media								
3R12445	Business Reply Envelope	225	8.5 x 11	Uncoated	Plain	0	150	This media may have a mottled appearance due to paper formation (image density and gloss). Stack quality and stack height may be affected due to media structure or high area coverage. Load and stack 200-300 envelopes maximum due to media structure.
3R20015	Greeting Card, 10pt	210	8.5 x 11	CIS	High-Gloss	0	254	Envelope face up and trailing in the drawer.
Xerox® Revolution™ Tabs – Plain Paper								
3R20113	90 lb. Index, Single Straight	163	9 x 11	Uncoated	Pre-Cut Tab	4	198	Regular
3R04417	90 lb. Index, Single Straight	163	9 x 11	Uncoated	Pre-Cut Tab	5	198	Regular
3R04418	90 lb. Index, Single Straight	163	9 x 11.3HP	Uncoated	Pre-Cut Tab	5	198	Regular
3R04407	90 lb. Index, Single Position 1 and 5	163	9 x 11	Uncoated	Pre-Cut Tab	0	198	Regular
3R04409	90 lb. Index, Single Position 2 and 4	163	9 x 11	Uncoated	Pre-Cut Tab	0	198	Regular
3R04411	90 lb. Index, Single Position 3	163	9 x 11	Uncoated	Pre-Cut Tab	0	198	Regular
3R05422	90 lb. Index, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	3	198	Regular
3R05423	90 lb. Index, Single Reverse	163	9 x 11.3HP	Uncoated	Pre-Cut Tab	3	198	Regular
3R05426	90 lb. Index, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	4	198	Regular
3R05427	90 lb. Index, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	4	198	Regular
3R04415	90 lb. Index, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	5	198	Regular
3R04416	90 lb. Index, Single Reverse	163	9 x 11.3HP	Uncoated	Pre-Cut Tab	5	198	Regular
3R05717	110 lb. Index, Single Reverse	199	9 x 11	Uncoated	Pre-Cut Tab	5	241	Regular
3R05718	110 lb. Index, Single Reverse	199	9 x 11.3HP	Uncoated	Pre-Cut Tab	5	241	Regular
3R05713	90 lb. Index, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	8	198	Regular
3R05714	90 lb. Index, Single Reverse	163	9 x 11.3HP	Uncoated	Pre-Cut Tab	8	198	Regular
Xerox® Revolution™ Tabs – Printable Plastic								
3R05709	90 lb. Index, Single Straight	163	9 x 11	Uncoated	Pre-Cut Tab	5	198	Regular
3R05710	90 lb. Index, Single Straight	163	9 x 11.3HP	Uncoated	Pre-Cut Tab	5	198	Regular
3R05520	90 lb. Index, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	5	198	Regular
3R05521	90 lb. Index, Single Reverse	163	9 x 11.3HP	Uncoated	Pre-Cut Tab	5	198	Regular
3R12477	60 lb. Cover, Single Reverse	163	9 x 11	Uncoated	Pre-Cut Tab	5	170	Regular
Xerox® Revolution™ Marketing Media								
3R12407	Presentation Folder, 10 Point	219	12 x 18	CIS	High-Gloss	0	254	For uniform image quality, do not image within 5 mm of score. Image degradation may be present on uncoated side (side 2).
3R20106	FunFlip®, 3"x3" Size	230	8.5 x 11	Uncoated	Plain	0	234	For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended. Imaging over die cuts or label edges may adversely affect fuser roll life.
3R14742	FunFlip®, Greeting Card Size	230	8.5 x 11	Uncoated	Plain	0	234	For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended. Imaging over die cuts or label edges may adversely affect fuser roll life.
3R20016	Tri-Fold Brochure, 32 lb.	120	8.5 x 11	Uncoated	Plain	0	120	If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Adflict Procedure in the latest Customer Maintenance Manual Section 4.
3R20017	Tri-Fold Brochure, 8 pt with channel scores	160	8.5 x 11	CIS	High-Gloss	0	203	For uniform image quality, do not image within 5 mm of score.
Various & Custom	14 pt Folding Media with various perforated shapes	256	Various	CIS	High-Gloss	0	356	

Xerox® Color 800/1000 Press and Xerox® Color 800i/1000i Press Recommended Media List

Various & Custom Xerox® Revolution™ Magnet Media	16 pt Folding Media with various perifold shapes	Various	350	C1S	High-Gloss	Plain	0	White	462	Yes	Smooth	
3R14696	17 ml, High-Gloss	12 x 18	350	C1S	High-Gloss	Plain	0	White	439	No	Smooth	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality. Face up delivery is required. Print volumes should not exceed 500 prints/month.
3R14697	17 ml, Matte Finish	12 x 18	350	C1S	Matte	Plain	0	White	439	No	Smooth	Transfer (2nd BTR) bias may require adjustment to achieve optimum image quality. Face up delivery is required. Print volumes should not exceed 500 prints/month.
3R14731	Integrated Card, 60 lb. Cover	8.5 x 11	280	Uncoated	N/A	Plain	0	White	170	No	Regular	If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedures in the latest Customer Maintenance Manual Section 4. Simplex only recommended. For uniform image quality do not image within 5 mm of card edge. An Enabler Kit is available to facilitate feeding and stacking of greater volumes.
3R14732	Integrated Card, 8 pt C1S	8.5 x 11	163	C1S	Gloss	Plain	0	White	194	No	Smooth	Simplex only recommended. For uniform image quality do not image within 5 mm of card edge. An Enabler Kit is available to facilitate feeding and stacking of greater volumes.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

www.domtar.com
www.xeroxpaperUSA.com
www.xeroxpaper.ca