

Xerox® VersaLink® C7020/7025/7030 and VersaLink® C7000 Color Multifunction Printer Recommended Media List

Item Number	Paper & Specialty Media Description	Size	Paper Type Setting	Weight (gsm)	Trays										Finisher Capabilities				Additional Information				
					Trays										By-pass		HCF			Integrated (A) Office Finisher		Office (SB) Finisher LX	
					1	2	3	4	2	3	4	5	6	Stack	Staple	Stack	Staple						
Xerox® Vitality™ Multipurpose Printer Paper																							
3R02047	20 lb.	8.5 x 11	Plain	75	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11415	20 lb., Xpress Pack	8.5 x 11	Plain	75	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R02641	20 lb.	8.5 x 11 3HP	Plain	75	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R02051	20 lb.	8.5 x 14	Plain	75	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R03761	20 lb.	11 x 17	Plain	75	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R02531	24 lb.	8.5 x 11	Bond	90	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11414	24 lb., Xpress Pack	8.5 x 11	Bond	90	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
5R03317	24 lb.	8.5 x 11 3HP	Bond	90	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R03871	24 lb.	11 x 17	Bond	90	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
Xerox® Vitality™ Multipurpose Printer Paper, 30% Recycled																							
3R06296	20 lb.	8.5 x 11	Recycled	75	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R06297	20 lb.	8.5 x 11 3HP	Recycled	75	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R06298	20 lb.	8.5 x 14	Recycled	75	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R06299	20 lb.	11 x 17	Recycled	75	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
Xerox® Vitality™ Multipurpose Printer Paper, 100% Recycled																							
3R11376	20 lb.	8.5 x 11	Recycled	75	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
Xerox® Vitality™ Index Paper																							
3R11747	90 lb. Index	8.5 x 11	Lightweight	163	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11748	90 lb. Index	17 x 11	Cardstock	163	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11749	100 lb. Index	8.5 x 11	Cardstock	199	S	S	S	S	S	S	S	M	S	S	♦	♦	♦	♦					
Xerox® Bold™ Professional Quality Paper																							
3R13038	24 lb.	8.5 x 11	Bond	90	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
Xerox® Bold™ Digital Printing Paper																							
3R11540	24 lb. / 60 lb. Text	8.5 x 11	Bond	90	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11541	24 lb. / 60 lb. Text	8.5 x 11 3HP	Bond	90	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11542	24 lb. / 60 lb. Text	8.5 x 14	Bond	90	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11543	24 lb. / 60 lb. Text	11 x 17	Bond	90	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11760	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11761	28 lb. / 70 lb. Text	8.5 x 11 3HP	Bond	105	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R20150	28 lb. / 70 lb. Text	8.5 x 14	Bond	105	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11762	28 lb. / 70 lb. Text	17 x 11	Bond	105	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11764	32 lb. / 80 lb. Text	8.5 x 11	Lightweight	120	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11765	32 lb. / 80 lb. Text	17 x 11	Cardstock	120	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11767	60 lb. Cover	8.5 x 11	Lightweight	163	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R11768	60 lb. Cover	17 x 11	Cardstock	163	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R11770	80 lb. Cover	8.5 x 11	Cardstock	216	S	S	S	S	S	S	S	M	S	S	♦	♦	♦	♦					
3R11771	80 lb. Cover	17 x 11	Cardstock	216	S	S	S	S	S	n	n	M	n	S	♦	♦	♦	♦					
Xerox® Bold™ Digital Printing Paper, 30% Recycled																							
3R20160	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R20161	28 lb. / 70 lb. Text	17 x 11	Bond	105	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R20163	60 lb. Cover	8.5 x 11	Lightweight	163	A	A	A	A	A	A	A	A	A	A	♦	♦	♦	♦					
3R20164	60 lb. Cover	17 x 11	Cardstock	163	A	A	A	A	A	n	n	A	n	A	♦	♦	♦	♦					
3R20166	80 lb. Cover	8.5 x 11	Cardstock	216	S	S	S	S	S	S	S	M	S	S	♦	♦	♦	♦					
3R20167	80 lb. Cover	17 x 11	Cardstock	216	S	S	S	S	S	n	n	M	n	S	♦	♦	♦	♦					
Xerox® Bold™ Digital Printing Paper, 100% Recycled																							

3R11815	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆
---------	----------------------	----------	------	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---

|

Xerox® Bold™ Coated Gloss Digital Printing Paper																			
3R11450	80 lb. Text	8.5 x 11	Light Glossy	120	A	A	A	A	A	A	A	A	A	A	♦	n	♦	♦	Environmental conditions may require that this product be fed one sheet at a time from Bypass Tray 5. When job is printed in low temperature and low humidity environment, poor transfer of toner may be observed. If poor transfer is observed, change 2nd bias transfer voltage.
3R11451	80 lb. Text	17 x 11	Cardstock	120	A	A	A	A	A	n	n	A	n	♦	n	♦	♦		
3R11454	100 lb. Text	8.5 x 11	Light Glossy	144	A	A	A	A	A	A	A	A	A	♦	n	♦	♦		
3R11455	100 lb. Text	17 x 11	Cardstock	144	A	A	A	A	A	n	n	A	n	♦	n	♦	♦		
3R11458	80 lb. Cover	8.5 x 11	Glossy	210	S	S	S	S	S	S	S	M	S	♦	n	♦	♦		
3R11459	80 lb. Cover	17 x 11	Cardstock	210	S	S	S	S	S	n	n	M	n	♦	n	♦	♦		
Xerox® Bold™ Coated Satin Digital Printing Paper																			
3R11470	80 lb. Text	8.5 x 11	Light Glossy	120	A	A	A	A	A	A	A	A	A	A	♦	n	♦	♦	Environmental conditions may require that this product be fed one sheet at a time from Bypass Tray 5. When job is printed in low temperature and low humidity environment, poor transfer of toner may be observed. If poor transfer is observed, change 2nd bias transfer voltage.
3R11471	80 lb. Text	17 x 11	Cardstock	120	A	A	A	A	A	n	n	A	n	♦	n	♦	♦		
3R11474	100 lb. Text	8.5 x 11	Light Glossy	144	A	A	A	A	A	A	A	A	A	♦	n	♦	♦		
3R11475	100 lb. Text	17 x 11	Cardstock	144	A	A	A	A	A	n	n	A	n	♦	n	♦	♦		
3R11478	80 lb. Cover	8.5 x 11	Glossy	210	S	S	S	S	S	S	S	M	S	♦	n	♦	♦		
3R11479	80 lb. Cover	17 x 11	Cardstock	210	S	S	S	S	S	n	n	M	n	♦	n	♦	♦		
Xerox® Bold™ Super Gloss Cover																			
3R11680	8 pt. C1S	8.5 x 11	Light Glossy	170	S	S	S	S	S	S	S	M	S	♦	n	♦	♦	Environmental conditions may require that this product be fed one sheet at a time from Bypass Tray 5 (Bypass cannot be used for media heavier than 216 gsm). When job is printed in low temperature and low humidity environment, poor transfer of toner may be observed. If poor transfer is observed, change 2nd bias transfer voltage. Jam may occur when high density originals printed to EXIT2 Tray. If a jam occurs, use EXIT1 Tray.	
3R11681	8 pt. C1S	17 x 11	Cardstock	170	S	S	S	S	S	n	n	M	n	♦	n	♦	♦		
3R11683	10 pt. C1S	8.5 x 11	Glossy	219	S	S	S	S	S	S	S	M	S	♦	n	♦	♦		
3R11684	10 pt. C1S	17 x 11	Cardstock	219	S	S	S	S	S	n	n	M	n	♦	n	♦	♦		
3R11686	12 pt. C1S	8.5 x 11	Glossy	247	S	S	S	S	S	S	S	M	S	n	n	n	n		
3R11687	12 pt. C1S	17 x 11	Cardstock	247	S	S	S	S	S	n	n	M	n	n	n	n	n		
3R11687	12 pt. C1S	17 x 11	Cardstock	247	S	S	S	S	S	n	n	M	n	n	n	n	n		
Xerox® Revolution™ Label																			
3R12057	Uncoated, 1-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	Feeding from Tray 5 recommended. Environmental conditions may require that this product be fed one sheet at a time. (If misfeed still occurs when feeding one sheet at a time, load paper curled upward.) Do not bleed over label edges. If image defects are observed in low temperature/humidity condition, the 2nd bias transfer voltage should be adjusted.
3R12050	Uncoated, 33-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R03139	High Speed, Uncoated 33-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R12735	Gloss Coated, 1-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R12737	Gloss Coated, 4-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R12740	Gloss Coated, 10-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R12741	Gloss Coated, 30-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R05772	Matte Coated, 1-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R05773	Matte Coated, 4-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R06332	Matte Coated, 10-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R06333	Matte Coated, 30-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	
3R06330	Matte Coated, CD/DVD 2-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S	S	S	♦	n	n	n	

**Notes:** Machine reliability specifications may be affected by increased usage of Cardstock and Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock and Glossy Cardstock modes or special application media types for long duration copy/print runs. Environmental conditions may require that Glossy papers be fed one sheet at a time through Bypass. Relative humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

**The Integrated Office 'A' Finisher is capable of stapling at maximum (max number will decrease if paper weight is greater than 24lb):**

50 sheets of Letter (8.5x11") in Long Edge Feed or Short Edge Feed or 30 sheets of Tabloid/Ledger (11x17") or Legal (11x14")

**The Office Finisher LX is capable of stapling at maximum (max number will decrease if paper weight is greater than 24lb):**

50 sheets of paper up to the size of 11x17", Short Edge Feed