

# Recommended Media List

Xerox® VersaLink® C8000 and C9000

## Recommended Media List

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® VersaLink® C8000 and C9000 Recommended Media List for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® VersaLink® C8000 and C9000.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended

Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.



## Recommended Media List Xerox® VersaLink® C8000 and C9000

### General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Iridesse™. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit [www.xeroxpaperusa.com/resources/recommended-media-list](http://www.xeroxpaperusa.com/resources/recommended-media-list).

### Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1.800.458.4640, Prompt #1.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

Xerox® VersaLink® C8000 and C9000 Recommended Media List

Item Number	Paper & Specialty Media Description	Size	Paper Type Setting	Weight (gsm)	Trays						Trays			Trays			Finisher Capabilities			Additional Information		
					2TM		TTM		Bypass	HCF	BR Office Ready Finisher		Office (SB) Finisher LX		Stack	Staple	Stack	Staple	Stack		Staple	
					1	2	3	4			3	4	5	6								Stack
<b>Xerox® Vitality® Multipurpose Printer Paper</b>																						
3R02047	20 lb.	8.5 x 11	Plain	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	With ColorLok® Technology
3R02641	20 lb.	8.5 x 11 3HP	Plain	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R02051	20 lb.	8.5 x 14	Plain	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R03761	20 lb.	11 x 17	Plain	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
<b>Xerox® Vitality® Multipurpose Printer Paper, 30% Recycled</b>																						
3R06296	20 lb.	8.5 x 11	Recycled	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	With ColorLok® Technology. High coefficient of friction between sheets may cause a jam. Fan sheets if jam occurs.
3R06297	20 lb.	8.5 x 11 3HP	Recycled	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R06298	20 lb.	8.5 x 14	Recycled	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R06299	20 lb.	11 x 17	Recycled	75	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
<b>Xerox® Bold Digital™ Printing Paper</b>																						
3R11540	24 lb. / 60 lb. Text	8.5 x 11	Bond	90	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	With ColorLok® Technology. High coefficient of friction between sheets may cause a jam. Fan sheets if jam occurs.
3R11541	24 lb. / 60 lb. Text	8.5 x 11 3HP	Bond	90	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11542	24 lb. / 60 lb. Text	8.5 x 14	Bond	90	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11543	24 lb. / 60 lb. Text	11 x 17	Bond	90	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11760	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	With ColorLok® Technology
3R11761	28 lb. / 70 lb. Text	8.5 x 11 3HP	Bond	105	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11762	28 lb. / 70 lb. Text	17 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11764	32 lb. / 80 lb. Text	8.5 x 11	Bond	120	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11765	32 lb. / 80 lb. Text	17 x 11	Lightweight Cardstock	120	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	8.5 x 11 and 17 x 11 with ColorLok® Technology
3R11766	32 lb. / 80 lb. Text	18 x 12	Cardstock	120	n	A	A	A	A	A	A	A	A	A	A	A	A	n	n	n	n	
3R11767	60 lb. Cover	8.5 x 11	Lightweight Cardstock	163	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	With ColorLok® Technology
3R11768	60 lb. Cover	17 x 11	Cardstock	163	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11770	80 lb. Cover	8.5 x 11	Cardstock	216	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	With ColorLok® Technology
3R11771	80 lb. Cover	17 x 11	Cardstock	216	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11772	80 lb. Cover	18 x 12	Cardstock	216	n	A	A	A	A	A	A	A	A	A	A	A	A	n	n	n	n	
3R11774	100 lb. Cover	8.5 x 11	Heavyweight	270	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	High coefficient of friction between sheets may cause a jam. Fan sheets if jam occurs.
3R11775	100 lb. Cover	17 x 11	Cardstock	270	A	A	A	A	A	A	A	A	A	A	A	A	A	•	•	•	♦	
3R11776	100 lb. Cover	18 x 12	Cardstock	270	n	A	A	A	A	A	A	A	A	A	A	A	A	n	n	n	n	

Xerox® VersaLink® C8000 and C9000 Recommended Media List

Xerox® Bold Digital™ Printing Paper, 30% Recycled												
3R20160	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	◆
3R20161	28 lb. / 70 lb. Text	17 x 11	Bond	105	A	A	A	A	A	A	A	◆
3R20162	28 lb. / 70 lb. Text	18 x 12	Bond	105	n	A	A	A	A	A	A	n
3R20163	60 lb. Cover	8.5 x 11	Lightweight Cardstock	163	A	A	A	A	A	A	A	◆
3R20164	60 lb. Cover	17 x 11		163	A	A	A	A	A	A	A	◆
3R20165	60 lb. Cover	18 x 12		163	n	A	A	A	A	A	A	n
3R20166	80 lb. Cover	8.5 x 11	Cardstock	216	A	A	A	A	A	A	A	◆
3R20167	80 lb. Cover	17 x 11		216	A	A	A	A	A	A	A	◆
3R20168	80 lb. Cover	18 x 12		216	n	A	A	A	A	A	A	n
3R20169	100 lb. Cover	8.5 x 11	Heavyweight	270	A	A	A	A	A	A	A	◆
3R20170	100 lb. Cover	17 x 11		270	A	A	A	A	A	A	A	◆
3R20171	100 lb. Cover	18 x 12		270	n	A	A	A	A	A	A	n
Xerox® Bold Digital™ Coated Gloss Printing Paper												
3R11450	80 lb. Text	8.5 x 11	Light Glossy Cardstock	120	A	A	A	A	A	A	A	◆
3R11451	80 lb. Text	17 x 11		120	A	A	A	A	A	A	A	◆
3R11452	80 lb. Text	18 x 12		120	n	A	A	A	A	A	A	n
3R11454	100 lb. Text	8.5 x 11	Light Glossy Cardstock	144	A	A	A	A	A	A	A	◆
3R11455	100 lb. Text	17 x 11		144	A	A	A	A	A	A	A	◆
3R11456	100 lb. Text	18 x 12		144	n	A	A	A	A	A	A	n
3R11458	80 lb. Cover	8.5 x 11	Glossy Cardstock	210	A	A	A	A	A	A	A	◆
3R11459	80 lb. Cover	17 x 11		210	A	A	A	A	A	A	A	◆
3R11460	80 lb. Cover	18 x 12		210	n	A	A	A	A	A	A	n
3R11462	100 lb. Cover	8.5 x 11	Heavyweight	280	A	A	A	A	A	A	A	◆
3R11463	100 lb. Cover	17 x 11		280	A	A	A	A	A	A	A	◆
3R11464	100 lb. Cover	18 x 12		280	n	A	A	A	A	A	A	n
3R11466	110 lb. Cover	8.5 x 11	Heavyweight	300	A	A	A	A	A	A	A	◆
3R11467	110 lb. Cover	17 x 11		300	A	A	A	A	A	A	A	◆
3R11468	110 lb. Cover	18 x 12		300	n	A	A	A	A	A	A	n
3R11448	130 lb. Cover	18 x 12	Extra Heavyweight	350	n	n	n	n	n	S	n	n
Xerox® Bold Digital™ Coated Satin Printing Paper												
3R11470	80 lb. Text	8.5 x 11	Light Glossy Cardstock	120	A	A	A	A	A	A	A	◆
3R11471	80 lb. Text	17 x 11		120	A	A	A	A	A	A	A	◆
3R11472	80 lb. Text	18 x 12		120	n	A	A	A	A	A	A	n
3R11474	100 lb. Text	8.5 x 11	Light Glossy Cardstock	144	A	A	A	A	A	A	A	◆
3R11475	100 lb. Text	17 x 11		144	A	A	A	A	A	A	A	◆
3R11476	100 lb. Text	18 x 12		144	n	A	A	A	A	A	A	n
3R11478	80 lb. Cover	8.5 x 11	Glossy Cardstock	210	A	A	A	A	A	A	A	◆
3R11479	80 lb. Cover	17 x 11		210	A	A	A	A	A	A	A	◆
3R11480	80 lb. Cover	18 x 12		210	n	A	A	A	A	A	A	n
3R11482	100 lb. Cover	8.5 x 11	Heavyweight	280	A	A	A	A	A	A	M	◆
3R11483	100 lb. Cover	17 x 11		280	A	A	A	A	A	A	M	◆
3R11484	100 lb. Cover	18 x 12		280	n	A	A	A	A	A	M	n
3R11486	110 lb. Cover	8.5 x 11	Heavyweight	300	A	A	A	A	A	A	M	◆
3R11487	110 lb. Cover	17 x 11		300	A	A	A	A	A	A	M	◆
3R11488	110 lb. Cover	18 x 12		300	n	A	A	A	A	A	M	n
3R11495	130 lb. Cover	18 x 12	Extra Heavyweight	350	n	n	n	n	n	S	n	n

Gloss variation can occur from machine rolls on high coverage prints, if so, adjust the fuser temperature. Environmental conditions may require that coated paper be fed one sheet at a time through (Bypass). Relative Humidity greater than 40% could cause misfeeds or multifeeds  
 C9000: ≤350 gsm Simplex, Bypass tray only  
 C8000: ≤300 gsm

Environmental conditions may require that coated paper be fed one sheet at a time through (Bypass) Relative Humidity greater than 40% could cause misfeeds or multifeeds  
 C9000: ≤350 gsm Simplex, Bypass tray only  
 C8000: ≤300 gsm

# Xerox® VersaLink® C8000 and C9000 Recommended Media List

Xerox® Bold Digital™ Super Gloss Cover												
Model	Weight	Size	Light Glossy Cardstock	Weight	A	A	A	A	A	A	A	A
3R11680	8 pt. C1S	8.5 x 11	Light Glossy Cardstock	170	A	A	A	A	A	A	A	♦
3R11681	8 pt. C1S	17 x 11		170	A	A	A	A	A	A	A	♦
3R11682	8 pt. C1S	18 x 12		170	n	A	A	A	A	A	A	n
3R11683	10 pt. C1S	8.5 x 11	Glossy Cardstock	219	A	A	A	A	A	A	A	♦
3R11684	10 pt. C1S	17 x 11		219	A	A	A	A	A	A	A	♦
3R11685	10 pt. C1S	18 x 12		219	n	A	A	A	A	A	A	n
3R11686	12 pt. C1S	8.5 x 11	Glossy Cardstock	247	A	A	A	A	A	A	A	n
3R11687	12 pt. C1S	17 x 11		247	A	A	A	A	A	A	A	n
3R11688	12 pt. C1S	18 x 12		247	n	A	A	A	A	A	A	n
Xerox® Revolution® Label												
3R12050	Uncoated, 33-up	8.5 x 11	Labels		S	S	S	S	S	S	S	S

Environmental conditions may require that coated paper be fed one sheet at a time through (Bypass). Relative Humidity greater than 40% could cause misfeeds or multifeeds

Only to top tray on BR Finisher

**Notes:** Machine reliability specifications may be affected by increased usage of Cardstock and Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock and Glossy Cardstock modes or special application media types for long duration copy/print runs. Environmental conditions may require that Glossy papers be fed one sheet at a time through Bypass. Relative humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher. High area coverage jobs on glossy or coated media may cause Exit 2 Sensor Off Jam (77-105). If this occurs, change output destination to Center Tray Lower.

**The BR Office Ready Finisher is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):**  
 50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)  
 Booklets: 60-300 gsm for non-glossy, up to 220 gsm for glossy  
 Bi-Fold: 60-220gsm

**The Office Finisher LX is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):** 50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

[www.domtar.com](http://www.domtar.com)  
[www.xeroxpaperUSA.com](http://www.xeroxpaperUSA.com)  
[www.xeroxpaper.ca](http://www.xeroxpaper.ca)