

Recommended Xerox Media for Phaser 7760DN, 7760GX, and 7760DX (USA and Canada)

For use in the US and Canada

Revision 4.0, Publish Date: January, 2010

Important Notes:

All media are listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.

*Machine reliability specifications may be affected by increased usage of the Transparency, Extra Thick Card/Index, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.

© 2009 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



| | |
|--|---|
| Plain  Heavy Plain  Thin Card/Index  Thick Card/Index  Extra Thick Card/Index  Thin Glossy Card Stock  Thick Glossy Card Stock  Label  Transparency  | January, 2010 Phaser 7760DN, 7760GX, and 7760DX |
|--|---|

| | |
|--|---|
| A=Auto Duplex M=Manual Duplex S=Simplex Only |  |
|--|---|

| Paper | Paper Type | Weight | Re-Order # | Type | Size | Trays | | | | | Additional Information |
|---|-------------------|-----------------------|------------|--------|----------------------|-------|---|---|---|---|------------------------|
| | | | | | | 1/MPT | 2 | 3 | 4 | 5 | |
| Color Xpressions Select | Plain | 90gsm 24lb Bond | 3R11540 | 3-hole | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11541 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11542 | | 8.5 x 14 | A | A | A | A | A | |
| | | | 3R11543 | | 17 x 11 | A | A | A | A | A | |
| Color Xpressions Elite | Heavy Plain | 105gsm 28lb Bond | 3R11760 | 3-hole | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11761 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11762 | | 17 x 11 | A | A | A | A | A | |
| | Thin Card/ Index | 120gsm/ 32lb Bond | 3R11764 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11765 | | 17 x 11 | A | A | A | A | A | |
| | | | 3R11766 | | 18 x 12 | M | | | | | |
| | Thin Card/ Index | 163gsm/ 60lb Cover | 3R11767 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11768 | | 17 x 11 | A | A | A | A | A | |
| | | | 3R11769 | | 18 x 12 | M | | | | | |
| | Thick Card/ Index | 216gsm/ 80lb Cover | 3R11770 | | 8.5 x 11 | M | M | M | M | M | |
| | | | 3R11771 | | 17 x 11 | M | M | M | M | M | |
| | | | 3R11772 | | 18 x 12 | M | | | | | |
| Color Xpressions Planet 20 | Heavy Plain | 105gsm 28lb Bond | 3R11800 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11801 | | 17 x 11 | A | A | A | A | A | |
| | | | 3R11802 | | 18 x 12 | M | | | | | |
| | Thick Card/ Index | 176gsm/ 65lb Cover | 3R11803 | | 8.5 x 11 | M | M | M | M | M | |
| | | | 3R11804 | | 17 x 11 | M | M | M | M | M | |
| | | | 3R11805 | | 18 x 12 | M | | | | | |
| | Thick Card/ Index | 216gsm/ 80lb Cover | 3R11806 | | 8.5 x 11 | M | M | M | M | M | |
| | | | 3R11807 | | 17 x 11 | M | M | M | M | M | |
| | | | 3R11808 | | 18 x 12 | M | | | | | |
| Planet 30 Cream White and Warm White | Heavy Plain | 105gsm 28lb Bond | 3R11820 | | Cream White 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11821 | | Cream White 17 x 11 | A | A | A | A | A | |
| | | | 3R11822 | | Cream White 18 x 12 | M | | | | | |
| | Heavy Plain | 105gsm 28lb Bond | 3R11823 | | Warm White 8.5 x 11 | A | A | A | A | A | |
| | | | 3R11824 | | Warm White 17 x 11 | A | A | A | A | A | |
| | | | 3R11825 | | Warm White 18 x 12 | M | | | | | |
| | Thick Card/ Index | 216gsm/ 80lb Cover | 3R11826 | | Cream White 8.5 x 11 | M | M | M | M | M | |
| | | | 3R11827 | | Cream White 17 x 11 | M | M | M | M | M | |
| | | | 3R11828 | | Cream White 18 x 12 | M | | | | | |
| | Thick Card/ Index | 216gsm/ 80lb Cover | 3R11829 | | Warm White 8.5 x 11 | M | M | M | M | M | |
| | | | 3R11830 | | Warm White 17 x 11 | M | M | M | M | M | |
| | | | 3R11831 | | Warm White 18 x 12 | M | | | | | |

Plain Heavy Plain
 Thin Card/Index Thick Card/Index Extra Thick Card/Index
 Thin Glossy Card Stock Thick Glossy Card Stock
 Label Transparency

January, 2010
**Phaser 7760DN, 7760GX,
and 7760DX**

A=Auto Duplex
 M=Manual Duplex
 S=Simplex Only



| Paper | Paper Type | Weight | Re-Order # | Type | Size | Trays | | | | | Additional Information |
|--------------------------------|-------------------------|-----------------------|------------|----------|----------|-------|---|---|---|---|--|
| | | | | | | 1/MPT | 2 | 3 | 4 | 5 | |
| Digital Color Elite Gloss | Thin Glossy Card Stock | 120gsm/ 80lb Text | 3R11450 | | 8.5 x 11 | A | A | A | A | A | Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R11451 | | 17 x 11 | A | A | A | A | A | |
| | | | 3R11452 | | 18 x 12 | M | | | | | |
| | Thin Glossy Card Stock | 140gsm/ 100lb Text | 3R11454 | 8.5 x 11 | A | A | A | A | A | | |
| | | | 3R11455 | 17 x 11 | A | A | A | A | A | | |
| | | | 3R11456 | 18 x 12 | M | | | | | | |
| Thick Glossy Card Stock | 210gsm/ 80lb Cover | 3R11458 | 8.5 x 11 | M | M | M | M | M | | | |
| | | 3R11459 | 17 x 11 | M | M | M | M | M | | | |
| | | 3R11460 | 18 x 12 | M | | | | | | | |
| Digital Color Elite Silk | Thin Glossy Card Stock | 120gsm/ 80lb Text | 3R11470 | | 8.5 x 11 | A | A | A | A | A | Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R11471 | | 17 x 11 | A | A | A | A | A | |
| | | | 3R11472 | | 18 x 12 | M | | | | | |
| | Thin Glossy Card Stock | 140gsm/ 100lb Text | 3R11474 | 8.5 x 11 | A | A | A | A | A | | |
| | | | 3R11475 | 17 x 11 | A | A | A | A | A | | |
| | | | 3R11476 | 18 x 12 | M | | | | | | |
| Thick Glossy Card Stock | 210gsm/ 80lb Cover | 3R11478 | 8.5 x 11 | M | M | M | M | M | | | |
| | | 3R11479 | 17 x 11 | M | M | M | M | M | | | |
| | | 3R11480 | 18 x 12 | M | | | | | | | |
| Digital Color Supreme Gloss | Thick Glossy Card Stock | 184gsm/ 8pt | 3R11790 | | 8.5 x 11 | M | M | M | M | M | Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R11791 | | 17 x 11 | M | M | M | M | M | |
| | | | 3R11792 | | 18 x 12 | M | | | | | |
| | Thick Glossy Card Stock | 219gsm/ 10pt | 3R11793 | 8.5 x 11 | M | M | M | M | M | | |
| | | | 3R11794 | 17 x 11 | M | M | M | M | M | | |
| | | | 3R11795 | 18 x 12 | M | | | | | | |
| Extra Thick Card/Index | 247gsm/ 12pt | 3R11797 | 8.5 x 11 | M | | | | | | | |
| | | 3R11798 | 17 x 11 | M | | | | | | | |
| | | 3R11799 | 18 x 12 | M | | | | | | | |
| Digital Color Trifold Brochure | Thick Glossy Card Stock | 184gsm/ 8pt | 3R6348 | | 8.5 x 11 | M | M | M | M | M | Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | Thin Card/Index | 120 gsm/ 32lb Bond | 3R12310 | | 8.5 x 11 | A | A | A | A | A | |
| Business 4200 | Plain | 75gsm/ 20lb Bond | 3R2047 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R2641 | | 8.5 x 11 | A | A | A | A | A | |
| | | | 3R2051 | | 8.5 x 14 | A | A | A | A | A | |
| | 3R3761 | 17 x 11 | A | A | A | A | A | | | | |
| | Plain | 90gsm 24lb Bond | 3R2531 | 8.5 x 11 | A | A | A | A | A | | |
| | | | 3R3317 | 8.5 x 11 | A | A | A | A | A | | |
| 3R3871 | | | 17 x 11 | A | A | A | A | A | | | |
| Heavy Plain | 105gsm 28lb Bond | 3R3873 | | 17 x 11 | A | A | A | A | A | | |

Digital Color Premium Business Cards

DuraDocument Paper

DuraPaper

| | |
|--|--|
| Plain  Heavy Plain  Thin Card/Index  Thick Card/Index  Extra Thick Card/Index  Thin Glossy Card Stock  Thick Glossy Card Stock  Label  Transparency  | January, 2010 Phaser 7760DN, 7760GX, and 7760DX |
|--|--|

| |
|--|
| A=Auto Duplex M=Manual Duplex S=Simplex Only |
|--|



| Paper | Paper Type | Weight | Re-Order # | Type | Size | Trays | | | | | Additional Information |
|---------------------------------------|--------------|--------|------------|--------|----------|-------|---|---|---|---|--|
| | | | | | | 1/MPT | 2 | 3 | 4 | 5 | |
| Digital Color Xpressions Gloss Labels | Label | | 3R5770 | 1-up | 8.5 x 11 | S | | | | | Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R5771 | 4-up | 8.5 x 11 | S | | | | | |
| | | | 3R6322 | CD Rom | 8.5 x 11 | S | | | | | |
| Digital Color Xpressions Matte Labels | Label | | 3R5772 | 1-up | 8.5 x 11 | S | | | | | Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints. |
| | | | 3R5773 | 4-up | 8.5 x 11 | S | | | | | |
| | | | 3R6332 | 10-up | 8.5 x 11 | S | | | | | |
| | | | 3R6333 | 30-up | 8.5 x 11 | S | | | | | |
| | | | 3R6330 | CD Rom | 8.5 x 11 | S | | | | | |
| Plain Paper Labels | Label | | 3R12050 | 33-up | 8.5 x 11 | S | | | | | |
| | | | 3R12051 | 30-up | 8.5 x 11 | S | | | | | |
| | | | 3R12052 | 24-up | 8.5 x 11 | S | | | | | |
| | | | 3R12056 | 8-up | 8.5 x 11 | S | | | | | |
| | | | 3R12057 | 1-up | 8.5 x 11 | S | | | | | |
| Xerox Transparencies | Transparency | | 3R3108 | | 8.5 x 11 | S | S | | | | It is not recommended to output more than 20 transparencies at a time. |
| | Transparency | | 3R12505 | | 8.5 x 11 | S | S | | | | It is not recommended to output more than 20 transparencies at a time. |

WARRANTY DISCLAIMER
 Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best—Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Francais).

© 2009 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

