

## Recommended Xerox Media for Phaser 8860 Printer and 8860 MFP (USA and Canada)

For use in the US and Canada

Revision 3.0, January, 2010

### Important Notes:

All media are listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests\* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

\*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%.

\*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to [www.Xerox.com](http://www.Xerox.com).

© 2009 Xerox Corporation. All rights reserved.

xerox®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Plain/Bond/Recycled (64-105gsm)   
 Card Stock (120 -216 gsm)   
 Special   
 Label   
 Transparency

**Phaser 8860 Printer & 8860MFP  
 North American RML  
 January, 2010**

A=Auto Duplex  
 M=Manual Duplex  
 S=Simplex Only



\* Except for Transparency the front Panel setting primarily identifies for the driver what media is loaded in the tray. Print quality and speeds between these modes will be similar.

| Paper                                   | Paper Type* | Weight                | Re-Order # | Type          | Size     | Trays |   |   |   | Additional Information   |
|---|-------------|-----------------------|------------|---------------|----------|-------|---|---|---|--|
|   |             |                       |            |               |          | 1/MPT | 2 | 3 | 4 |  |
| Color Xpressions Select                 | Plain       | 90gsm<br>24lb Bond    | 3R11540    | 3-hole        | 8.5 x 11 | A     | A | A | A | Do not print over the pre-punched holes in the media. Load in Tray 2 with holes on the right side of the tray. |
|   |             |                       | 3R11541    |               | 8.5 x 11 | A     | A | A | A |  |
|   |             |                       | 3R11542    |               | 8.5 x 14 | A     | A | A | A |  |
| Color Xpressions Elite                  | Plain       | 105gsm<br>28lb Bond   | 3R11760    |               | 8.5 x 11 | A     | A | A | A |  |
|   | Card Stock  | 120gsm/<br>32lb Bond  | 3R11764    |               | 8.5 x 11 | A     | A | A | A |  |
|   | Card Stock  | 163gsm/<br>60lb Cover | 3R11767    |               | 8.5 x 11 | M     | M | M | M |  |
|   | Card Stock  | 216gsm/<br>80lb Cover | 3R11770    |               | 8.5 x 11 | M     |   |   |   |  |
| Color Xpressions Planet 20              | Plain       | 105gsm/<br>28lb Bond  | 3R11800    |               | 8.5 x 11 | A     | A | A | A |  |
|   | Card Stock  | 176gsm/<br>65lb Cover | 3R11803    |               | 8.5 x 11 | M     |   |   |   |  |
|   | Card Stock  | 216gsm/<br>80lb Cover | 3R11806    |               | 8.5 x 11 | M     |   |   |   |  |
| Planet 30<br>Cream White and Warm White | Card Stock  | 105gsm/<br>28lb Bond  | 3R11820    | Cream White   | 8.5 x 11 | A     | A | A | A |  |
|   |             | 105gsm/<br>28lb Bond  | 3R11823    | Warm White    | 8.5 x 11 | A     | A | A | A |  |
|   | Card Stock  | 216gsm/<br>80lb Cover | 3R11826    | Cream White   | 8.5 x 11 | M     |   |   |   |  |
|   |             | 216gsm/<br>80lb Cover | 3R11829    | Warm White    | 8.5 x 11 | M     |   |   |   |  |
| Color Xpressions Planet 100             | Card Stock  | 105gsm<br>28lb Bond   | 3R11815    |               | 8.5 x 11 | A     | A | A | A |  |
| Business Plus                           | Plain       | 75gsm/<br>20lb Bond   | 3R11600    |               | 8.5 x 11 | A     | A | A | A |  |
|   | Plain       | 90gsm<br>24lb Bond    | 3R11604    | Junior Carton | 8.5 x 11 | A     | A | A | A |  |
| Digital Publishing Paper                | Plain       | 68 gsm/<br>18lb Bond  | 3R5670     |               | 8.5 x 11 | A     | A | A | A |  |
|   | Plain       | 75gsm/<br>20lb Bond   | 3R5664     |               | 8.5 x 11 | A     | A | A | A |  |
|   | Plain       | 90gsm<br>24lb Bond    | 3R5667     |               | 8.5 x 11 | A     | A | A | A |  |

Plain/Bond/Recycled (64-105gsm)   
 Card Stock (120 -216 gsm)   
 Special   
 Label   
 Transparency

**Phaser 8860 Printer & 8860MFP  
 North American RML  
 January, 2010**

A=Auto Duplex  
 M=Manual Duplex  
 S=Simplex Only



\* Except for Transparency the front Panel setting primarily identifies for the driver what media is loaded in the tray. Print quality and speeds between these modes will be similar.

| Paper                             | Paper Type* | Weight                | Re-Order # | Type                  | Size     | Trays |   |   |   | Additional Information  |
|-----------------------------------|-------------|-----------------------|------------|-----------------------|----------|-------|---|---|---|---|
|                                   |             |                       |            |                       |          | 1/MPT | 2 | 3 | 4 |   |
| Business 4200                     | Plain       | 75gsm/<br>20lb Bond   | 3R2047     |                       | 8.5 x 11 | A     | A | A | A | Do not print over the pre-punched holes in the media. Load in Tray 2 with holes on the right side of the tray.  |
|                                   |             |                       | 3R2641     | 3-hole                | 8.5 x 11 | A     | A | A | A |   |
|                                   |             |                       | 3R2051     |                       | 8.5 x 14 | A     | A | A | A |   |
|                                   | Plain       | 90gsm<br>24lb Bond    | 3R2531     |                       | 8.5 x 11 | A     | A | A | A | Do not print over the pre-punched holes in the media. Load in Tray 2 with holes on the right side of the tray.  |
|                                   |             |                       | 3R3317     | 3-hole                | 8.5 x 11 | A     | A | A | A |   |
| Business 4200 Perforated Paper    | Plain       | 75gsm/<br>20lb Bond   | 3R12166    | Horizontal Perforated | 8.5 x 11 | A     | A | A | A | Horizontal Perforated Media may feed at a lower rate than the base media sheet without perfs.   |
|                                   |             |                       | 3R5126     | Horizontal Perforated | 8.5 x 11 | A     | A | A | A |   |
|                                   |             |                       | 3R5125     | Horizontal Perforated | 8.5 x 11 | A     | A | A | A |   |
|                                   |             |                       | 3R4175     | Vertical Perforated   | 8.5 x 11 | A     | A | A | A |   |
|                                   | Plain       | 90gsm<br>24lb Bond    | 3R4900     | Horizontal Perforated | 8.5 x 11 | A     | A | A | A | Horizontal Perforated Media may feed at a lower rate than the base media sheet without perfs.   |
|                                   |             |                       | 3R4901     | Horizontal Perforated | 8.5 x 11 | A     | A | A | A |   |
| Business 4200 Security/Checkstock | Plain       | 90gsm<br>24lb Bond    | 3R5431     | Blue                  | 8.5 x 11 | A     | A | A | A | Horizontal Perforated Media may feed at a lower rate than the base media sheet without perfs.   |
|                                   |             |                       | 3R5430     | Green                 | 8.5 x 11 | A     | A | A | A |   |
| Xerox Business Recycled           | Plain       | 75gsm/<br>20lb Bond   | 3R6296     |                       | 8.5 x 11 | A     | A | A | A | Do not print over the pre-punched holes in the media. Load in Tray 2 with holes on the right side of the tray.  |
|                                   |             |                       | 3R6297     | 3-hole                | 8.5 x 11 | A     | A | A | A |   |
|                                   |             |                       | 3R6298     |                       | 8.5 x 14 | A     | A | A | A |   |
| Xerox Carbonless Paper            | Plain       | 80gsm                 | 3R12420    | 2pt w/c               | 8.5 x 11 |       | A | A | A | For occasional use at typical office environments - Best handling for Carbonless will be from Tray 2. Visible pick marks on the media is expected. Additional image quality defects may be caused by exclusive long term running of this media. This media is also susceptible to a low level of misfeeds, which will cause the media to be out of order. |
|                                   |             |                       | 3R12421    | 2pt w/p               | 8.5 x 11 |       | A | A | A |   |
|                                   |             |                       | 3R12425    | 3pt w/c/p             | 8.5 x 11 |       | A | A | A |   |
| Xerox Multipurpose White Index    | Card Stock  | 163gsm/<br>90lb Index | 3R11747    |                       | 8.5 x 11 | M     |   |   |   |   |
| 10 up Professional Business Cards | Card Stock  | 225gsm                | 3R12506    |                       | 8.5 x 11 | S     | S |   |   | For occasional use at typical office environments   |
| DuraDocument Paper                | Special     | 100gsm/<br>27lb Bond  | 3R12314    |                       | 8.5 x 11 | A     | A | A | A |   |

Plain/Bond/Recycled (64-105gsm)   
 Card Stock (120 -216 gsm)   
 Special   
 Label   
 Transparency

**Phaser 8860 Printer & 8860MFP  
 North American RML  
 January, 2010**

A=Auto Duplex  
 M=Manual Duplex  
 S=Simplex Only



\* Except for Transparency the front Panel setting primarily identifies for the driver what media is loaded in the tray. Print quality and speeds between these modes will be similar.

| Paper                     | Paper Type*  | Weight | Re-Order # | Type  | Size     | Trays |   |   |   | Additional Information  |
|---------------------------|--------------|--------|------------|-------|----------|-------|---|---|---|---|
|                           |              |        |            |       |          | 1/MPT | 2 | 3 | 4 |   |
| Plain Paper Labels        | Label        |        | 3R12050    | 33 up | 8.5 x 11 | S     | S |   |   |   |
|                           |              |        | 3R12051    | 30 up | 8.5 x 11 | S     | S |   |   |   |
|                           |              |        | 3R12052    | 24 up | 8.5 x 11 | S     | S |   |   |   |
|                           |              |        | 3R12053    | 20 up | 8.5 x 11 | S     | S |   |   |   |
|                           |              |        | 3R12054    | 14 up | 8.5 x 11 | S     | S |   |   |   |
|                           |              |        | 3R12055    | 10 up | 8.5 x 11 | S     | S |   |   |   |
|                           |              |        | 3R12056    | 8 up  | 8.5 x 12 | S     | S |   |   |   |
|                           | 3R12057      | 1 up   | 8.5 x 13   | S     | S        |       |   |   |   |   |
|                           | Label        |        | 3R4476     | 1-up  | 8.5 x 11 | S     | S | S | S |   |
|                           |              |        | 3R3146     | 6-up  | 8.5 x 11 | S     | S | S | S |   |
|                           |              |        | 3R4475     | 8-up  | 8.5 x 11 | S     | S | S | S |   |
|                           |              |        | 3R5719     | 14-up | 8.5 x 11 | S     | S | S | S |   |
|                           |              |        | 3R4474     | 24-up | 8.5 x 11 | S     | S | S | S |   |
|                           |              |        | 3R3139     | 33-up | 8.5 x 11 | S     | S | S | S |   |
| Professional Transparency | Transparency |        | 3R12505    |       | 8.5 x 11 | S     | S | S | S | This transparency may be imaged on either side. Use Transparency selection in driver or tray to guarantee best results. |

**WARRANTY DISCLAIMER**  
 Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best-Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199(English) or 1-800-668-0133 (Francais).

© 2009 Xerox Corporation. All rights reserved.

xerox®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.