

Recommended Xerox Media for ColorQube 8700 and 8900 Color Multifunction Printers (USA and Canada)

For use in the US and Canada

Publish Date: April 3, 2012

Important Notes:

All media are listed by product, paper type, paper settings, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.







*Machine reliability specifications may be affected by increased usage of Card stocks, Glossy papers, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

© 2009 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Plain/Bond/Recycled (64-120gsm) 
 Light Weight Card Stock (>120 - 160 gsm) 
 Card Stock (>160 gsm) 
 Special 
 Label 
 Transparency 


* Paper Type corresponds to suggested Front Panel mode.

ColorQube 8700 & 8900
Color Multifunction Printers
North American
Recommended Media List
April 2012

A = Auto Duplex
 M = Manual Duplex
 S = Simplex Only
 ICT = Internal Catch Tray



Paper	Paper Type*	Weight	Re-Order #	Type	Size	Order Page	Trays					Finisher & Stapling Support	Additional Information	
							1/MPT	2	3	4	5			HCF
Xerox Color Xpressions Select	Plain	90gsm 24lb Bond	3R11540	3-hole	8.5 x 11	Select to Order: 3R11540	A	A	A	A	A	A	Y	Do not print over the pre-punched holes in the media. Load trays with holes on the right side of the tray.
	Plain / Hole Punched		3R11541		8.5 x 11	Select to Order: 3R11541	A	A	A	A	A	A	Y	
	Plain		3R11542		8.5 x 14	Select to Order: 3R11542	A	A	A	A	A	A	Y	
Xerox Color Xpressions Elite	Plain	105gsm/ 28lb Bond	3R11760		8.5 x 11	Select to Order: 3R11760	A	A	A	A	A	A	Y	
		120gsm/ 32lb Bond	3R11764		8.5 x 11	Select to Order: 3R11764	A	A	A	A	A	A	Y	
	LW Card Stock	160gsm/ 60lb Cover	3R11767	8.5 x 11	Select to Order: 3R11767	M	M	M	M	M	N	Y		
	Card Stock	216gsm/ 80lb Cover	3R11770	8.5 x 11	Select to Order: 3R11770	M	M	M	M	M	N	No Staple		
Xerox Multipurpose	Plain	75gsm/ 20lb Bond	3R11029		8.5 x 11	Select to Order: 3R11029	A	A	A	A	A	A	Y	Do not print over the pre-punched holes in the media. Load trays with holes on the right side of the tray.
Digital Publishing Paper 96 Bright	Plain	75gsm/ 20lb Bond	3R11753		8.5 x 11	Select to Order: 3R11753	A	A	A	A	A	A	Y	
		90gsm 24lb Bond	3R11755	8.5 x 11	Select to Order: 3R11755	A	A	A	A	A	A	Y		
Xerox Business 4200*	Plain	75gsm/ 20lb Bond	3R2047	3-hole	8.5 x 11	Select to Order: 3R2047	A	A	A	A	A	A	Y	Do not print over the pre-punched holes in the media. Load trays with holes on the right side of the tray.
	Plain / Hole Punched		3R2641		8.5 x 11	Select to Order: 3R2641	A	A	A	A	A	A	Y	
	Plain		3R2051		8.5 x 14	Select to Order: 3R2051	A	A	A		A	A	Y	
	Plain / Hole Punched	90gsm 24lb Bond	3R2531	3-hole	8.5 x 11	Select to Order: 3R2531	A	A	A	A	A	A	Y	Do not print over the pre-punched holes in the media. Load trays with holes on the right side of the tray.
			3R3317		8.5 x 11	Select to Order: 3R3317	A	A	A	A	A	A	Y	
	Plain	105gsm/ 28lb Bond	3R2353		8.5 x 11	Select to Order: 3R2353	A	A	A	A	A	A	Y	
Xerox Business 4200 PMP	Plain	75gsm/ 20lb Bond	3R5126	Horizontal 3-2/3" Perf. Perforated	8.5 x 11	Select to Order: 3R5126	A	A	A	A	A	A	Y	
			3R5125	Horizontal 3-1/2" Perf. Perforated	8.5 x 11	Select to Order: 3R5125	A	A	A	A	A	A	Y	
			3R4175	Vertical 1/2" Perf. Perforated	8.5 x 11	Select to Order: 3R4175	A	A	A	A	A	A	Y	
			3R12166	Horizontal 5.5" Perf. Perforated	8.5 x 11	Select to Order: 3R12166	A	A	A	A	A	A	Y	
	Plain	90gsm 24lb Bond	3R4900	Horizontal 3-1/2" Perf. Perforated	8.5 x 11	Select to Order: 3R4900	A	A	A	A	A	A	Y	
			3R4901	Horizontal 3-2/3" Perf. Perforated	8.5 x 11	Select to Order: 3R4901	A	A	A	A	A	A	Y	
Xerox Business 4200 (Security) PMP	Plain	90gsm 24lb Bond	3R5430	Green Chk. Stock	8.5 x 11	Select to Order: 3R5430	A	A	A	A	A	A	Y	
			3R5431	Blue Chk. Stock	8.5 x 11	Select to Order: 3R5431	A	A	A	A	A	A	Y	
Xerox Business Recycled	Plain	75gsm/ 20lb Bond	3R6296	3-hole	8.5 x 11	Select to Order: 3R6296	A	A	A	A	A	A	Y	Do not print over the pre-punched holes in the media. Load trays with holes on the right side of the tray.
	Plain / Hole Punched		3R6297		8.5 x 11	Select to Order: 3R6297	A	A	A	A	A	A	Y	
	Plain		3R6298		8.5 x 14	Select to Order: 3R6298	A	A	A	A	A	A	Y	

Plain/Bond/Recycled (64-120gsm) Light Weight Card Stock (>120 - 160 gsm) Card Stock (>160 gsm) Special Label Transparency			* Paper Type corresponds to suggested Front Panel mode.				ColorQube 8700 & 8900 Color Multifunction Printers North American Recommended Media List April 2012			A = Auto Duplex M = Manual Duplex S = Simplex Only ICT = Internal Catch Tray							
Paper	Paper Type*	Weight	Re-Order #	Type	Size	Order Page	Trays						Finisher & Stapling Support	Additional Information			
							1/MPT	2	3	4	5	HCF					
Xerox Carbonless Paper	Plain	80gsm	3R12420	2pt w/c	8.5 x 11	Select to Order. 3R12420	S	S	S	S	S	S	Y	Ream edge arrow points to print side. Load with print side up in trays 2-5 and print side down in Tray1. Note: Slight pick roller marking is normal for this kind of media.			
			3R12421	2pt w/p	8.5 x 11	Select to Order. 3R12421	S	S	S	S	S	S	Y				
			3R12425	3pt w/c/p	8.5 x 11	Select to Order. 3R12425	S	S	S	S	S	S	Y				
Color Xpressions Planet 20 - FSC Certified	Plain	105gsm/ 28lb Bond	3R11800		8.5 x 11	Select to Order. 3R11800	A	A	A	A	A	A	Y				
	Card Stock	176gsm/ 65lb Cover	3R11803		8.5 x 11	Select to Order. 3R11803	M	M	M	M	M	N	Y				
	Card Stock	216gsm/ 80lb Cover	3R11806		8.5 x 11	Select to Order. 3R11806	M	M	M	M	M	N	No Staple				
Color Xpressions Planet 100 - FSC Certified	Plain	105gsm/ 28lb Bond	3R11815		8.5 x 11	Select to Order. 3R11815	A	A	A	A	A	A	Y				
Plain Paper Labels (100 qty)	Label	~ 7 mil	3R12050	33 up	8.5 x 11	Select to Order. 3R12050	S	S	S	S	S	N	Y				
			3R12051	30 up	8.5 x 11	Select to Order. 3R12051	S	S	S	S	S	N	Y				
			3R12052	24 up	8.5 x 11	Select to Order. 3R12052	S	S	S	S	S	N	Y				
			3R12053	20 up	8.5 x 11	Select to Order. 3R12053	S	S	S	S	S	N	Y				
			3R12054	14 up	8.5 x 11	Select to Order. 3R12054	S	S	S	S	S	N	Y				
			3R12055	10 up	8.5 x 11	Select to Order. 3R12055	S	S	S	S	S	N	Y				
			3R12056	8 up	8.5 x 11	Select to Order. 3R12056	S	S	S	S	S	N	Y				
3R12057	1 up	8.5 x 11	Select to Order. 3R12057	S	S	S	S	S	N	Y							
Xerox Color Printer Clear Transparency	Transparency	4 mil	3R12505	Clear / No Paper Backing	8.5 x 11	Select to Order. 3R12505	S	N	N	N	N	N	ICT	Select transparency mode for best results			

WARRANTY DISCLAIMER
 Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best-Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Français).

© 2009 Xerox Corporation. All rights reserved.
 XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.