

Recommended Xerox Media for North America

ColorQube 9201 / 9202 / 9203

ColorQube 9301 / 9302 / 9303

For use in the US and Canada

Publish date: May, 2011

Important Notes:

All media are listed by product, front panel selection mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.








*Machine reliability specifications may be affected by increased usage of the Transparency, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

© 2008 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Plain 	Recycled 	Glossy 
Heavy 	Pre-punched 	Transparency 
Extra Heavy 	Pre-cut Tabs 	Label 

**ColorQube 9201/9202/9203
ColorQube 9301/9302/9303
Recommended Media List
North America
May 2011**

A = Auto Duplex
S = Simplex Only
N/P = Non-Printing
SEF = Short Edge Feed
LEF = Long Edge Feed



Trays









Trays

Additional Information Note: Tray 5
/PFP Normal Config. & Options)
Normal configuration:
A4 LEF and Letter LEF sizes.
Upgrade kits:
Option 1 - Legal/Letter/A4 SEF
Option 2 - Tabloid/Letter/A3 SEF, A4 LEF

Paper	Front Panel Selection	Weight	Re-Order # (Click to link to order page)	Type	Size	1	2	3	4/MSI	5/PFP
-------	-----------------------	--------	---	------	------	---	---	---	-------	-------

Uncoated Papers

Color Xpressions Select	Plain	90gsm 24lb Bond	3R11540		8.5 x 11	A	A	A	A	A	* Handled with Option 2 enabled only ** Handled with Option 1 enabled only Avoid printing over prepunched holes
	Pre-punched		3R11541	Pre-punched	8.5 x 11	A	A	A	A	A	
	Plain		3R11542		8.5 x 14	A	A		A	A*	
	Plain		3R11543		17 x 11	A	A		A	A**	
Color Xpressions Elite	Plain	105gsm 28lb Bond	3R11760		8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only Avoid printing over prepunched holes
	Pre-punched		3R11761	Pre-punched	8.5 x 11	A	A	A	A	A	
	Plain		3R11762		17 x 11	A	A		A	A**	
		Plain		3R11763		18 x 12			A		
	Heavy	120gsm/ 32lb Bond	3R11764		8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only
			3R11765		17 x 11	A	A		A	A**	
			3R11766		18 x 12				A		
	Heavy	163gsm/ 60lb Cover	3R11767		8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only
			3R11768		17 x 11	A	A		A	A**	
			3R11769		18 x 12				A		
Extra Heavy	216gsm/ 80lb Cover	3R11770		8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only In general - best handling from trays 1,2,4 & 5	
		3R11771		17 x 11	A	A		A	A**		
		3R11772		18 x 12				A			
Color Xpressions Planet 20	Recycled	105gsm 28lb Bond	3R11800	20% PCRC	8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only
			3R11801	20% PCRC	17 x 11	A	A		A	A**	
			3R11802	20% PCRC	18 x 12				A		
	Heavy	176gsm/ 65lb Cover	3R11803	20% PCRC	8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only
			3R11804	20% PCRC	17 x 11	A	A		A	A**	
			3R11805	20% PCRC	18 x 12				A		
Extra Heavy	216gsm/ 80lb Cover	3R11806	20% PCRC	8.5 x 11	A	A	A	A	A	Deliver output to top tray only for 18 x 12 paper size ** Handled with Option 1 enabled only	
		3R11807	20% PCRC	17 x 11	A	A		A	A**		
		3R11808	20% PCRC	18 x 12				A			
Color Xpressions Planet 100	Recycled	105gsm 28lb Bond	3R11815	100% PCRC	8.5 x 11	A	A	A	A	A	
Digital Publishing Paper	Plain	75gsm 20lb Bond	3R11753		8.5 x 11	A	A	A	A	A	** Handled with Option 1 enabled only
		90gsm 24lb Bond	3R11755		17 x 11	A	A		A	A**	** Handled with Option 1 enabled only

Plain  Recycled  Glossy 
 Heavy  Pre-punched  Transparency 
 Extra Heavy  Pre-cut Tabs  Label 

**ColorQube 9201/9202/9203
 ColorQube 9301/9302/9303
 Recommended Media List
 North America
 May 2011**

A = Auto Duplex
 S = Simplex Only
 N/P = Non-Printing
 SEF = Short Edge Feed
 LEF = Long Edge Feed



Trays

Trays

Additional Information Note: Tray 5
 /PPF Normal Config. & Options)
 Normal configuration:
 A4 LEF and Letter LEF sizes.
 Upgrade kits:
 Option 1 - Legal/Letter/A4 SEF
 Option 2 - Tabloid/Letter/A3 SEF, A4 LEF

Paper	Front Panel Selection	Weight	Re-Order # (Click to link to order page)	Type	Size	1	2	3	4/MSI	5/PPF
-------	-----------------------	--------	---	------	------	---	---	---	-------	-------

Environmental Papers

FSC Certified Business 4200	Plain	75gsm 20lb Bond	3R11750		8.5 x 11	A	A	A	A	A
Business Recycled	Recycled	75gsm 20lb Bond	3R6296	30% PCRC	8.5 x 11	A	A	A	A	A
			3R6297	Pre-punched	8.5 x 11	A	A	A	A	A
			3R6298	30% PCRC	8.5 x 14	A	A		A	A*
			3R6299	30% PCRC	17 x 11	A	A		A	A**
Xerox 100% Recycled Bond paper	Recycled	75gsm 20lb Bond	3R11376	100% PCRC	8.5 x 11	A	A	A	A	A

* Handled with Option 2 enabled only
 ** Handled with Option 1 enabled only
 Avoid printing over prepunched holes

Multipurpose Papers

Business 4200	Plain	75gsm 20lb Bond	3R2047		8.5 x 11	A	A	A	A	A
	Pre-punched		3R2641	Pre-punched	8.5 x 11	A	A	A	A	A
	Plain		3R2051		8.5 x 14	A	A		A	A*
			3R3761		17 x 11	A	A		A	A**
	Plain	90gsm 24lb Bond	3R2531		8.5 x 11	A	A	A	A	A
	Pre-punched		3R3317	Pre-punched	8.5 x 11	A	A	A	A	A
Plain	3R3871			17 x 11	A	A		A	A**	
	Plain	105gsm 28lb Bond	3R3873		17 x 11	A	A		A	A**

* Handled with Option 2 enabled only
 ** Handled with Option 1 enabled only
 Avoid printing over prepunched holes

** Handled with Option 1 enabled only
 Avoid printing over prepunched holes

** Handled with Option 1 enabled only

Multipurpose Plus

Multipurpose Plus	Plain	75gsm 20lb Bond	3R11029		8.5 x 11	A	A	A	A	A
-------------------	-------	--------------------	-------------------------	--	----------	---	---	---	---	---




Business 4200 (Security/Checkstock and Perforated)

Business 4200 (Security/Checkstock and Perforated)	Plain	75gsm 20lb Bond	3R4175	1/2" vert. perf	8.5 x 11	A	A	A	A	A
			3R5125	3-1/2" horiz. Perf	8.5 x 11	A	A	A	A	A
			3R5126	3-2/3" horiz. Perf	8.5 x 11	A	A	A	A	A
			3R12166	5-1/2" Horiz. Perf	8.5 x 11	A	A	A	A	A
Business 4200 (Security/Checkstock and Perforated)	Plain	90gsm 24lb Bond	3R5430	Greencheck stock	8.5 x 11	A	A	A	A	A
			3R5431	Blue check stock	8.5 x 11	A	A	A	A	A
			3R5820	W-2 Form	8.5 x 11	A	A	A	A	A
			3R4900	3-1/2" Horiz. Perf	8.5 x 11	A	A	A	A	A
			3R4901	3-2/3" Horiz. Perf	8.5 x 11	A	A	A	A	A

Carbonless Papers

Premium Digital Carbonless Paper	Plain	75gsm 20lb Bond	3R12420	W/C 2 part straight/reverse	8.5 x 11	S	S	S	S	
	Plain	75gsm 20lb Bond	3R12421	W/P 2 part straight/reverse	8.5 x 11	S	S	S	S	
	Plain	75gsm 20lb Bond	3R12425	W/C/P 3 part straight	8.5 x 11	S	S	S	S	

For limited or occasional use. Assure proper loading in accordance with arrows on ream indicating print side. Best handling limited to MSI (tray 4) and OCT/Top Tray.

Plain 	Recycled 	Glossy 
Heavy 	Pre-punched 	Transparency 
Extra Heavy 	Pre-cut Tabs 	Label 

**ColorQube 9201/9202/9203
ColorQube 9301/9302/9303
Recommended Media List
North America
May 2011**

A = Auto Duplex
S = Simplex Only
N/P = Non-Printing
SEF = Short Edge Feed
LEF = Long Edge Feed



Paper	Front Panel Selection	Weight	Re-Order # (Click to link to order page)	Type	Size	1	2	3	4/MSI	5/PFP	Trays
<p>Additional Information Note: Tray 5 /PFP Normal Config. & Options) Normal configuration: A4 LEF and Letter LEF sizes. Upgrade kits: Option 1 - Legal/Letter/A4 SEF Option 2 - Tabloid/Letter/A3 SEF, A4 LEF</p>											

Labels

Plain Paper Labels	Label	160gsm	3R12050	33-up	8.5 x 11				S		Best handling limited to MSI (tray 4) and OCT/Top Tray.
			3R12051	30-up	8.5 x 11				S		
			3R12052	24-up	8.5 x 11				S		
			3R12053	20-up	8.5 x 11				S		
			3R12054	14-up	8.5 x 11				S		
			3R12055	10-up	8.5 x 11				S		
			3R12056	8-up	8.5 x 11				S		
			3R12057	1-up	8.5 x 11				S		

Tabs, Dividers & Transparency

Multipurpose Plain Tabs (single reverse)	Pre-cut Tabs	160gsm	3R5713	8 bank	9 x 11				N/P		This is a non-printing media to be used as a separator of print groups. Feed using MSI (tray 4) with non tab edge on the lead edge. DO NOT USE WITH PPI (insertor).
			3R5714	8 bank 3HD	9 x 11				N/P		
			3R4415	5 bank	9 x 11				N/P		
			3R4416	5 bank 3HD	9 x 11				N/P		
			3R5422	3 bank	9 x 11				N/P		
			3R5423	3 bank 3HD	9 x 11				N/P		
			3R5426	4 bank	9 x 11				N/P		
			3R5427	4 bank 3HD	9 x 11				N/P		
Xerox Color Printer Clear Transparency	Transparency	4 mil	3R12505	Clear	8.5 x 12				MSI		For limited or occassional use. MSI preferred. (Paper backed and striped can be used. Select Transparency on FP for best results and follow instructions on feeder.)

WARRANTY DISCLAIMER
Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer.
When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies.
To learn more about the benefits of using Xerox Supplies. please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Francais).

© 2008 Xerox Corporation. All rights reserved.
XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.