

Recommended Media List

Xerox® iGen® 4 Digital Production Press

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® iGen® 4 Digital Production Press for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® iGen® 4 Digital Production Press.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended

Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.

Recommended Media List

General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on iGen®. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit www.xeroxpaperusa.com/resources/recommended-media-list.

Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1-866-814-2401.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

Xerox® iGen® 4 Digital Production Press Guaranteed Media List

| Item Number | Paper & Specialty Media Description | Size | gsm | Sides Coated | Coating Type | Type | Sequence | Color | Thickness (microns) | Cleanup | Finish | Notes |
|---|-------------------------------------|--------------|-----|--------------|--------------|-------|----------|-------|---------------------|---------|---------|---|
| Xerox® Vitality™ Index Paper | | | | | | | | | | | | |
| 3R11747 | 90 lb. Index | 8.5 x 11 | 163 | Uncoated | N/A | Plain | 0 | White | 198 | No | Regular | |
| 3R11748 | 90 lb. Index | 17 x 11 | 163 | Uncoated | N/A | Plain | 0 | White | 198 | No | Regular | |
| 3R11749 | 110 lb. Index | 8.5 x 11 | 199 | Uncoated | N/A | Plain | 0 | White | 241 | No | Regular | |
| Xerox® Bold™ Digital Printing Paper | | | | | | | | | | | | |
| 3R11540 | 24 lb. / 60 lb. Text | 8.5 x 11 | 90 | Uncoated | N/A | Plain | 0 | White | 96 | No | Regular | |
| 3R11541 | 8.5 x 11 3HP | 8.5 x 11 | 90 | Uncoated | N/A | Plain | 0 | White | 96 | No | Regular | |
| 3R11542 | 24 lb. / 60 lb. Text | 8.5 x 14 | 90 | Uncoated | N/A | Plain | 0 | White | 96 | No | Regular | |
| 3R11543 | 24 lb. / 60 lb. Text | 11 x 17 | 90 | Uncoated | N/A | Plain | 0 | White | 96 | No | Regular | |
| 3R11760 | 8.5 x 11 | 8.5 x 11 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R11761 | 28 lb. / 70 lb. Text | 8.5 x 11 3HP | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R20150 | 28 lb. / 70 lb. Text | 8.5 x 14 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R11762 | 28 lb. / 70 lb. Text | 17 x 11 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R11763 | 28 lb. / 70 lb. Text | 18 x 12 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R11764 | 32 lb. / 80 lb. Text | 8.5 x 11 | 120 | Uncoated | N/A | Plain | 0 | White | 128 | No | Regular | |
| 3R11765 | 32 lb. / 80 lb. Text | 17 x 11 | 120 | Uncoated | N/A | Plain | 0 | White | 128 | No | Regular | |
| 3R11766 | 32 lb. / 80 lb. Text | 18 x 12 | 120 | Uncoated | N/A | Plain | 0 | White | 128 | No | Regular | |
| 3R11767 | 60 lb. Cover | 8.5 x 11 | 163 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | |
| 3R11768 | 60 lb. Cover | 17 x 11 | 163 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | |
| 3R11770 | 80 lb. Cover | 8.5 x 11 | 216 | Uncoated | N/A | Plain | 0 | White | 224 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R11771 | 80 lb. Cover | 17 x 11 | 216 | Uncoated | N/A | Plain | 0 | White | 224 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R11772 | 80 lb. Cover | 18 x 12 | 216 | Uncoated | N/A | Plain | 0 | White | 224 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R11774 | 100 lb. Cover | 8.5 x 11 | 270 | Uncoated | N/A | Plain | 0 | White | 273 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R11775 | 100 lb. Cover | 17 x 11 | 270 | Uncoated | N/A | Plain | 0 | White | 273 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R11776 | 100 lb. Cover | 18 x 12 | 270 | Uncoated | N/A | Plain | 0 | White | 273 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| Xerox® Bold™ Digital Printing Paper, 30% Recycled | | | | | | | | | | | | |
| 3R20160 | 28 lb. / 70 lb. Text | 8.5 x 11 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R20161 | 28 lb. / 70 lb. Text | 17 x 11 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R20162 | 28 lb. / 70 lb. Text | 18 x 12 | 105 | Uncoated | N/A | Plain | 0 | White | 109 | No | Regular | |
| 3R20163 | 60 lb. Cover | 8.5 x 11 | 163 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | |
| 3R20164 | 60 lb. Cover | 17 x 11 | 163 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | |
| 3R20165 | 60 lb. Cover | 18 x 12 | 163 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | |
| 3R20166 | 80 lb. Cover | 8.5 x 11 | 216 | Uncoated | N/A | Plain | 0 | White | 224 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R20167 | 80 lb. Cover | 17 x 11 | 216 | Uncoated | N/A | Plain | 0 | White | 224 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R20168 | 80 lb. Cover | 18 x 12 | 216 | Uncoated | N/A | Plain | 0 | White | 224 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R20169 | 100 lb. Cover | 8.5 x 11 | 270 | Uncoated | N/A | Plain | 0 | White | 273 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R20170 | 100 lb. Cover | 17 x 11 | 270 | Uncoated | N/A | Plain | 0 | White | 273 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| 3R20171 | 100 lb. Cover | 18 x 12 | 270 | Uncoated | N/A | Plain | 0 | White | 273 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. |
| Xerox® Bold™ Digital Printing Paper, 100% Recycled | | | | | | | | | | | | |
| 3R11815 | 28 lb. / 70 lb. Text | 8.5 x 11 | 105 | Uncoated | N/A | Plain | 0 | White | 112 | No | Regular | |
| Xerox® Bold™ Coated Gloss Digital Printing Paper | | | | | | | | | | | | |
| 3R11450 | 80 lb. Text | 8.5 x 11 | 120 | C2S | Gloss | Plain | 0 | White | 102 | Yes | Smooth | |
| 3R11451 | 80 lb. Text | 17 x 11 | 120 | C2S | Gloss | Plain | 0 | White | 102 | Yes | Smooth | |
| 3R11452 | 80 lb. Text | 18 x 12 | 120 | C2S | Gloss | Plain | 0 | White | 102 | Yes | Smooth | |
| 3R11443 | 80 lb. Text | 19 x 13 | 121 | C2S | Gloss | Plain | 0 | White | 102 | Yes | Smooth | |

Xerox® iGen® 4 Digital Production Press Guaranteed Media List

| | | | | | | | | | | | |
|---|---------------|--------------|-----|-----|------------|-------|---|-------|-----|-----|--------|
| 3R11454 | 100 lb. Text | 8.5 x 11 | 144 | C2S | Gloss | Plain | 0 | White | 122 | Yes | Smooth |
| 3R11455 | 100 lb. Text | 17 x 11 | 144 | C2S | Gloss | Plain | 0 | White | 122 | Yes | Smooth |
| 3R11456 | 100 lb. Text | 18 x 12 | 144 | C2S | Gloss | Plain | 0 | White | 122 | Yes | Smooth |
| 3R11444 | 100 lb. Text | 19 x 13 | 144 | C2S | Gloss | Plain | 0 | White | 122 | Yes | Smooth |
| 3R11457 | 100 lb. Text | 20.5 x 14.33 | 144 | C2S | Gloss | Plain | 0 | White | 122 | Yes | Smooth |
| 3R11458 | 80 lb. Cover | 8.5 x 11 | 210 | C2S | Gloss | Plain | 0 | White | 183 | Yes | Smooth |
| 3R11459 | 80 lb. Cover | 17 x 11 | 210 | C2S | Gloss | Plain | 0 | White | 183 | Yes | Smooth |
| 3R11460 | 80 lb. Cover | 18 x 12 | 210 | C2S | Gloss | Plain | 0 | White | 183 | Yes | Smooth |
| 3R11445 | 80 lb. Cover | 19 x 13 | 210 | C2S | Gloss | Plain | 0 | White | 183 | Yes | Smooth |
| 3R11461 | 80 lb. Cover | 20.5 x 14.33 | 210 | C2S | Gloss | Plain | 0 | White | 183 | Yes | Smooth |
| 3R11462 | 100 lb. Cover | 8.5 x 11 | 280 | C2S | Gloss | Plain | 0 | White | 244 | Yes | Smooth |
| 3R11463 | 100 lb. Cover | 17 x 11 | 280 | C2S | Gloss | Plain | 0 | White | 244 | Yes | Smooth |
| 3R11464 | 100 lb. Cover | 18 x 12 | 280 | C2S | Gloss | Plain | 0 | White | 244 | Yes | Smooth |
| 3R11446 | 100 lb. Cover | 19 x 13 | 280 | C2S | Gloss | Plain | 0 | White | 244 | Yes | Smooth |
| 3R11465 | 100 lb. Cover | 20.5 x 14.33 | 280 | C2S | Gloss | Plain | 0 | White | 244 | Yes | Smooth |
| 3R11307 | 100 lb. Cover | 26 x 14.33 | 280 | C2S | Gloss | Plain | 0 | White | 244 | Yes | Smooth |
| 3R11466 | 110 lb. Cover | 8.5 x 11 | 300 | C2S | Gloss | Plain | 0 | White | 264 | Yes | Smooth |
| 3R11467 | 110 lb. Cover | 17 x 11 | 300 | C2S | Gloss | Plain | 0 | White | 264 | Yes | Smooth |
| 3R11468 | 110 lb. Cover | 18 x 12 | 300 | C2S | Gloss | Plain | 0 | White | 264 | Yes | Smooth |
| 3R11448 | 130 lb. Cover | 18 x 12 | 350 | C2S | Gloss | Plain | 0 | White | 315 | Yes | Smooth |
| Xerox® Bold™ Coated Satin Digital Printing Paper | | | | | | | | | | | |
| 3R11470 | 80 lb. Text | 8.5 x 11 | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |
| 3R11471 | 80 lb. Text | 17 x 11 | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |
| 3R11472 | 80 lb. Text | 18 x 12 | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |
| 3R11496 | 80 lb. Text | 19 x 13 | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |
| 3R11474 | 100 lb. Text | 8.5 x 11 | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |
| 3R11475 | 100 lb. Text | 17 x 11 | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |
| 3R11476 | 100 lb. Text | 18 x 12 | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |
| 3R11497 | 100 lb. Text | 19 x 13 | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |
| 3R11477 | 100 lb. Text | 20.5 x 14.33 | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |
| 3R11478 | 80 lb. Cover | 8.5 x 11 | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |
| 3R11479 | 80 lb. Cover | 17 x 11 | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |
| 3R11480 | 80 lb. Cover | 18 x 12 | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |
| 3R11518 | 80 lb. Cover | 19 x 13 | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |
| 3R11481 | 80 lb. Cover | 20.5 x 14.33 | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |
| 3R11482 | 100 lb. Cover | 8.5 x 11 | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |
| 3R11463 | 100 lb. Cover | 17 x 11 | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |
| 3R11484 | 100 lb. Cover | 18 x 12 | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |
| 3R11519 | 100 lb. Cover | 19 x 13 | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |
| 3R11485 | 100 lb. Cover | 20.5 x 14.33 | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |
| 3R11312 | 100 lb. Cover | 26 x 14.33 | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |
| 3R11486 | 110 lb. Cover | 8.5 x 11 | 300 | C2S | Semi-Gloss | Plain | 0 | White | 277 | Yes | Smooth |
| 3R11487 | 110 lb. Cover | 17 x 11 | 300 | C2S | Semi-Gloss | Plain | 0 | White | 277 | Yes | Smooth |
| 3R11488 | 110 lb. Cover | 18 x 12 | 300 | C2S | Semi-Gloss | Plain | 0 | White | 277 | Yes | Smooth |
| 3R11495 | 130 lb. Cover | 18 x 12 | 350 | C2S | Semi-Gloss | Plain | 0 | White | 353 | Yes | Smooth |
| Xerox® Bold™ Super Gloss Cover | | | | | | | | | | | |
| 3R11680 | 8 Point | 8.5 x 11 | 170 | C1S | High-Gloss | Plain | 0 | White | 203 | Yes | Smooth |
| 3R11681 | 8 Point | 17 x 11 | 170 | C1S | High-Gloss | Plain | 0 | White | 203 | Yes | Smooth |
| 3R11682 | 8 Point | 18 x 12 | 170 | C1S | High-Gloss | Plain | 0 | White | 203 | Yes | Smooth |
| 3R11683 | 10 Point | 8.5 x 11 | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth |
| 3R11684 | 10 Point | 17 x 11 | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth |
| 3R11685 | 10 Point | 18 x 12 | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth |
| 3R11686 | 12 Point | 8.5 x 11 | 247 | C1S | High-Gloss | Plain | 0 | White | 305 | Yes | Smooth |
| 3R11687 | 12 Point | 17 x 11 | 247 | C1S | High-Gloss | Plain | 0 | White | 305 | Yes | Smooth |
| 3R11688 | 12 Point | 18 x 12 | 247 | C1S | High-Gloss | Plain | 0 | White | 305 | Yes | Smooth |
| Xerox® Revolution NeverTear™ | | | | | | | | | | | |
| 3R20172 | 5 mil | 8.5 x 11 | 135 | C2S | Matte | Plain | 0 | White | 127 | Yes | Smooth |
| 3R20173 | 5 mil | 8.5 x 11 3HP | 135 | C2S | Matte | Plain | 0 | White | 127 | Yes | Smooth |

Static build up may affect media runnability and/or stacking.
 Static build up may affect media runnability and/or stacking.

Xerox® iGen® 4 Digital Production Press Guaranteed Media List

| Media ID | Media Description | Dimensions | Weight | Area | Coating | Finish | Color | Stack Height | Transfer Point | Media Type | Notes |
|-----------------------------|---|--------------|--------|-----------------|---------|--------|-------|--------------|----------------|------------|--|
| 3R20174 | 5 mil | 11 x 17 | 135 | C2S | Gloss | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20175 | 5 mil | 12 x 18 | 135 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20176 | 8 mil | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 203 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20177 | 8 mil | 12 x 18 | 230 | C2S | Matte | Plain | White | 203 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20178 | 8 mil | 14.33 x 20.5 | 230 | C2S | Matte | Plain | White | 203 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20179 | 10 mil | 8.5 x 11 | 300 | C2S | Matte | Plain | White | 254 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20180 | 10 mil | 12 x 18 | 300 | C2S | Matte | Plain | White | 254 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20181 | 10 mil | 14.33 x 20.5 | 300 | C2S | Matte | Plain | White | 254 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20182 | 14 mil | 8.5 x 11 | 450 | C2S | Matte | Plain | White | 356 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20183 | 14 mil | 12 x 18 | 450 | C2S | Matte | Plain | White | 356 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20184 | 14 mil | 14.33 x 20.5 | 450 | C2S | Matte | Plain | White | 356 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20185 | 8 mil Pre-Scored Horizontal | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20186 | 8 mil Pre-Scored Vertical | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20187 | 8 mil Pre-Perforated Shelf Tags | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20188 | 8 mil Pre-Perforated Door Hangers | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20189 | 8 mil Pre-Perforated Luggage Tags | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20190 | 8 mil Pre-Perforated Badges | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20191 | 8 mil Pre-Perforated ID Cards | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20192 | 8 mil Pre-Perforated Parking Passes | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20193 | 8 mil Pre-Perforated Portrait Badges | 8.5 x 11 | 230 | C2S | Matte | Plain | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| Xerox® Revolution™ ID Cards | | | | | | | | | | | |
| 3R20077 | 2-Side Laminated with Perf-Out, 1-Up | 8.5 x 11 | 163 | C2S (Card Area) | Gloss | Plain | White | 170 | No | Smooth | If transfer set point adjustments are required for snow detects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. Stack quality and stack height may be affected due to media structure or high area coverage. For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. If transfer set point adjustments are required for snow detects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. Stack quality and stack height may be affected due to media structure or high area coverage. For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R20078 | 2-Side Laminated with Perf-Out, 2-Up | 8.5 x 11 | 163 | C2S (Card Area) | Gloss | Plain | White | 170 | No | Smooth | If transfer set point adjustments are required for snow detects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. Stack quality and stack height may be affected due to media structure or high area coverage. For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R14733 | 1-Side Laminated with Peel-Off, 1-Up | 8.5 x 11 | 163 | C1S (Card Area) | Gloss | Plain | White | 170 | No | Smooth | For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R14734 | 1-Side Laminated with Peel-Off, 2-Up | 8.5 x 11 | 163 | C1S (Card Area) | Gloss | Plain | White | 170 | No | Smooth | For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R14735 | 1-Side Laminated with Microperf-Out, 1-Up | 8.5 x 11 | 163 | C1S (Card Area) | Gloss | Plain | White | 170 | No | Smooth | For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R14736 | 1-Side Laminated with Microperf-Out, 2-Up | 8.5 x 11 | 163 | C1S (Card Area) | Gloss | Plain | White | 170 | No | Smooth | For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R14700 | 7 mil Synthetic with Microperf-Out, 1-Up | 8.5 x 11 | 216 | Uncoated | N/A | Plain | White | 194 | No | Regular | For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |
| 3R14701 | 7 mil Synthetic with Microperf-Out, 2-Up | 8.5 x 11 | 216 | Uncoated | N/A | Plain | White | 194 | No | Regular | For uniform image quality do not image within 5 mm of card edge. Load and stack 50-100 sheets maximum due to media structure. TAB may need to be cleaned prior to running media. An Enabler Kit is available to facilitate loading and stacking of greater volumes. |

Xerox® iGen® 4 Digital Production Press Guaranteed Media List

| | | | | | | | | | | | | |
|---|-------------------------------------|----------|-----|----------|-----|---------|---|---------------------------|-----|-----|---------|--|
| 3R14714 | 7 mil Synthetic with Peel-Off, 1-Up | 8.5 x 11 | 200 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. Stack quality and stack height may be affected due to media structure or high area coverage. For uniform image quality do not image within 5 mm of card edge. TAB may need to be cleaned prior to running media. A DocuCard Enabler Kit is available to facilitate feeding and stacking of greater volumes. For feeding without an Enabler Kit feed tray load max is 50-100 sheets. Load card inboard for Long Edge Feed and trail edge for Short Edge Feed. |
| 3R14716 | 7 mil Synthetic with Peel-Off, 2-Up | 8.5 x 11 | 200 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4. Stack quality and stack height may be affected due to media structure or high area coverage. For uniform image quality do not image within 5 mm of card edge. TAB may need to be cleaned prior to running media. A DocuCard Enabler Kit is available to facilitate feeding and stacking of greater volumes. For feeding without an Enabler Kit feed tray load max is 50-100 sheets. Load card inboard for Long Edge Feed and trail edge for Short Edge Feed. |
| Xerox® Revolution™ Carbonless — Premium Digital | | | | | | | | | | | | |
| 3R12420 | 2-Part Straight/Reverse | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 2 | White/Canary | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12422 | 2-Part Straight/Reverse | 8.5 x 14 | 80 | Uncoated | N/A | Ordered | 2 | White/Canary | 110 | Yes | Regular | Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12423 | 2-Part Straight/Reverse | 11 x 17 | 80 | Uncoated | N/A | Ordered | 2 | White/Canary | 110 | Yes | Regular | Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12421 | 2-Part Straight/Reverse | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 2 | White/Pink | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12424 | 3-Part Reverse | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 3 | Pink/Canary/White | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12425 | 3-Part Straight | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 3 | White/Canary/Pink | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12427 | 3-Part Straight | 8.5 x 14 | 80 | Uncoated | N/A | Ordered | 3 | White/Canary/Pink | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12426 | 3-Part Straight (Mini Carton) | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 3 | White/Canary/Pink | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |
| 3R12429 | 4-Part Reverse | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 4 | Goldend/Pink/Canary/White | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. |

Xerox® iGen® 4 Digital Production Press Guaranteed Media List

| | | | | | | | | | | | | |
|--|-------------------------------------|------------|-----|----------|-------|-------------|---|----------------------------------|-----|-----|---------|--|
| 3R12430 | 4-Part Straight | 8.5 x 11 | 80 | Uncoated | N/A | Ordered | 4 | White/Canary/Pink/ Goldentrod | 110 | Yes | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. This media may have a mottled appearance due to paper formation (image density and gloss). |
| 3R12434 | Singles CB | 8.5 x 11 | 80 | Uncoated | N/A | Plain | 0 | White | 110 | Yes | Regular | Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. This media may have a mottled appearance due to paper formation (image density and gloss). |
| 3R12435 | Singles CFB | 8.5 x 11 | 80 | Uncoated | N/A | Plain | 0 | White | 110 | Yes | Regular | Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. This media may have a mottled appearance due to paper formation (image density and gloss). |
| 3R12437 | Singles CFB | 8.5 x 11 | 80 | Uncoated | N/A | Plain | 0 | Canary | 110 | Yes | Regular | Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. This media may have a mottled appearance due to paper formation (image density and gloss). |
| 3R12439 | Singles CF | 8.5 x 11 | 80 | Uncoated | N/A | Plain | 0 | Pink | 110 | Yes | Regular | Optimization of decurler settings may be needed for best stacking and runnability. Fuser Fluid II is recommended for duplex applications. Reverse PreCollated product run face up to stacker is recommended. This media may have a mottled appearance due to paper formation (image density and gloss). |
| Xerox® Revolution™ Label | | | | | | | | | | | | |
| 3R05772 | 1-Up, Die Cut | 8.5 x 11 | 190 | C1S | Matte | Plain | 0 | White | 187 | No | Smooth | For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R12371 | 1-Up, Full Sheet | 8.5 x 11 | 190 | C1S | Matte | Plain | 0 | White | 187 | No | Smooth | For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R05773 | 4-Up | 8.5 x 11 | 190 | C1S | Matte | Plain | 0 | White | 187 | No | Smooth | For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R06332 | 10-Up | 8.5 x 11 | 190 | C1S | Matte | Plain | 0 | White | 187 | No | Smooth | For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R06333 | 30-Up | 8.5 x 11 | 190 | C1S | Matte | Plain | 0 | White | 187 | No | Smooth | For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R06330 | 2-Up, CD/DVD | 8.5 x 11 | 190 | C1S | Matte | Plain | 0 | White | 187 | No | Smooth | For uniform image quality, do not image within 3 mm of label edges. Simplex only recommended Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R14626 | 4 mil Vinyl with Permanent Adhesive | 8.5 x 11 | 274 | C1S | Gloss | Plain | 0 | White | 254 | No | Smooth | For uniform image quality, do not image within 5 mm of score. For additional image quality tips please contact the media hotline. Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R14627 | 4 mil Vinyl with Permanent Adhesive | 12 x 18 | 274 | C1S | Gloss | Plain | 0 | White | 254 | No | Smooth | For uniform image quality, do not image within 5 mm of score. For additional image quality tips please contact the media hotline. Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R14628 | 4 mil Vinyl with Removable Adhesive | 8.5 x 11 | 274 | C1S | Gloss | Plain | 0 | White | 254 | No | Smooth | For uniform image quality, do not image within 5 mm of score. For additional image quality tips please contact the media hotline. Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| 3R14629 | 4 mil Vinyl with Removable Adhesive | 12 x 18 | 274 | C1S | Gloss | Plain | 0 | White | 254 | No | Smooth | For uniform image quality, do not image within 5 mm of score. For additional image quality tips please contact the media hotline. Imaging over die cuts or label edges may adversely affect fuser, roll life. |
| Xerox® Revolution™ Mailing Media | | | | | | | | | | | | |
| 3R12445 | Business Reply Envelope | 8.5 x 11 | 160 | Uncoated | N/A | Plain | 0 | White | 150 | No | Regular | This media may have a mottled appearance due to paper formation (image density and gloss). Stack quality and stack height may be affected due to media structure or high area coverage. Load and stack 200-300 envelopes maximum due to media structure. |
| Xerox® Revolution™ Tabs -- Plain Paper | | | | | | | | | | | | |
| 3R20113 | 90 lb. Index, Single Straight | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 4 | White | 198 | No | Regular | |
| 3R04417 | 90 lb. Index, Single Straight | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R04418 | 90 lb. Index, Single Straight | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R04407 | 90 lb. Index, Single Position 1 & 5 | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 0 | White | 198 | No | Regular | |

Xerox® iGen® 4 Digital Production Press Guaranteed Media List

| Part Number | Media Description | Weight | Color | Size | Speed | Finish | Pre-Cut Tab | 0 | White | 198 | No | Regular |
|--|---|------------|-------|----------|------------|--------------|-------------|-------|-------|-----|---------|---------|
| 3R04409 | 90 lb. Index, Single Position 2 & 4 | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 0 | White | 198 | No | Regular | |
| 3R04411 | 90 lb. Index, Single Position 3 | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 0 | White | 198 | No | Regular | |
| 3R05422 | 90 lb. Index, Single Reverse | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 3 | White | 198 | No | Regular | |
| 3R05423 | 90 lb. Index, Single Reverse | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 3 | White | 198 | No | Regular | |
| 3R05426 | 90 lb. Index, Single Reverse | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 4 | White | 198 | No | Regular | |
| 3R05427 | 90 lb. Index, Single Reverse | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 4 | White | 198 | No | Regular | |
| 3R04415 | 90 lb. Index, Single Reverse | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R04416 | 90 lb. Index, Single Reverse | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R05713 | 90 lb. Index, Single Reverse | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 8 | White | 198 | No | Regular | |
| 3R05714 | 90 lb. Index, Single Reverse | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 8 | White | 198 | No | Regular | |
| Xerox® Revolution™ Tabs – Printable Plastic | | | | | | | | | | | | |
| 3R05709 | 90 lb. Index, Single Straight | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R05710 | 90 lb. Index, Single Straight | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R05520 | 90 lb. Index, Single Reverse | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R05521 | 90 lb. Index, Single Reverse | 9 x 11 3HP | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 198 | No | Regular | |
| 3R12477 | 60 lb. Cover, Single Reverse | 9 x 11 | 163 | Uncoated | N/A | Pre-Cut Tab | 5 | White | 170 | No | Regular | |
| Xerox® Revolution™ Marketing Media | | | | | | | | | | | | |
| 3R12407 | Presentation Folder, 10 Point | 12 x 18 | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth | |
| 3R20106 | FunFlip®, 3"x3" Size | 8.5 x 11 | 230 | Uncoated | N/A | Plain | 0 | White | 234 | Yes | Regular | |
| 3R14742 | FunFlip®, Greeting Card Size | 8.5 x 11 | 230 | Uncoated | N/A | Plain | 0 | White | 234 | Yes | Regular | |
| 3R20016 | Tri-Fold Brochure, 32 lb. | 8.5 x 11 | 120 | Uncoated | N/A | Plain | 0 | White | 120 | No | Regular | |
| Various & Custom | 14 pt. Folding Media with various perffold shapes | Various | 256 | C1S | High-Gloss | Plain | 0 | White | 356 | Yes | Smooth | |
| Various & Custom | 16 pt. Folding Media with various perffold shapes | Various | 350 | C1S | High-Gloss | Plain | 0 | White | 462 | Yes | Smooth | |
| 3R12821 | Transparency for Color Printing with Paperback | 11 x 17 | 180 | C1S | Gloss | Transparency | 0 | Clear | 187 | No | Smooth | |
| Xerox® Revolution™ Magnet Media | | | | | | | | | | | | |
| 3R14686 | 17 mil. High-Gloss | 12 x 18 | 350 | C1S | High-Gloss | Plain | 0 | White | 439 | No | Smooth | |
| 3R14731 | Integrated Card, 60 lb. Cover | 8.5 x 11 | 280 | Uncoated | N/A | Plain | 0 | White | 170 | No | Regular | |
| 3R14732 | Integrated Card, 8 pt C1S | 8.5 x 11 | 280 | C1S | Gloss | Plain | 0 | White | 194 | No | Smooth | |

For uniform image quality, do not image within 5 mm of score. Image degradation may be present on uncoated side (side 2).
 For uniform image quality, do not image within 3 mm of label edges.
 Simplex only recommended
 Imaging over die cuts or label edges may adversely affect fuser roll life.
 For uniform image quality, do not image within 3 mm of label edges.
 Simplex only recommended
 Imaging over die cuts or label edges may adversely affect fuser roll life.
 If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 3.
 For uniform image quality, do not image within 5 mm of score.
 This media is adversely reactive in dry environments.
 Simplex only recommended
 This media is adversely reactive in dry environments.
 Simplex only recommended
 This media may have a mottled appearance due to paper formation (image density and gloss).
 Simplex only recommended
 Static build up may affect media runnability and/or stacking.
 Output to top tray only, 80 sheets.
 Do not invert.

Simplex only recommended
 Static build up may affect media runnability and/or stacking.
 Feed from a lower tray only
 To enable running toggle NVM 12509 (Lower Tray Multifeed Detected FL TByP).
 To enable running Service must set NVM 6876 (LE Late lat TAR sensor Jam Offset) to maximum value.
 Output to top tray or bypass tray, if enabled.
 Skew up to 10 mm may be seen.
 For best image quality, do not image within 40 mm of lead or trail edge of the media.
 If Transfer set point adjustments are required for snow defects, refer to the Snow Sample Artifact Procedure in the latest Customer Maintenance Manual Section 4.
 Simplex only recommended
 For uniform image quality, do not image within 5 mm of card edge.
 An Enabler Kit is available to facilitate feeding and stacking of greater volumes.
 Simplex only recommended
 For uniform image quality, do not image within 5 mm of card edge.
 An Enabler Kit is available to facilitate feeding and stacking of greater volumes.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

www.domtar.com
www.xeroxpaperUSA.com
www.xeroxpaper.ca