

Recommended Xerox Media for Phaser 6700 (USA and Canada)

For use in the US and Canada

Version 1.0, Publish Date: November 2011

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.









For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.

© 2011 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Trays 1,2,3,4, 5 & 6 Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled (60 - 90 gsm)		Transparency		Label	
Heavyweight / LetterHead (80 - 120 gsm)		CardStock (105 - 163 gsm)		Glossy Cardstock (105 - 163 gsm)	
		Heavyweight Cardstock (160 - 220 gms)		Heavyweight Glossy cardstock (160 - 220 gms)	




Phaser 6700
North America
November 2011




Simplex / Duplex Capabilities
A = Auto Duplex
S = Simplex Only
M = Manual Duplex
n = not supported





Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Additional Information
						1	2	3	4	5	6	
Xerox Business 4200	Plain	75 gsm / 20 lb	3R2047		8.5 x 11	A	A	A	A	A	A	For all the cardstock, glossy, heavyweight cardstock, heavyweight glossy, label media, environmental conditions (very high or very low humidity) may require them be fed one sheet at a time.
			3R2641 (3-hole)		8.5 x 11	A	A	A	A	A	A	
			3R2051		8.5 x 14	A	A	A	A	A	A	
Xerox Business Recycled Paper	Plain	75 gsm / 20 lb	3R6296	Recycled	8.5 x 11	A	A	A	A	A	A	
			3R6297 (3-hole)		8.5 x 11	A	A	A	A	A	A	
			3R6298		8.5 x 14	A	A	A	A	A	A	
Xerox Color Xpressions Select	Plain	90 gsm / 24 lb	3R11540		8.5 x 11	A	A	A	A	A	A	
			3R11541 (3-hole)		8.5 x 11	A	A	A	A	A	A	
			3R11542		8.5 x 14	A	A	A	A	A	A	
Xerox Color Xpressions Elite	Heavyweight Paper	105 gsm / 28 lb	3R11760		8.5 x 11	A	A	A	A	A	A	
	Heavyweight Paper	120 gsm / 32 lb	3R11764		8.5 x 11	A	A	A	A	A	A	
	CardStock	163 gsm / 60 lb cvr	3R11767		8.5 x 11	A	A	A	A	A	A	
	Heavyweight CardStock	215 gsm / 80 lb cvr	3R11770		8.5 x 11	A	A	A	A	A	A	
Xerox Color Xpressions Planet 20	Heavyweight Paper	105 gsm / 28 lb	3R11800		8.5 x 11	A	A	A	A	A	A	
	Heavyweight Cardstock	175 gsm / 65 lb cvr	3R11803		8.5 x 11	A	A	A	A	A	A	
	Heavyweight Cardstock	215 gsm / 80 lb cvr	3R11806		8.5 x 11	A	A	A	A	A	A	
Xerox Digital Color Elite Gloss Text and Cover	Gloss	120 gsm / 80 lb txt	3R11450	Gloss Text	8.5 x 11	A	A	A	A	A	A	
	Gloss	140 gsm / 100 lb txt	3R11454	Gloss Text	8.5 x 11	A	A	A	A	A	A	
	Heavyweight Gloss	210 gsm / 80 lb cvr	3R11458	Gloss Cover	8.5 x 11	A	A	A	A	A	A	

Trays 1,2,3,4, 5 & 6 Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled (60 - 90 gsm)  Transparency  Label 

Heavyweight / LetterHead (80 - 120 gsm)  CardStock (105 - 163 gsm)  Glossy Cardstock (105 - 163 gsm) 

Heavyweight Cardstock (160 - 220 gms)  Heavyweight Glossy cardstock (160 - 220 gms) 

Phaser 6700
North America
November 2011

Simplex / Duplex Capabilities
A = Auto Duplex
S = Simplex Only
M = Manual Duplex
n = not supported



Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Additional Information
						1	2	3	4	5	6	
Xerox Low Speed Labels	Label		3R12050	33 up	8.5 x 11	S	S	S	S	S	S	Do not print on both sides of label media
			3R12051	30 up	8.5 x 11	S	S	S	S	S	S	
			3R12052	24 up	8.5 x 11	S	S	S	S	S	S	
			3R12053	20 up	8.5 x 11	S	S	S	S	S	S	
			3R12054	14 up	8.5 x 11	S	S	S	S	S	S	
			3R12055	10 up	8.5 x 11	S	S	S	S	S	S	
			3R12056	8 up	8.5 x 11	S	S	S	S	S	S	
			3R12057	1 up	8.5 x 11	S	S	S	S	S	S	
Xerox Phaser Professional Transparency	Transparency		3R12505	Premium Transp.	8.5 x 11	S	S	n	n	n	n	It is not recommended to load more than 50 transparencies at a time.