

Recommended Xerox Materials List for - WC 7120

For use in the US and Canada

Revision 1.0 - May 2010

Important Notes:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability specifications may be affected by increased usage of all Cardstock, Glossy and special media modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on the use of all Cardstocks, Glossy or special application media types for long duration copy/print runs

Environmental Conditions may require that Glossy, Glossy Cardstock and HW Glossy Cardstock papers be fed one sheet at a time to avoid jams. Relative Humidity greater than 40% could cause multifeeds.

The Integrated Office "A" Finisher is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Letter (8.5 x 11" / A4), Executive (7.25 x 10.5), in Long Edge Feed (LEF); or of Letter in Short Edge Feed (SEF)

30 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14), or 8.5 x 13"

The Office Finisher LX (SB) is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):

50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)

© 2010 Xerox Corporation. All rights reserved.

Xerox® and all Xerox product names and product names, and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

Trays 1,2, TTM, MSI & HCF

Plain / Bond / Recycled (64 - 105 gsm)	Glossy (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
Transparency	Glossy Cardstock (170 - 216 gms)	Cardstock (170 - 216 gsm)
Label	HW Glossy Cardstock (217 - 256 gms)	Heavyweight Cardstock (217 - 256 gsm)

Paper Types are selected when Paper Tray is closed

WC 7120
RML
North America
V 1.0 May 2010

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities					Finisher Capabilities				Additional Information
						Trays		MSI (Bypass)	Integrated (A) Office Finisher	Office (SB) Finisher LX	Stack	Staple	Stack	Staple	
						IOT	2 TM								
Xerox Business 4200	Plain	75 gsm / 20 lb	3R2047	3 Hole	8.5 x 11	A	A	A	A	A	•	♦	•	♦	
			3R2641		8.5 x 11	A	A	A	A	A					
			3R2051		8.5 x 14	A	A	A	A	A					
			3R3761		11 x 17	A	A	A	A	A					
Xerox Business Recycled Paper	Recycled	75 gsm / 20 lb	3R6296	3 Hole	8.5 x 11	A	A	A	A	A	•	♦	•	♦	
			3R6297		8.5 x 11	A	A	A	A	A					
			3R6298		8.5 x 14	A	A	A	A	A					
			3R6299		11 x 17	A	A	A	A	A					
Xerox Planet 100	Recycled	105gsm / 28lb	3R11815	100% Recycled	8.5 x 11	A	A	A	A	A	•	♦	•	♦	
Xerox Color Xpressions Select	Bond	90 gsm / 24 lb	3R11540	3 Hole	8.5 x 11	A	A	A	A	A	•	♦	•	♦	
			3R11541		8.5 x 11	A	A	A	A	A					
			3R11542		8.5 x 14	A	A	A	A	A					
			3R11543		11 x 17	A	A	A	A	A					

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					MSI (Bypass)	Integrated (A) Office Finisher		Office (SB) Finisher LX		Additional Information
						IOT		2 TM		5		Stack	Staple	Stack	Staple	
						1	2	3	4							
Xerox Color Xpressions Elite	Bond	105 gsm / 28 lb	3R11760	3 Hole	8.5 x 11	A	A	A	A	A	•	♦	•	♦		
			3R11761		8.5 x 11	A	A	A	A	A						
			3R11762		17 x 11	A	A	A	A	A						
	Lightweight Cardstock	120 gsm / 32 lb	3R11764		8.5 x 11	A	A	A	A	A						
			3R11765		17 x 11	A	A	A	A	A						
	Lightweight Cardstock	163 gsm / 60 lb cvr	3R11767		8.5 x 11	A	A	A	A	A						
			3R11768		17 x 11	A	A	A	A	A						
	Cardstock	215 gsm / 80 lb cvr	3R11770		8.5 x 11	M	M	M	M	M						
3R11771			17 x 11	M	M	M	M	M								
Xerox Color Xpressions Planet 20	Bond	105 gsm / 28 lb	3R11800	8.5 x 11	A	A	A	A	A							
			3R11801	17 x 11	A	A	A	A	A							
	Cardstock	175 gsm / 65 lb cvr	3R11803	8.5 x 11	M	M	M	M	M							
			3R11804	17 x 11	M	M	M	M	M							
	Cardstock	215 gsm / 80 lb cvr	3R11806	8.5 x 11	M	M	M	M	M							
			3R11807	17 x 11	M	M	M	M	M							
Xerox Planet 30	Bond	105 gsm / 28 lb	3R11820	Cream White	8.5 x 11	A	A	A	A	A						
			3R11821		17 x 11	A	A	A	A	A						
	Bond	105 gsm / 28 lb	3R11823	Warm White	8.5 x 11	A	A	A	A	A						
			3R11824		17 x 11	A	A	A	A	A						
	Cardstock	215 gsm / 80 lb cvr	3R11826	Cream White	8.5 x 11	M	M	M	M	M						
			3R11827		17 x 11	M	M	M	M	M						
	Cardstock	215 gsm / 80 lb cvr	3R11829	Warm White	8.5 x 11	M	M	M	M	M						
			3R11830		17 x 11	M	M	M	M	M						
Xerox Digital Color Elite Silk Text and Cover (C2S)	Glossy	120 gsm / 80 lb txt	3R11470	Silk Text	8.5 x 11	A	A	A	A	A						
			3R11471		17 x 11	A	A	A	A	A						
	Glossy	140 gsm / 100 lb txt	3R11474	Silk Text	8.5 x 11	A	A	A	A	A						
			3R11475		17 x 11	A	A	A	A	A						
Glossy Cardstock	210 gsm / 80 lb cvr	3R11478	Silk Cover	8.5 x 11	M	M	M	M	M							
		3R11479		17 x 11	M	M	M	M	M							
Xerox Digital Color Elite Gloss Text and Cover (C2S)	Glossy	120 gsm / 80 lb txt	3R11450	Gloss Text	8.5 x 11	A	A	A	A	A						
			3R11451		17 x 11	A	A	A	A	A						
	Glossy	140 gsm / 100 lb txt	3R11454	Gloss Text	8.5 x 11	A	A	A	A	A						
			3R11455		17 x 11	A	A	A	A	A						
	Glossy Cardstock	210 gsm / 80 lb cvr	3R11458	Gloss Cover	8.5 x 11	M	M	M	M	M						
3R11459			17 x 11		M	M	M	M	M							
Xerox Digital Color Select Gloss Text and Cover (C2S)	Glossy	120 gsm / 80 lb txt	3R11503	Gloss Text	17 x 11	A	A	A	A	A						
			3R11506		17 x 11	M	M	M	M	M						
Xerox Digital Color Supreme Gloss FSC (C1S)	Glossy	8pt / 160gsm	3R11790	Coated 1 side	8.5 x 11	A	A	A	A	M						
			3R11791		17 x 11	A	A	A	A	M						
	Heavyweight Glossy Cardstock	12pt / 247gsm	3R11797	Coated 1 side	8.5 x 11	S	S	S	S	n/a						
			3R11798		17 x 11	S	S	S	S	n/a						

Environmental conditions (high humidity) may require that this product be fed one sheet at a time to avoid jams. For the 120 & 140 gsm papers, poor toner transfer may occur in low temperature / humidity conditions. If this occurs, have service rep change 745-239 from 6 to 8.

Environmental conditions (high humidity) may require that this product be fed one sheet at a time to avoid jams.

Environmental conditions (high humidity) may require that this product be fed one sheet at a time to avoid jams.

Run from Trays 1 - 4 for best results. Environmental conditions (high humidity) may require that this product be fed one sheet at a time to avoid jams. If jams still occur, load paper with curl up.

Run from Trays 1 - 4 only. Environmental conditions (high humidity) may require that this product be fed one sheet at a time to avoid jams. Cannot run this weight from MSI.

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays				SMH	Integrated (A)		Office (SB)		Additional Information	
						3TM				(Bypass)	Office Finisher		Finisher LX			
						1	2	3	4	5	Stack	Staple	Stack	Staple		
Xerox Digital Color Trifold Brochures (C1S)	Glossy	8pt / 160gsm	3R6348	Coated 1 side	8.5 x 11	A	A	A	A	M	•	n	•	◆	Run from Trays 1 - 4 for best results. Environmental conditions (high humidity) may require that this product be fed one sheet at a time to avoid jams. If jams still occur, load paper with curl up.	
Xerox Business Index	Lightweight Cardstock	163 gsm / 90 lb	3R11747	90 lb Index	8.5 x 11	A	A	A	A	A	•	◆	•	◆		
	3R11748	17 x 11	A	A	A	A	A	•	◆	•	◆					
	Cardstock	199 gsm / 110 lb	3R11749	110 lb Index	8.5 x 11	M	M	M	M	M	•	◆	•	◆		
Xerox Glossy Coated Labels	Heavyweight Labels		3R5770	1 up	8.5 x 11	S	S	S	S	n/a	•	n	n	n	Feed from from Trays 1 - 4. Environmental conditions (high humidity) may require that this product be fed one sheet at a time from trays 1 - 4 to avoid jams. Do not feed labels thru machine more than once.	
			3R5771		4 up	8.5 x 11	S	S	S	S	n/a	•	n	n		n
			3R6324		10 up	8.5 x 11	S	S	S	S	n/a	•	n	n		n
			3R6325		30 up	8.5 x 11	S	S	S	S	n/a	•	n	n		n
			3R6322		CD Rom	8.5 x 11	S	S	S	S	n/a	•	n	n		n
Xerox Matte Coated Labels	Heavyweight Labels		3R5772	1 up	8.5 x 11	S	S	S	S	S	•	n	n	n	Feed from from Trays 1 - 4. Environmental conditions (high humidity) may require that this product be fed one sheet at a time from trays 1 - 4 to avoid jams. Do not feed labels thru machine more than once. Image defect may be seen around edges of labels. For image defects in low temperature / humidity conditions, have service rep. change 754-244 from 6 to 4.	
			3R5773		4 up	8.5 x 11	S	S	S	S	S	•	n	n		n
			3R6332		10 up	8.5 x 11	S	S	S	S	S	•	n	n		n
			3R6333		30 up	8.5 x 11	S	S	S	S	S	•	n	n		n
			3R6330		CD Rom	8.5 x 11	S	S	S	S	S	•	n	n		n
Xerox Transparency - Removable Stripe	Transparency (Cardstock)		3R3108	Standard Transp.	8.5 x 11	n/a	n/a	n/a	n/a	S	•	n	n	n	Image defect may occur in low temperature / humidity conditions. If scratches are observed, switch to Exit 1. If poor stacking occurs, remove each sheet as it exits. It is not recommended to output more than 20 transparencies at a time to avoid blocking. Feed from MSI only, LEF only	
Xerox Phaser Professional Transparency	Transparency (Cardstock)		3R12505	Premium Transp.	8.5 x 11	n/a	n/a	n/a	n/a	S	•	n	n	n	Image defect may occur in low temperature / humidity conditions. If scratches are observed, switch to Exit 1. If poor stacking occurs, remove each sheet as it exits. It is not recommended to output more than 20 transparencies at a time to avoid blocking. Feed from MSI only, LEF only	
Envelopes	No. 10 Envelope (4.1 x 9.5")		75 - 90 gsm		4.1 x 9.5	n/a	n/a	n/a	n/a	S	•	n	n	n	Envelope tray is available as a option. Misfeed jams may occur in high temperature / humidity conditions.	
	Monarch Envelope (3.9 x 7.5")				3.9 x 7.5	n/a	n/a	n/a	n/a	S	•	n	n	n		