

# Recommended Media List

## Xerox® Iridesse™ Production Press

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® Iridesse™ Production Press for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® Iridesse™ Production Press.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either

take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.



## Recommended Media List Xerox® Iridesse™ Production Press

### General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Iridesse™. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit [www.xeroxpaperusa.com/resources/recommended-media-list](http://www.xeroxpaperusa.com/resources/recommended-media-list).

### Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1.800.458.4640, Prompt #1.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

# Xerox® Iridesse™ Production Press Recommended Media List

Item Number	Paper & Specialty Media Description	Size	gsm	Sides Coated	Coating Type	Color	Sequence	Notes
<b>Xerox® Vitality® Multipurpose Paper</b>								
3R02631	24 lb.	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11414	24 lb.	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology. Xpress Pack
3R03317	24 lb.	8.5 x 11 3HP	90	Uncoated	N/A	White	0	With ColorLok® Technology.
3R03871	24 lb.	11 x 17	90	Uncoated	N/A	White	0	With ColorLok® Technology.
<b>Xerox® Vitality® Multipurpose Perforated Paper</b>								
3R20152	24 lb.	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology. Horizontal Perforation: 3.5" From Bottom.
3R20153	24 lb.	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology. Horizontal Perforation: 3.66" From Bottom.
3R20156	24 lb.	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology. Horizontal Perforation: 3.66" From Top and Bottom.
<b>Xerox® Vitality® Index Paper</b>								
3R11747	90 lb. Index	8.5 x 11	163	Uncoated	N/A	White	0	
3R11748	90 lb. Index	17 x 11	163	Uncoated	N/A	White	0	Short
3R11749	110 lb. Index	8.5 x 11	189	Uncoated	N/A	White	0	Long
<b>Xerox® Bold Professional™ Premium Quality Primer Paper</b>								
3R13038	24 lb. Bond	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology.
<b>Xerox® Bold Digital™ Printing Paper</b>								
3R11540	24 lb./60 lb. Text	8.5 x 11	90	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11541	24 lb./60 lb. Text	8.5 x 11 3HP	90	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11542	24 lb./60 lb. Text	8.5 x 14	90	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11543	24 lb./60 lb. Text	11 x 17	90	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11760	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11761	28 lb./70 lb. Text	8.5 x 11 3HP	105	Uncoated	N/A	White	0	With ColorLok® Technology.
3R20150	28 lb./70 lb. Text	8.5 x 14	105	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11762	28 lb./70 lb. Text	17 x 11	105	Uncoated	N/A	White	0	Short
3R11763	28 lb./70 lb. Text	18 x 12	105	Uncoated	N/A	White	0	Short
3R11764	32 lb./80 lb. Text	8.5 x 11	120	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11765	32 lb./80 lb. Text	17 x 11	120	Uncoated	N/A	White	0	Short
3R11766	32 lb./80 lb. Text	18 x 12	120	Uncoated	N/A	White	0	Short
3R11767	60 lb. Cover	8.5 x 11	163	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11768	60 lb. Cover	17 x 11	163	Uncoated	N/A	White	0	Short
3R11770	80 lb. Cover	8.5 x 11	216	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11771	80 lb. Cover	17 x 11	216	Uncoated	N/A	White	0	Short
3R11772	80 lb. Cover	18 x 12	216	Uncoated	N/A	White	0	Short
3R11774	100 lb. Cover	8.5 x 11	270	Uncoated	N/A	White	0	With ColorLok® Technology.
3R11775	100 lb. Cover	17 x 11	270	Uncoated	N/A	White	0	Short
3R11776	100 lb. Cover	18 x 12	270	Uncoated	N/A	White	0	Short
<b>Xerox® Bold Digital™ Printing Paper, 30% Recycled</b>								
3R20160	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	White	0	With ColorLok® Technology.
3R20161	28 lb./70 lb. Text	17 x 11	105	Uncoated	N/A	White	0	Short
3R20162	28 lb./70 lb. Text	18 x 12	105	Uncoated	N/A	White	0	Short
3R20163	60 lb. Cover	8.5 x 11	163	Uncoated	N/A	White	0	With ColorLok® Technology.
3R20164	60 lb. Cover	17 x 11	163	Uncoated	N/A	White	0	Short
3R20165	60 lb. Cover	18 x 12	163	Uncoated	N/A	White	0	Short
3R20166	80 lb. Cover	8.5 x 11	216	Uncoated	N/A	White	0	With ColorLok® Technology.
3R20167	80 lb. Cover	17 x 11	216	Uncoated	N/A	White	0	Short
3R20168	80 lb. Cover	18 x 12	216	Uncoated	N/A	White	0	Short
3R20169	100 lb. Cover	8.5 x 11	270	Uncoated	N/A	White	0	With ColorLok® Technology.
3R20170	100 lb. Cover	17 x 11	270	Uncoated	N/A	White	0	Short
3R20171	100 lb. Cover	18 x 12	270	Uncoated	N/A	White	0	Short
<b>Xerox® Bold Digital™ Printing Paper, 100% Recycled</b>								
3R11815	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	White	0	With ColorLok® Technology.
<b>Xerox® Bold Digital™ Coated Gloss Printing Paper</b>								
3R11450	80 lb. Text	8.5 x 11	120	C2S	Gloss	White	0	Long
3R11451	80 lb. Text	17 x 11	120	C2S	Gloss	White	0	Short
3R11452	80 lb. Text	18 x 12	120	C2S	Gloss	White	0	Short
3R11443	80 lb. Text	19 x 13	120	C2S	Gloss	White	0	Short
3R11454	100 lb. Text	8.5 x 11	144	C2S	Gloss	White	0	Long
3R11455	100 lb. Text	17 x 11	144	C2S	Gloss	White	0	Short
3R11456	100 lb. Text	18 x 12	144	C2S	Gloss	White	0	Short
3R11444	100 lb. Text	19 x 13	144	C2S	Gloss	White	0	Short
3R11458	80 lb. Cover	8.5 x 11	210	C2S	Gloss	White	0	With ColorLok® Technology.
3R11459	80 lb. Cover	17 x 11	210	C2S	Gloss	White	0	Short
3R11460	80 lb. Cover	18 x 12	210	C2S	Gloss	White	0	Short
3R11445	80 lb. Cover	19 x 13	210	C2S	Gloss	White	0	Short
3R11462	100 lb. Cover	8.5 x 11	280	C2S	Gloss	White	0	With ColorLok® Technology.
3R11463	100 lb. Cover	17 x 11	280	C2S	Gloss	White	0	Short

# Xerox® Iridesse™ Production Press Recommended Media List

3R11464	100 lb. Cover	18 x 12	280	C2S	Gloss	Plain	0	White	Short
3R11466	100 lb. Cover	19 x 13	280	C2S	Gloss	Plain	0	White	Short
3R11467	110 lb. Cover	8.5 x 11	300	C2S	Gloss	Plain	0	White	Long
3R11468	110 lb. Cover	17 x 11	300	C2S	Gloss	Plain	0	White	Short
3R11469	110 lb. Cover	18 x 12	300	C2S	Gloss	Plain	0	White	Short
3R11470	130 lb. Cover	18 x 12	350	C2S	Gloss	Plain	0	White	Short
<b>Xerox® Bold Digital™ Coated Salm Printing Paper</b>									
3R11470	80 lb. Text	8.5 x 11	120	C2S	Matte Coated	Plain	0	White	Long
3R11471	80 lb. Text	17 x 11	120	C2S	Matte Coated	Plain	0	White	Short
3R11472	80 lb. Text	18 x 12	120	C2S	Matte Coated	Plain	0	White	Short
3R11473	80 lb. Text	19 x 13	120	C2S	Matte Coated	Plain	0	White	Short
3R11474	100 lb. Text	8.5 x 11	144	C2S	Matte Coated	Plain	0	White	Long
3R11475	100 lb. Text	17 x 11	144	C2S	Matte Coated	Plain	0	White	Short
3R11476	100 lb. Text	18 x 12	144	C2S	Matte Coated	Plain	0	White	Short
3R11477	100 lb. Text	19 x 13	144	C2S	Matte Coated	Plain	0	White	Short
3R11478	80 lb. Cover	8.5 x 11	210	C2S	Matte Coated	Plain	0	White	Long
3R11479	80 lb. Cover	17 x 11	210	C2S	Matte Coated	Plain	0	White	Short
3R11480	80 lb. Cover	18 x 12	210	C2S	Matte Coated	Plain	0	White	Short
3R11481	80 lb. Cover	19 x 13	210	C2S	Matte Coated	Plain	0	White	Short
3R11482	100 lb. Cover	8.5 x 11	280	C2S	Matte Coated	Plain	0	White	Long
3R11483	100 lb. Cover	17 x 11	280	C2S	Matte Coated	Plain	0	White	Short
3R11484	100 lb. Cover	18 x 12	280	C2S	Matte Coated	Plain	0	White	Short
3R11519	100 lb. Cover	19 x 13	280	C2S	Matte Coated	Plain	0	White	Short
3R11486	110 lb. Cover	8.5 x 11	300	C2S	Matte Coated	Plain	0	White	Long
3R11487	110 lb. Cover	17 x 11	300	C2S	Matte Coated	Plain	0	White	Short
3R11488	110 lb. Cover	18 x 12	300	C2S	Matte Coated	Plain	0	White	Short
3R11495	130 lb. Cover	18 x 12	350	C2S	Matte Coated	Plain	0	White	Short
<b>Xerox® Bold Digital™ Super Glass Cover</b>									
3R11660	8 Point	8.5 x 11	170	C1S	Gloss	Plain	0	White	Long
3R11681	8 Point	17 x 11	170	C1S	Gloss	Plain	0	White	Short
3R11682	8 Point	18 x 12	170	C1S	Gloss	Plain	0	White	Short
3R11683	10 Point	8.5 x 11	219	C1S	Gloss	Plain	0	White	Long
3R11684	10 Point	17 x 11	219	C1S	Gloss	Plain	0	White	Short
3R11685	10 Point	18 x 12	219	C1S	Gloss	Plain	0	White	Short
3R11686	12 Point	8.5 x 11	247	C1S	Gloss	Plain	0	White	Long
3R11687	12 Point	17 x 11	247	C1S	Gloss	Plain	0	White	Short
3R11688	12 Point	18 x 12	247	C1S	Gloss	Plain	0	White	Short
<b>Xerox® Revolution NeverTear™</b>									
3R20172	5 mil	8.5 x 11	135	C2S	Matte Coated	Plain	0	White	N/A
3R20173	5 mil	8.5 x 11 3HP	135	C2S	Matte Coated	Plain	0	White	N/A
3R20174	5 mil	11 x 17	135	C2S	Matte Coated	Plain	0	White	N/A
3R20175	5 mil	12 x 18	135	C2S	Matte Coated	Plain	0	White	N/A
3R20176	8 mil	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20177	8 mil	12 x 18	230	C2S	Matte Coated	Plain	0	White	N/A
3R20179	10 mil	8.5 x 11	300	C2S	Matte Coated	Plain	0	White	N/A
3R20180	10 mil	12 x 18	300	C2S	Matte Coated	Plain	0	White	N/A
3R20182	14 mil	8.5 x 11	450	C2S	Matte Coated	Plain	0	White	N/A
3R20183	14 mil	12 x 18	450	C2S	Matte Coated	Plain	0	White	N/A
3R20185	8 mil Pre-Scored Horizontal	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20186	8 mil Pre-Scored Vertical	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20187	8 mil Pre-Perforated Shelf Tags	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20188	8 mil Pre-Perforated Door Hangers	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20189	6 mil Pre-Perforated Luggage Tags	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20190	8 mil Pre-Perforated Badges	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20191	8 mil Pre-Perforated ID Cards	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20192	8 mil Pre-Perforated Parking Passes	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
3R20193	8 mil Pre-Perforated Portrait Badges	8.5 x 11	230	C2S	Matte Coated	Plain	0	White	N/A
<b>Xerox® Revolution® ID Cards</b>									
3R20077	2-Side Laminated with PerF-Out, 1-Up	8.5 x 11	172	Uncoated	N/A	Plain	0	White	Long
3R20078	2-Side Laminated with PerF-Out, 2-Up	8.5 x 11	172	Uncoated	N/A	Plain	0	White	Long
3R14733	1-Side Laminated with Peel-Off, 1-Up	8.5 x 11	178	Uncoated	N/A	Plain	0	White	Long
3R14734	1-Side Laminated with Peel-Off, 2-Up	8.5 x 11	178	Uncoated	N/A	Plain	0	White	Long
3R14735	1-Side Laminated with MicroperF-Out, 1-Up	8.5 x 11	174	Uncoated	N/A	Plain	0	White	Long
3R14736	1-Side Laminated with MicroperF-Out, 2-Up	8.5 x 11	174	Uncoated	N/A	Plain	0	White	Long
3R14700	7 mil Synthetic with MicroperF-Out, 1-Up	8.5 x 11	123	Uncoated	N/A	Plain	0	White	Long

Due to stack height bias, load maximum of 320 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.

Due to stack height bias, load maximum of 320 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.

Due to stack height bias, load maximum of 115 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.

Due to stack height bias, load maximum of 115 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.

Due to stack height bias, load maximum of 270 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.

Due to stack height bias, load maximum of 270 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.

Due to stack height bias, load maximum of 190 sheets in Tray 1 and/or Tray 2. Long Edge Feed with Card Inboard. Stack height bias may affect media runnability and/or stacking.



# Xerox® Iridesse™ Production Press Recommended Media List

3R12871	2-Part Straight/Reverse	8.5 x 11.5	82	Uncoated	N/A	Ordered/Sequenced-Plain	2	White	Short	Run 100 8.5x11 sheets of plain paper every 5k to clean system. Cleaning of Transfer Bias Belt may be required on long simplex runs.	
3R12877	2-Part Straight/Reverse	17 x 11	82	Uncoated	N/A	Ordered/Sequenced-Plain	2	White	Short	Run 100 8.5x11 sheets of plain paper every 5k to clean system. Cleaning of Transfer Bias Belt may be required on long simplex runs.	
<b>Xerox® Revolution® Label - Multipurpose</b>											
3R12050	33 Up, Label Size = 2.83" x 1"	8.5 x 11	187	Uncoated	N/A	Label	0	White	Long	Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12051	30 Up, Label Size = 2.82" x 1"	8.5 x 11	187	Uncoated	N/A	Label	0	White	Long	Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12052	24 Up, Label Size = 2.83" x 1.37"	8.5 x 11	187	Uncoated	N/A	Label	0	White	Long	Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12055	10 Up, Label Size = 4" x 2"	8.5 x 11	187	Uncoated	N/A	Label	0	White	Long	Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12056	8 Up, Label Size = 4.25" x 2.75"	8.5 x 11	187	Uncoated	N/A	Label	0	White	Long	Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12057	1 Up, Full Sheet	8.5 x 11	187	Uncoated	N/A	Label	0	White	Long	Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
<b>Xerox® Revolution® Label</b>											
3R12735	1-Up, Die Cut	8.5 x 11	205	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12736	1-Up, Full Sheet	8.5 x 11	205	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12737	4-Up	8.5 x 11	205	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12740	10-Up	8.5 x 11	205	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12741	30-Up	8.5 x 11	205	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R05772	1-Up, Die Cut	8.5 x 11	205	C1S	Matte Coated	Label	0	White	Long	Best Image Quality in Plain/Matte Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R12371	1-Up, Full Sheet	8.5 x 11	205	C1S	Matte Coated	Label	0	White	Long	Best Image Quality in Plain/Matte Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R05773	4-Up	8.5 x 11	205	C1S	Matte Coated	Label	0	White	Long	Best Image Quality in Plain/Matte Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R06332	10-Up	8.5 x 11	205	C1S	Matte Coated	Label	0	White	Long	Best Image Quality in Plain/Matte Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R06333	30-Up	8.5 x 11	205	C1S	Matte Coated	Label	0	White	Long	Best Image Quality in Plain/Matte Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
3R06330	2-Up, CD/DVD	8.5 x 11	205	C1S	Matte Coated	Label	0	White	Long	Best Image Quality in Plain/Matte Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts.	
<b>Xerox® Revolution® Label - Vinyl Durable Labels</b>											
3R14626	4 mil Vinyl with Permanent Adhesive	8.5 x 11	302	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts. Static build up may affect media runnability and/or stacking.	
3R14627	4 mil Vinyl with Permanent Adhesive	12 x 18	302	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts. Static build up may affect media runnability and/or stacking.	
3R14628	4 mil Vinyl with Removable Adhesive	8.5 x 11	293	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts. Static build up may affect media runnability and/or stacking.	
3R14629	4 mil Vinyl with Removable Adhesive	12 x 18	293	C1S	Gloss	Label	0	White	Long	Best Image Quality in Plain/Gloss Run Mode. Restricted to Face up Output Delivery to Top Tray Only. Do not print over die cuts. Static build up may affect media runnability and/or stacking.	
<b>Xerox® Revolution® Mailing Media - Cards and Mailers</b>											
3R14621	12in 2 Up Pop-Up Business Card	18 x 12	250	C1S	Gloss	Plain	0	White	Short		
3R14622	12in 2 Up Invitation Mailer	18 x 12	250	C1S	Gloss	Plain	0	White	Short		
3R14635	12in 1 Up Pop-Up CD/DVD Mailer w/Tape	18 x 12	250	C1S	Gloss	Plain	0	White	Short		
3R14636	14in 2 Up Greeting Card	17 x 11	280	C1S	Gloss	Plain	0	White	Short		
3R20015	10in Full Sheet Greeting Card	8.5 x 11	219	C1S	Gloss	Plain	0	White	Long		
3R12445	Business Reply Envelope	8.5 x 11	150	Uncoated	N/A	Plain	0	White	Long	Perforation (Flap) Trail Edge for Simplex jobs. Lead Edge for Duplex jobs.	
<b>Xerox® Revolution® Tabs - Plain Paper</b>											
3R20113	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	4	White	Long		
3R04417	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R04418	90 lb. Index, Single Straight	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R05422	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	3	White	Long		
3R05423	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	3	White	Long		
3R05426	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	4	White	Long		
3R05427	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	4	White	Long		
3R04415	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R04416	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R05717	110 lb. Index, Single Reverse	9 x 11	199	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R05718	110 lb. Index, Single Reverse	9 x 11 3HP	199	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R05713	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	8	White	Long		
3R05714	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	8	White	Long		
<b>Xerox® Revolution® Tabs - 30% Recycled (FSC® Certified)</b>											
3R12626	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R12463	110 lb. Index, Single Straight	9 x 11	199	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R12465	110 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	8	White	Long		
3R12624	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
3R12628	110 lb. Index, Single Reverse	9 x 11	199	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	Long		
<b>Xerox® Revolution® Tabs - Printable Plastic</b>											
3R05709	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	205	Clear.	
3R05710	90 lb. Index, Single Straight	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	205	Clear.	
3R05520	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	205	Clear.	
3R05521	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	205	Clear.	

# Xerox® Iridesse™ Production Press Recommended Media List

Part Number	Media Description	9 x 11	163	Uncoated	N/A	Pre-Cut Tab - Plain	5	White	205	White.
<b>Xerox® Revolution® Marketing Media - Promotional</b>										
3R14806	14pt 1 Up Cube 4"	18 x 12	280	C1S	Gloss	Plain	0	White	Short	
3R14819	14pt 2 Up Cube 2.5"	17 x 11	280	C1S	Gloss	Plain	0	White	Short	
3R14809	14pt 2 Up Golf Ball Sleeve	18 x 12	280	C1S	Gloss	Plain	0	White	Short	
3R14897	14pt 2 Up Portrait Tent Card	18 x 12	280	C1S	Gloss	Plain	0	White	Short	
3R14924	14pt 1 Up Pen/Pencil Hexagon Holder	18 x 12	280	C1S	Gloss	Plain	0	White	Short	
3R14908	14pt 6 Up Door Hanger	18 x 12	280	C1S	Gloss	Plain	0	White	Short	
3R20063	14pt 1 Up Box Photo Tower	19.2 x 13	280	C1S	Gloss	Plain	0	White	Short	
3R20072	10pt 6 Up Shelf Wobbler	18 x 12	219	C1S	Gloss	Plain	0	White	Long	
3R14934	14pt 3 Up Pillow Box	12 x 18	280	C1S	Gloss	Plain	0	White	Long	
3R20106	FunFlip®, 3"x3" Size	8.5 x 11	233	Uncoated	N/A	Plain	0	White	234	Due to stack height bias, load maximum of 700 sheets in Tray 1 and/or Tray 2. Unload OCT at 270 sheets.
3R14742	FunFlip®, Greeting Card Size	8.5 x 11	233	Uncoated	N/A	Plain	0	White	234	Due to stack height bias, load maximum of 700 sheets in Tray 1 and/or Tray 2. Unload OCT at 270 sheets.
<b>Xerox® Revolution® Marketing Media - Presentation Items</b>										
3R12407	10pt Presentation Folder	12 x 18	219	C1S	Gloss	Plain	0	White	Long	
3R20016	Tri-Fold Brochure, 32 lb.	8.5 x 11	120	Uncoated	N/A	Plain	0	White	Long	
3R20017	8pt Supreme Gloss Tri-Fold Brochure	8.5 x 11	170	C1S	Gloss	Plain	0	White	Long	
3R14903	14pt Add A Pocket Folder	18 x 12	280	C1S	Gloss	Plain	0	White	Short	Body and Pockets.
<b>Xerox® Revolution® Marketing Media - Transparency</b>										
3R12820	Monochrome and Color Printer, Paperback	8.5 x 11	208	C1S	Gloss	Plain	0	White	N/A	Face Up Output Delivery.
3R12821	Monochrome and Color Printer, Paperback	11 x 17	208	C1S	Gloss	Plain	0	White	N/A	Face Up Output Delivery.
3R12822	Monochrome and Color Printer, Paperback	12 x 18	208	C1S	Gloss	Plain	0	White	N/A	Face Up Output Delivery.
3R12505	Color Printer, Clear	8.5 x 11	N/A	N/A	N/A	Transparency	0	Clear	N/A	Face Up Output Delivery.
<b>Xerox® Revolution® Magnet Media</b>										
3R14731	Integrated Card, 60 lb. Cover	8.5 x 11	241	Uncoated	N/A	Plain	0	White	N/A	Due to stack bias, load maximum of 75 sheets in Tray 1 and/or Tray 2. 200 sheets maximum in Output Device.
3R14732	Integrated Card, 8pt, C1S Cover	8.5 x 11	247	C1S	Gloss	Plain	0	White	N/A	Due to stack bias, load maximum of 75 sheets in Tray 1 and/or Tray 2. 200 sheets maximum in Output Device.
3R14698	17mil Synthetic High Energy	12 x 18	350	C1S	Gloss	Plain	0	White	N/A	Requires Post Process Magnetizer. Fuser Performance Priority = 'Optimize for Image Quality'. Paper Type Mode = 'Single Paper Weight'. 167 sheets maximum ion Feed Tray. 334 sheets maximum in High Capacity Stacker.
3R14697	17mil Matte Finish	12 x 18	350	C1S	Matte Coated	Plain	0	White	N/A	Requires Post Process Magnetizer. Fuser Performance Priority = 'Optimize for Image Quality'. Paper Type Mode = 'Single Paper Weight'. 167 sheets maximum ion Feed Tray. 334 sheets maximum in High Capacity Stacker.
3R14699	13mil Lightweight Gloss Finish	8.5 x 11	350	C1S	Gloss	Plain	0	White	N/A	Requires Post Process Magnetizer. Fuser Performance Priority = 'Optimize for Image Quality'. Paper Type Mode = 'Single Paper Weight'. 167 sheets maximum ion Feed Tray. 334 sheets maximum in High Capacity Stacker.
3R14696	17mil High Gloss	12 x 18	350	C1S	Gloss	Plain	0	White	N/A	Requires Post Process Magnetizer. Fuser Performance Priority = 'Optimize for Image Quality'. Paper Type Mode = 'Single Paper Weight'. 167 sheets maximum ion Feed Tray. 334 sheets maximum in High Capacity Stacker.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

[www.domtar.com](http://www.domtar.com)  
[www.xeroxpaperUSA.com](http://www.xeroxpaperUSA.com)  
[www.xeroxpaper.ca](http://www.xeroxpaper.ca)