

# EFI Fiery Accessibility Conformance Report

Revised Section 508 Edition

Based on VPAT® Version 2.4

Name of Product/Version: Fiery Command WorkStation 6

Report Date: February 11, 2021

## Product Description:

Fiery Command WorkStation 6 gives production staff a powerful tool to prepare and manage jobs more efficiently for higher production throughput with Fiery servers.

## Contact Information:

[Fiery.products@efi.com](mailto:Fiery.products@efi.com)

## Evaluation Methods Used:

Testing is based on general product knowledge and is similar to other evaluated product. Monitor, keyboard, mouse, OS narrator, and a headset were used in evaluation. Microsoft Accessibility Insights and Apple Accessibility Inspector were used in evaluation.

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	Yes

## Notes:

The purpose of the Voluntary Product Accessibility Template, or VPAT®, is to assist Federal contracting official and other buyers in making preliminary assessment regarding the availability of commercial “Electronics and Information Technology” products and services with features that support accessibility. It is assumed and recommended that officers will provide additional contact information to facilitate more detailed inquiries.

WCAG tables (Level A, Level AA) criteria are combined to follow the numbering scheme used in Section 508 criteria. Product is not evaluated on table Level AAA.

SECTION 508 STANDARD SUMMARY

Criteria	Conformance Level	Remarks and explanations
<a href="#">Chapter 1: Application and Administration</a>		
<a href="#">Chapter 2: Scoping Requirements</a>	Partially Supports	<p>Keyboard navigation does not move between panels in Job Manager and Device Center.</p> <p>Screen reader does not read the content of dialogs.</p> <p>“High contrast black” theme does not apply to list views in Job Manager and Device Center. Focus is not visible when “High contrast black or white” theme is applied.</p>
<a href="#">Chapter 3: Functional Performance Criteria</a>	Partially Supports	See Chapter 2 remarks.
<a href="#">Chapter 4: Hardware</a>	Not Applicable	The product does not support the hardware criteria set forth.
<a href="#">Chapter 5: Software</a>	Partially Supports	See Chapter 2 remarks.
<a href="#">Chapter 6: Support Documentation and Services</a>	Partially Supports	<p>All product features are described in either HTML or PDF files and may be read by Assistive Technology. General Support services are handled by EFI’s partner.</p> <p>Fiery Documentation does not list how to use accessibility or compatibility features. In the online Help, the screen reader does not read the content of the page.</p> <p>When applying “High contrast” or “Invert color” theme, the result varies depending on the browsers.</p>

TERMS

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

CHAPTER 1 APPLICATION AND ADMINISTRATION

[Section 508 \(ICT Refresh\)](#)

Criteria
<b>E207.2 WCAG Conformance.</b> User interface components and content of platforms and applications shall conform to Level A and Level AA Success Criteria and Conformance Requirements specified for web pages in <a href="#">WCAG 2.0</a> .

## Web Content Accessibility Guidelines (WCAG) 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#) .

### PRINCIPLE 1: PERCEIVABLE

Information and user interface components must be presentable to users in ways they can perceive.

#### GUIDELINE 1.1 TEXT ALTERNATIVES

Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language.

Criteria	Conformance Level	Remarks and Explanations
<b><a href="#">1.1.1 Non-text Content</a></b> (Level A) All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in situations listed in <a href="#">WCAG 2.0 1.1.1</a> .	Does Not Support	Most of the CWS non-text content do not show tooltips or alternative text. (Including Server menu icons, Server panel, Job Summary and Preview, Device Center menu, etc.)

#### GUIDELINE 1.2 TIME-BASED MEDIA

Provide alternatives for time-based media.

Criteria	Conformance Level	Remarks and Explanations
<b><a href="#">1.2.1 Audio-only and Video-only (Prerecorded)</a></b> (Level A)	Not Applicable	CWS does not have audio-only or video-only contents.
<b><a href="#">1.2.2 Captions (Prerecorded)</a></b> (Level A)	Not Applicable	CWS does not have audio nor video contents.
<b><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a></b> (Level A)	Not Applicable	CWS does not have audio nor video contents.
<b><a href="#">1.2.4 Captions (Live)</a></b> (Level AA)	Not Applicable	CWS does not have live audio nor video contents.
<b><a href="#">1.2.5 Audio Description (Prerecorded)</a></b> (Level AA)	Not Applicable	CWS does not have live audio nor video contents.

#### GUIDELINE 1.3 ADAPTABLE

Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.3.1 Info and Relationships</b> (Level A)</p> <p>Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>	Does Not Support	Most of the CWS custom controls (Right click menu, Tool bar buttons, tabs, Server menu, most options in Device Manager), and some dialogs are not available via screen reader.
<p><b>1.3.2 Meaningful Sequence</b> (Level A)</p> <p>When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p>	Not Applicable	The order of Job Manager and Device Center controls generally do not affect the meaning.
<p><b>1.3.3 Sensory Characteristics</b> (Level A)</p> <p>Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.</p>	Partially supports	The instructions are text based. Icon and sound are only for aiding the message. However, Screen reader does not notify user of print results, job status, nor pass/fail indicators in Job Manager.

*GUIDELINE 1.4 DISTINGUISHABLE*

Make it easier for users to see and hear content including separating foreground from background.

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.1 Use of Color</b> (Level A)</p> <p>Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	Supports	Most of CWS Job Manager and Device Center uses multiple visual indicators in addition to color (most commonly text labels or distant shapes) for visual elements.
<p><b>1.4.2 Audio Control</b> (Level A)</p>	Not Applicable	
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for situations listed in <a href="#">WCAG 2.0 1.4.3</a>.</p>	Partially supports	The contrast of the following area fell below 4.5: 1 - Device Center server titles and icons (failed for regular text. 2.1:1) - Selected server or Device Center module (white text/light blue bk) 2.4:1.
<p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	Does not support	Most of CWS controls and dialogs do not resize well to 200% using OS display text resize support.
<p><b>1.4.5 Images of Text</b> (Level AA)</p> <p>If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:</p> <ul style="list-style-type: none"> <li>• <b>Customizable:</b> The image of text can be visually customized to the user's requirements;</li> <li>• <b>Essential:</b> A particular presentation of text is essential to the information being</li> </ul>	Not Applicable	CWS controls and dialogs do not use images of text except logos, which are essential.

Criteria	Conformance Level	Remarks and Explanations
conveyed.		

PRINCIPLE 2: OPERABLE

User interface components and navigation must be operable.

GUIDELINE 2.1 KEYBOARD ACCESSIBLE

Make all functionality available from a keyboard.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.1.1 Keyboard</b> (Level A)</p> <p>All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	Does not support	Keyboard navigation does not move between panels in Job Manager, Device Center, nor Job Properties.
<p><b>2.1.2 No Keyboard Trap</b> (Level A)</p> <p>If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.</p>	Does not support	Keyboard navigation does not move between panels in Job Manager, Device Center, nor Job Properties.

GUIDELINE 2.2 ENOUGH TIME

Provide users enough time to read and use content.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.2.1 Timing Adjustable</b> (Level A)</p> <p>For each time limit that is set by the content, at least one of the instances in <a href="#">WCAG 2.0 2.2.1</a> is true.</p>	Not Applicable	CWS interaction does not have time limits.
<p><b>2.2.2 Pause, Stop, Hide</b> (Level A)</p> <p>For moving, blinking, scrolling, or auto-updating information.</p>	Not Applicable	CWS interaction does not have time limits.

GUIDELINE 2.3 SEIZURES

Do not design content in a way that is known to cause seizures.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.3.1 Three Flashes or Below Threshold</b> (Level A)</p> <p>Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.</p>	Not Applicable	CWS does not have rapid flashing objects.

**GUIDELINE 2.4 NAVIGABLE**

Provide ways to help users navigate, find content, and determine where they are.

Criteria	Conformance Level	Remarks and Explanations
<b>2.4.1 Bypass Blocks</b> (Level A) A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Not Applicable	Not required for Non-Web software. (C205)
<b>2.4.2 Page Titled</b> (Level A) Web pages have titles that describe topic or purpose.	Supports	CWS modules and dialogs have titles and window purpose.
<b>2.4.3 Focus Order</b> (Level A) If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Not Applicable	
<b>2.4.4 Link Purpose (In Context)</b> (Level A) The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.	Supports	CWS links are buttons that have labels to show the purpose.
<b>2.4.5 Multiple Ways</b> (Level AA) More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.	Not Applicable	Not required for Non-Web software. (C205)
<b>2.4.6 Headings and Labels</b> (Level AA) Headings and labels describe topic or purpose.	Supports	
<b>2.4.7 Focus Visible</b> (Level AA) Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.	Partially supports	“High contrast black” theme does not apply to list view. Focus is not visible when “high contrast black or white” is applied.

**PRINCIPLE 3: UNDERSTANDABLE**

Information and the operation of user interface must be understandable.

**GUIDELINE 3.1 READABLE**

Make text content readable and understandable.

Criteria	Conformance Level	Remarks and Explanations
<b>3.1.1 Language of Page</b> (Level A) The default human language of each Web page can be programmatically determined.	Supports	
<b>3.1.2 Language of Parts</b> (Level AA) The human language of each passage or	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.		

**GUIDELINE 3.2 PREDICTABLE**

Make Web pages appear and operate in predictable ways.

Criteria	Conformance Level	Remarks and Explanations
<b>3.2.1 On Focus</b> (Level A) When any component receives focus, it does not initiate a change of context.	Supports	
<b>3.2.2 On Input</b> (Level A) Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component	Supports	
<b>3.2.3 Consistent Navigation</b> (Level AA) Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Not Applicable	Does not apply to non-Web Software
<b>3.2.4 Consistent Identification</b> (Level AA) Components that have the same functionality within a set of Web pages are identified consistently.	Not Applicable	Does not apply to non-Web Software

**GUIDELINE 3.3 INPUT ASSISTANCE**

Help users avoid and correct mistakes.

Criteria	Conformance Level	Remarks and Explanations
<b>3.3.1 Error Identification</b> (Level A) If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Supports	
<b>3.3.2 Labels or Instructions</b> (Level A) Labels or instructions are provided when content requires user input.	Supports	
<b>3.3.3 Error Suggestion</b> (Level AA) If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.	Supports	

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> <p>For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ol style="list-style-type: none"> <li>1. Reversible: Submissions are reversible.</li> <li>2. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>3. Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> </ol>	Supports	License activation site.

**PRINCIPLE 4: ROBUST**

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

*GUIDELINE 4.1 COMPATIBLE*

Maximize compatibility with current and future user agents, including assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
<p><b>4.1.1 Parsing</b> (Level A)</p> <p>In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</p>	Partially supports	Device Center Halftone Simulation has selections that are not grouped and cannot be selected using only keyboard navigation.
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p>	Partially supports	Screen reader does not read items in the list views in Job Manager and Device Center.

**Revised Section 508 Report**

301 GENERAL

**301.1 Scope** The requirements of Chapter 3 shall apply to ICT where required by [508 Chapter 2 \(Scoping Requirements\)](#), [255 Chapter 2 \(Scoping Requirements\)](#), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

302 FUNCTIONAL PERFORMANCE CRITERIA

Criteria	Conformance Level	Remarks and Explanations
<a href="#">302.1 Without vision</a> . Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.	Not Support	Keyboard navigation does not move between panels in Job Manager and Device Center.
<a href="#">302.2 With limited vision</a> . Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.	Partially supports	“High contrast black” theme does not apply to list view. Focus is not visible when “high contrast black or white” is applied. Screen reader does not read the content (message) of dialogs.
<a href="#">302.3 Without Perception of Color</a> . Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	Supports	CWS6 uses labels and distinct shapes to indicate elements in addition to colors.
<a href="#">302.4 Without Hearing</a> . Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.	Supports	
<a href="#">302.5 With Limited Hearing</a> . Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.	Supports	
<a href="#">302.6 Without Speech</a> . Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.	Not Applicable	CWS does not require speech to operate.
<a href="#">302.7 With Limited Manipulation</a> . Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.	Does not support	Keyboard navigation does not move between panels in Job Manager and Device Center.
<a href="#">302.8 With Limited Reach and Strength</a> . Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.	Does not support	Keyboard navigation does not move between panels in Job Manager and Device Center.
<a href="#">302.9 With Limited Language, Cognitive, and Learning Abilities</a> . ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.	Not Applicable	

CHAPTER 4 HARDWARE

401 GENERAL

**401.1 Scope.** The Requirements of Chapter 4 shall apply to ICT that is hardware where required by [508 Chapter 2 \(Scoping Requirements\)](#), [255 Chapter 2 \(Scoping Requirements\)](#), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Hardware that is assistive technology shall not be required to conform to the requirements of this chapter.

402 CLOSED FUNCTIONALITIES

**402.1 General.** ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers and shall conform to 402.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">402.2 Speech-Output Enabled.</a> ICT with a display screen shall be speech-output enabled for full and independent use by individuals with vision impairments.	Not Applicable	
<a href="#">402.2.1 Information Displayed On-Screen.</a> Speech output shall be provided for all information displayed on-screen.	Not Applicable	
<a href="#">402.2.2 Transactional Outputs.</a> Where transactional outputs are provided, the speech output shall audibly provide all information necessary to verify a transaction.	Not Applicable	
<a href="#">402.2.3 Speech Delivery Type and Coordination.</a> Speech output shall be delivered through a mechanism that is readily available to all users, including, but not limited to, an industry standard connector or a telephone handset. Speech shall be recorded or digitized human or synthesized. Speech output shall be coordinated with information displayed on the screen.	Not Applicable	
<a href="#">402.2.4 User Control.</a> Speech output for any single function shall be automatically interrupted when a transaction is selected. Speech output shall be capable of being repeated and paused.	Not Applicable	
<a href="#">402.2.5 Braille Instructions.</a> Where speech output is required by 402.2, braille instructions for initiating the speech mode of operation shall be provided.	Not Applicable	
<a href="#">402.3 Volume.</a> ICT that delivers sound, including speech output required by 402.2, shall provide volume control and output amplification conforming to 402.3.	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
<a href="#">402.3.1 Private Listening</a> . Where ICT provides private listening, it shall provide a mode of operation for controlling the volume. Where ICT delivers output by an audio transducer typically held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	
<a href="#">402.3.2 Non-private Listening</a> . Where ICT provides non-private listening, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	
<a href="#">402.4 Characters</a> . At least one mode of characters displayed on the screen shall be in a sans serif font. Where ICT does not provide a screen enlargement feature, characters shall be 3/16 inch (4.8 mm) high minimum based on the uppercase letter "I". Characters shall contrast with their background with either light characters on a dark background or dark characters on a light background.	Not Applicable	
<a href="#">402.5 Characters on Variable Message Signs</a> . Characters on variable message signs shall conform to section 703.7 Variable Message Signs of ICC A117.1-2009 (incorporated by reference, see 702.6.1).	Not Applicable	

#### 403 BIOMETRICS

Criteria	Conformance Level	Remarks and Explanations
<a href="#">403.1 General</a> . Biometrics shall not be the only means for user identification or control.	Not Applicable	

#### 404 PRESERVATION OF INFORMATION PROVIDED FOR ACCESSIBILITY

Criteria	Conformance Level	Remarks and Explanations
<a href="#">404.1 General</a> . ICT that transmits or converts information or communication shall not remove non-proprietary information provided for accessibility or shall restore it upon delivery.	Not Applicable	

#### 405 PRIVACY

Criteria	Conformance Level	Remarks and Explanations
<a href="#">405.1 General</a> . The same degree of privacy of input and output shall be provided to all	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
individuals. When speech output required by <a href="#">402.2</a> is enabled, the screen shall not blank automatically.		

**406 STANDARD CONNECTIONS**

Criteria	Conformance Level	Remarks and Explanations
<a href="#">406.1 General</a> . Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.	Not Applicable	

**407 OPERABLE PARTS**

**407.1 General.** Where provided, operable parts used in the normal operation of ICT shall conform to 407.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">407.2 Contrast</a> . Where provided, keys and controls shall contrast visually from background surfaces. Characters and symbols shall contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.	Not Applicable	
<a href="#">407.3 Input Controls</a> . At least one input control conforming to 407.3 shall be provided for each function.	See 407.3.1, 407.3.2, and 407.3.3.	
<a href="#">407.3.1 Tactilely Discernible</a> . Input controls shall be operable by touch and tactilely discernible without activation.	Not Applicable	
<a href="#">407.3.2 Alphabetic Keys</a> . Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the “F” and “J” keys shall be tactilely distinct from the other keys.	Not Applicable	
<a href="#">407.3.3 Numeric Keys</a> . Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout. The number five key shall be tactilely distinct from the other keys. Where the ICT provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU-T Recommendation E.161 (incorporated by reference, see 702.7.1).	Not Applicable	
<a href="#">407.4 Key Repeat</a> . Where a keyboard with key repeat is provided, the delay before the key repeat feature is activated shall be fixed at, or adjustable to, 2 seconds minimum.	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">407.5 Timed Response</a>. Where a timed response is required, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.</p>	Not Applicable	
<p><a href="#">407.6 Operation</a>. At least one mode of operation shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.</p>	Not Applicable	
<p><a href="#">407.7 Tickets, Fare Cards, and Keycards</a>. Where tickets, fare cards, or keycards are provided, they shall have an orientation that is tactilely discernible if orientation is important to further use of the ticket, fare card, or keycard.</p>	Not Applicable	
<p><a href="#">407.8 Reach Height and Depth</a>. At least one of each type of operable part of stationary ICT shall be at a height conforming to 407.8.2 or 407.8.3 according to its position established by the vertical reference plane specified in 407.8.1 for a side reach or a forward reach. Operable parts used with speech output required by 402.2 shall not be the only type of operable part complying with 407.8 unless that part is the only operable part of its type.</p>	Not Applicable	
<p><a href="#">407.8.1 Vertical Reference Plane</a>. Operable parts shall be positioned for a side reach or a forward reach determined with respect to a vertical reference plane. The vertical reference plane shall be located in conformance to 407.8.2 or 407.8.3.</p>	Not Applicable	
<p><a href="#">407.8.1.1 Vertical Plane for Side Reach</a>. Where a side reach is provided, the vertical reference plane shall be 48 inches (1220 mm) long minimum.</p>	Not Applicable	
<p><a href="#">407.8.1.2 Vertical Plane for Forward Reach</a>. Where a forward reach is provided, the vertical reference plane shall be 30 inches (760 mm) long minimum.</p>	Not Applicable	
<p><a href="#">407.8.2 Side Reach</a>. Operable parts of ICT providing a side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach</p>	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.		
<a href="#">407.8.2.1 Unobstructed Side Reach</a> . Where the operable part is located 10 inches (255 mm) or less beyond the vertical reference plane, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.	Not Applicable	
<a href="#">407.8.2.2 Obstructed Side Reach</a> . Where the operable part is located more than 10 inches (255 mm), but not more than 24 inches (610 mm), beyond the vertical reference plane, the height of the operable part shall be 46 inches (1170 mm) high maximum and 15 inches (380 mm) high minimum above the floor. The operable part shall not be located more than 24 inches (610 mm) beyond the vertical reference plane.	Not Applicable	
<a href="#">407.8.3 Forward Reach</a> . Operable parts of ICT providing a forward reach shall conform to 407.8.3.1 or 407.8.3.2. The vertical reference plane shall be centered, and intersect with, the operable part. Where a forward reach allows a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Not Applicable	
<a href="#">407.8.3.1 Unobstructed Forward Reach</a> . Where the operable part is located at the leading edge of the maximum protrusion within the length of the vertical reference plane of the ICT, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.	Not Applicable	
<a href="#">407.8.3.2 Obstructed Forward Reach</a> . Where the operable part is located beyond the leading edge of the maximum protrusion within the length of the vertical reference plane, the operable part shall conform to 407.8.3.2. The maximum allowable forward reach to an operable part shall be 25 inches (635 mm).	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations						
<p><a href="#">407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach</a>. The height of the operable part shall conform to Table 407.8.3.2.1.</p> <table border="1"> <thead> <tr> <th>Reach Depth</th> <th>Operable Part</th> </tr> </thead> <tbody> <tr> <td>Less than 20 inches</td> <td>48 inches (1220 mm)</td> </tr> <tr> <td>20 inches (510 mm) to 25 inches (635 mm)</td> <td>44 inches (1120 mm) maximum</td> </tr> </tbody> </table>	Reach Depth	Operable Part	Less than 20 inches	48 inches (1220 mm)	20 inches (510 mm) to 25 inches (635 mm)	44 inches (1120 mm) maximum	Not Applicable	
Reach Depth	Operable Part							
Less than 20 inches	48 inches (1220 mm)							
20 inches (510 mm) to 25 inches (635 mm)	44 inches (1120 mm) maximum							
<p><a href="#">407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach</a>. Knee and toe space under ICT shall be 27 inches (685 mm) high minimum, 25 inches (635 mm) deep maximum, and 30 inches (760 mm) wide minimum and shall be clear of obstructions.</p>	Not Applicable							

**408 DISPLAY SCREENS**

**408.1 General.** Where provided, display screens shall conform to 408.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">408.2 Visibility</a>. Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be visible from a point located 40 inches (1015 mm) above the floor space where the display screen is viewed.</p>	Not Applicable	
<p><a href="#">408.3 Flashing</a>. Where ICT emits lights in flashes, there shall be no more than three flashes in any one-second period.</p>	Not Applicable	

**409 STATUS INDICATORS**

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">409.1 General</a>. Where provided, status indicators shall be discernible visually and by touch or sound.</p>	Not Applicable	

**410 COLOR CODING**

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">410.1 General</a>. Where provided, color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	Not Applicable	

**411 AUDIBLE SIGNALS**

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">411.1 General</a>. Where provided, audible</p>	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
signals or cues shall not be used as the only means of conveying information, indicating an action, or prompting a response.		

412 ICT WITH TWO-WAY VOICE COMMUNICATION

**412.1 General.** ICT that provides two-way voice communication shall conform to 412.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">412.2 Volume Gain.</a> ICT that provides two-way voice communication shall conform to 412.2.1 or 412.2.2.	Not Applicable	
<a href="#">412.2.1 Volume Gain for Wireline Telephones.</a> Volume gain conforming to 47 CFR 68.317 shall be provided on analog and digital wireline telephones.	Not Applicable	
<a href="#">412.2.2 Volume Gain for Non-Wireline ICT.</a> A method for increasing volume shall be provided for non-wireline ICT.	Not Applicable	
<a href="#">412.3 Interference Reduction and Magnetic Coupling.</a> Where ICT delivers output by a handset or other type of audio transducer that is typically held up to the ear, ICT shall reduce interference with hearing technologies and provide a means for effective magnetic wireless coupling in conformance with 412.3.1 or 412.3.2.	Not Applicable	
<a href="#">412.3.1 Wireless Handsets.</a> ICT in the form of wireless handsets shall conform to ANSI/IEEE C63.19-2011 (incorporated by reference, see 702.5.1).	Not Applicable	
<a href="#">412.3.2 Wireline Handsets.</a> ICT in the form of wireline handsets, including cordless handsets, shall conform to TIA-1083-B (incorporated by reference, see 702.9.1).	Not Applicable	
<a href="#">412.4 Digital Encoding of Speech.</a> ICT in IP-based networks shall transmit and receive speech that is digitally encoded in the manner specified by ITU-T Recommendation G.722.2 (incorporated by reference, see 702.7.2) or IETF RFC 6716 (incorporated by reference, see 702.8.1).	Not Applicable	
<a href="#">412.5 Real-Time Text Functionality.</a> Reserved.	Not Applicable	
<a href="#">412.6 Caller ID.</a> Where provided, caller identification and similar telecommunications functions shall be visible and audible.	Not Applicable	
<a href="#">412.7 Video Communication.</a> Where ICT provides real-time video functionality, the	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
quality of the video shall be sufficient to support communication using sign language.		

*413 CLOSED CAPTION PROCESSING TECHNOLOGIES*

**413.1 General.** Where ICT displays or processes video with synchronized audio, ICT shall provide closed caption processing technology that conforms to 413.1.1 or 413.1.2.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">413.1.1 Decoding and Display of Closed Captions.</a> Players and displays shall decode closed caption data and support display of captions.	Not Applicable	
<a href="#">413.1.2 Pass-Through of Closed Caption Data.</a> Cabling and ancillary equipment shall pass through caption data.	Not Applicable	

*414 AUDIO DESCRIPTION PROCESSING TECHNOLOGIES*

**414.1 General.** Where ICT displays or processes video with synchronized audio, ICT shall provide audio description processing technology conforming to 414.1.1 or 414.1.2.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">414.1.1 Digital Television Tuners.</a> Digital television tuners shall provide audio description processing that conforms to ATSC A/53 Digital Television Standard, Part 5 (2014) (incorporated by reference, see 702.2.1). Digital television tuners shall provide processing of audio description when encoded as a Visually Impaired (VI) associated audio service that is provided as a complete program mix containing audio description according to the ATSC A/53 standard.	Not Applicable	
<a href="#">414.1.2 Other ICT.</a> ICT other than digital television tuners shall provide audio description processing.	Not Applicable	

*415 USER CONTROLS FOR CAPTIONS AND AUDIO DESCRIPTIONS*

**415.1 General.** Where ICT displays video with synchronized audio, ICT shall provide user controls for closed captions and audio descriptions conforming to 415.1.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">415.1.1 Caption Controls.</a> Where ICT provides operable parts for volume control, ICT shall also provide operable parts for caption selection.	Not Applicable	
<a href="#">415.1.2 Audio Description Controls.</a> Where ICT provides operable parts for program selection, ICT shall also provide operable parts for the selection of audio description.	Not Applicable	

CHAPTER 5 SOFTWARE

501 GENERAL

**501.1 Scope.** The requirements of Chapter 5 shall apply to software where required by [508 Chapter 2 \(Scoping Requirements\)](#), [255 Chapter 2 \(Scoping Requirements\)](#), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Where Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services, they shall not be required to conform to 502 or 503 provided that they conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).

502 INTEROPERABILITY WITH ASSISTIVE TECHNOLOGY

**502.1 General.** Software shall interoperate with assistive technology and shall conform to 502.

**502.2 Documented Accessibility Features.** Software with platform features defined in platform documentation as accessibility features shall conform to 502.2.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">502.2.1 User Control of Accessibility Features.</a> Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features.	Not Applicable	CWS is not a platform software.
<a href="#">502.2.2 No Disruption of Accessibility Features.</a> Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.	Partially supports	The “high contrast black or white” them does not affect list views in Job Manager and Device Center. Focus is not visible when “high contrast black or white” is applied.

**502.3 Accessibility Services.** Platform software and software tools that are provided by the platform developer shall provide a documented set of accessibility services that support applications running on the platform to interoperate with assistive technology and shall conform to 502.3. Applications that are also platforms shall expose the underlying platform accessibility services or implement other documented accessibility services.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">502.3.1 Object Information.</a> The object role, state(s), properties, boundary, name, and description shall be programmatically determinable.	Partially supports	Screen reader does not read items in list view, job status, and Job Summary items.
<a href="#">502.3.2 Modification of Object Information.</a> States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Does not support	Configure and most of the Device Center modules cannot be selected by keyboard navigation.
<a href="#">502.3.3 Row, Column, and Headers.</a> If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.	Does not support	Screen reader does not read list view items or column titles. Keyboard navigation cannot select list view column titles.
<a href="#">502.3.4 Values.</a> Any current value(s), and any set or range of allowable values associated with an object, shall be	Partially supports	

Criteria	Conformance Level	Remarks and Explanations
programmatically determinable.		
<a href="#">502.3.5 Modification of Values.</a> Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Partially supports	Keyboard navigation does not set or change values on radio button selections that are not grouped programmatically.
<a href="#">502.3.6 Label Relationships.</a> Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.	Partially supports	
<a href="#">502.3.7 Hierarchical Relationships.</a> Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.	Partially supports	Keyboard navigation does not navigate from a selected Device center menu to its content.
<a href="#">502.3.8 Text.</a> The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.	Supports	
<a href="#">502.3.9 Modification of Text.</a> Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	
<a href="#">502.3.10 List of Actions.</a> A list of all actions that can be executed on an object shall be programmatically determinable.	Partially supports	Keyboard navigation does not reach Job's contextual menu.
<a href="#">502.3.11 Actions on Objects.</a> Applications shall allow assistive technology to programmatically execute available actions on objects.	Partially supports	Keyboard navigation does not reach Job's contextual menu.
<a href="#">502.3.12 Focus Cursor.</a> Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.	Partially supports	Focus is not visible when "high contrast black or white" is applied.
<a href="#">502.3.13 Modification of Focus Cursor.</a> Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.	Partially supports	Focus is not visible when "high contrast black or white" is applied.
<a href="#">502.3.14 Event Notification.</a> Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.	Supports	
<a href="#">502.4 Platform Accessibility Features.</a>	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
<p>Platforms and platform software shall conform to the requirements in ANSI/HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) (incorporated by reference, see 702.4.1) listed below:</p> <ol style="list-style-type: none"> <li>1. Section 9.3.3 Enable sequential entry of multiple (chorded) keystrokes;</li> <li>2. Section 9.3.4 Provide adjustment of delay before key acceptance;</li> <li>3. Section 9.3.5 Provide adjustment of same-key double-strike acceptance;</li> <li>4. Section 10.6.7 Allow users to choose visual alternative for audio output;</li> <li>5. Section 10.6.8 Synchronize audio equivalents for visual events;</li> <li>6. Section 10.6.9 Provide speech output services; and</li> <li>7. Section 10.7.1 Display any captions provided.</li> </ol>		

503 APPLICATIONS

**503.1 General.** Applications shall conform to 503.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">503.2 User Preferences.</a> Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor.</p>	Partially supports	<p>Keyboard navigation does not move from panel to panel in Job Manager and Device Center.</p> <p>“High Contrast black” theme does not apply to Job Manager and Device Center list views. Focus is not visible when “high contrast black or white” is applied.</p>
<p><a href="#">503.3 Alternative User Interfaces.</a> Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.</p>	Not Applicable	
<p><a href="#">503.4 User Controls for Captions and Audio Description.</a> Where ICT displays video with synchronized audio, ICT shall provide user controls for closed captions and audio descriptions conforming to 503.4.</p>	Not Applicable	
<p><a href="#">503.4.1 Caption Controls.</a> Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.</p>	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
<a href="#">503.4.2 Audio Description Controls</a> Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.	Not Applicable	

504 *AUTHORING TOOLS*

**504.1 General.** Where an application is an authoring tool, the application shall conform to 504 to the extent that information required for accessibility is supported by the destination format.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">504.2 Content Creation or Editing.</a> Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option of overriding information required for accessibility.	Not Applicable	CWS is not an authoring tool.
<a href="#">504.2.1 Preservation of Information Provided for Accessibility in Format Conversion.</a> Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format.	Not Applicable	
<a href="#">504.2.2 PDF Export.</a> Authoring tools capable of exporting PDF files that conform to ISO 32000-1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289-1:2016 (PDF/UA-1) (incorporated by reference, see 702.3.1).	Not Applicable	
<a href="#">504.3 Prompts.</a> Authoring tools shall provide a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for supported features and, as applicable, to file formats supported by the authoring tool.	Not Applicable	
<a href="#">504.4 Templates.</a> Where templates are provided, templates allowing content creation that conforms to Level A and Level AA Success Criteria and Conformance	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) shall be provided for a range of template uses for supported features and, as applicable, to file formats supported by the authoring tool.		

CHAPTER 6 SUPPORT DOCUMENTATION AND SERVICES

602 SUPPORT DOCUMENTATION

**602.1 General.** Documentation that supports the use of ICT shall conform to 602.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">602.2 Accessibility and Compatibility Features.</a> Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.	Does not support	All product documentation is provided in PDF format and may be read by Assistive Technology.  Fiery Help files does not include built-in accessibility features.  Fiery Documentation does not list how to use accessibility nor compatibility features.
<a href="#">602.3 Electronic Support Documentation.</a> Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	Partially supports	- Microsoft Edge 42.17134.1.0: Partially supports. Screen reader does not read the contents.  - Firefox 64.0: Does not support, Missing icons in “High Contrast black” theme. Screen reader does not read the contents.  - Chrome Version 71.0.3578.98: Does not support. Failed to invert background color) Screen reader does not read the contents.  - Safari 12.0.1 (Mac 10.13): Partially supports. Keyboard navigation (Tab) does not move to Index or content or buttons.
<a href="#">602.4 Alternate Formats for Non-Electronic Support Documentation.</a> Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.	Supports	All product features are described in either HTML or PDF files and may be read by Assistive Technology.

603 SUPPORT SERVICES

**603.1 General.** ICT support services including, but not limited to, help desks, call centers, training services, and automated self-service technical support, shall conform to 603.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">603.2 Information on Accessibility and Compatibility Features.</a> ICT support services shall include information on the accessibility and compatibility features required by 602.2.	Not Applicable	Supports issues are handled by EFI’s partner.  (1194.41-c)

Criteria	Conformance Level	Remarks and Explanations
<a href="#">603.3 Accommodation of Communication Needs</a> . Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.	Not Applicable	Supports issues are handled by EFI's partner. (1194.41-c)

**Legal Disclaimer (Company)**

*This document is provided by EFI for informational purposes only. EFI makes no representations or warranties with respect to the information provided herein including, but not limited to, the accuracy of the information.*