

Product Safety Data Sheet

Number: 08-3002 05-June-09

Revision: 02



Phaser 3600

Product Description: Printer
Speed (PPM): 40
Mono/Color: mono
Product Type: Printer

ELECTRICAL INPUT INFORMATION

| | | |
|--------------------------|---------|---------|
| Voltage (Volts): | 100-127 | 220-240 |
| Rated Current (Amperes): | 6.5 | 3.5 |
| Frequency (Hertz): | 50/60 | 50/60 |
| Phase Connection: | single | single |

HEAT AND POWER:

| Input Voltage (Volts) | 100-127 | 220-240 | 100-127 | 220-240 |
|-----------------------|----------------------|---------|-----------------------------|---------|
| | Power (Watts) | | Heat Output (BTU/Hr) | |
| Running: | 574 | 564 | 1,957 | 2,256 |
| Standby: | 75 | 72 | 256 | 288 |
| Sleep: | 11 | 10 | 38 | 40 |
| Off/FEMP ² | 0 | 0 | 0 | 0 |

⁽²⁾ FEMP – Federal Energy Management Program

OPERATING ENVIRONMENT

Relative Humidity %: 0 %
Ambient Temperature : 10-30° C 50-86° F

PRODUCT SIZE:

| | | |
|---------|----------|------------|
| Depth: | 46.3 cm | 18.23 in. |
| Width: | 39.9 cm | 15.71 in. |
| Height: | 38.3 cm | 15.08 in. |
| Weight: | 17.65 kg | 38.83 lbs. |

SPACE REQUIREMENTS: Desktop Unit

LIGHT SOURCE:

Light Source: Class 1 Laser Product with Embedded Class 3B Laser

Product Safety Data Sheet

Number: 08-3002 05-June-09

Revision: 02



Phaser 3600

CHEMICAL EMISSIONS

Chemical Emission Test per:RAL - UZ122

The machine was tested under the conditions as specified in the standard inside a room of 7 m³ with 2 air changes per hour.

| PARAMETER | CONCENTRATION (mg/m ³) | EMISSIONS (mg/h) |
|-----------|------------------------------------|-----------------------|
| TVOC: | .45 | 6.24 |
| Dust: | .11 | 1.6 |
| Ozone: | below detection limit | below detection limit |

ACOUSTICAL NOISE

Tested in accordance to ISO 7779 and declared per ISO 9296.

| Sound Power Level | LwAd (B) |
|----------------------|------------|
| Standby: | 4.1 |
| Run: | 6.8 |
| Sound Pressure Level | LpAd (dBA) |
| Standby: | 31.3 |
| Run: | 53.5 |

ELECTRICAL AND MECHANICAL CERTIFICATIONS

| | | |
|---------------------------------------|-------------------|---------------------|
| Electrical Operating Voltage (Volts): | 100-127 | 220-240 |
| Frequency (Hertz): | 50/60 | 50/60 |
| Standard: | UL 60950-1 | IEC 60950-1:2001 |
| Certifying Body: | UL | Intertek ETL Semko |
| Report Reference/License: | E149091-A232-UL-1 | 801252-1, 801252-L1 |

ELECTRO-MAGNETIC COMPATIBILITY:

| | | |
|---------------------------------------|----------------------------|-------------|
| Electrical Operating Voltage (Volts): | 100-127 | 220-240 |
| Frequency (Hertz): | 50/60 | 50/60 |
| Standard: | FCC Part15 SubpartB ClassB | 2004/108/EC |
| Certifying Body: | Xerox | Xerox |
| Report Reference/License: | LBE080042 | LBE080043 |

SUPPLIES:

MSDS Number(s): A-1045

Product Safety Data Sheet

Number: 08-3002 05-June-09

Revision: 02



Phaser 3600

PRODUCT RECYCLING AND DISPOSAL

Xerox Europe: Domestic Users



Application of this symbol on your equipment is confirmation that you should not dispose of the equipment in the normal household waste stream.

In accordance with European legislation, end of life electrical and electronic equipment subject to disposal must be segregated from household waste.

Private households within EU Member States may return used electrical and electronic equipment to designated collection facilities free of charge. Please contact your local disposal authority for information.

In some Member States when you purchase new equipment your local retailer may be required to take back your old equipment free of charge. Please ask your retailer for information.

Xerox Europe: Commercial Users



Application of this symbol on your equipment is confirmation that you must dispose of this equipment in compliance with agreed national Procedures.

In accordance with European legislation end of life electrical and electronic equipment subject to disposal must be managed within agreed procedures.

Prior to disposal please contact your local dealer or Xerox representative for end of life take back information.

Xerox North America:

Xerox operates an equipment take back and reuse/recycle program. Contact your Xerox sales representative (1-800-ASK-XEROX) to determine whether this Xerox product is part of the program.

For more information about Xerox environmental programs, refer to:

http://www.xerox.com/Downloads/usa/en/e/ehs_recycle_options.pdf

If you are managing the disposal of your Xerox product, please note that the product may contain sensitive materials whose disposal may be regulated due to environmental considerations. The presence of these materials is fully consistent with global regulations applicable at the time that the product was placed on the market. For recycling and disposal information, contact your local authorities. In the United States, you may also refer to the Electronic Industries Alliance web site at: www.eiae.org

Xerox Environment, Health & Safety
800 Phillips Road 0205-99F
Webster, New York 14580 USA

Emergencies U.S. only: 1-585-422-2177
Inquiries U.S. Only: 1-800-828-6571
Contact U.S. Only: usa.xerox.EHS@xerox.com
Contact Non-U.S. Only: ehs-europe@xerox.com

For more information about Xerox environmental programs in *North America*, refer to: www.xerox.com/Environment

For more information about Xerox environmental programs in *Europe*, refer to: www.xerox.com/environment_europe

Xerox Corporation has developed this Product Safety Data Sheet for informational purposes as a courtesy for Xerox customers. Any determination regarding the proper use of this information must be made by the user, including any use of the information for compliance with applicable laws, rules and regulations. Xerox believes the information herein to be accurate as of the date of issuance but makes no representations or warranties of any kind, either express or implied, as to the accuracy, completeness or fitness for use of the information. By issuance of this Product Safety Data Sheet, Xerox does not assume any liability or responsibility for losses, claims, liabilities or damages which may result from reliance upon the information herein.