

Xerox Accessibility Section 508 Conformance Report

Voluntary Product Accessibility Template® (VPAT®) V2.0

Xerox® AltaLink® C8030/35/45/55/70 MFP



Learn more about Xerox and Section 508 at our website:

www.xerox.com/Section508

Summary Table – Voluntary Product Accessibility Template® (VPAT®)

| Criteria | Conformance Level | Remarks and explanations |
|--|--------------------------|---|
| Chapter 3: Functional Performance Criteria | Supports | The product is compliant with Chapter 3 |
| Chapter 4: Hardware | Supports with exceptions | Compliant with minor exceptions concerning speech, braille, and input controls |
| Chapter 5: Software | Not applicable | The product does not support the software criteria set forth |
| Chapter 6: Support Documentation and Services | Supports | The centralization of documentation, training, and support services for most Xerox products allows us to achieve compliance across the corporation. |

Software Version Evaluated: 101.001.008

Accessories Included in Evaluation: external keyboard, narrator (inbuilt in windows), headset, and XCA

Evaluation Methods Used: testing based on general product knowledge, similar to another evaluated product, and testing with assistive technologies

Chapter 3: Functional Performance Criteria (FPC)

| Criteria | Conformance Level | Remarks and explanations |
|--|-------------------|---|
| 302.1 Without Vision | Supports | Person without vision can make use of the rocker switch behind the door to power on/off the machine. Also, supported with XCA as the speech output can be directed to the individuals |
| 302.2 With Limited Vision | Supports | Person with limited vision is able to perform all the operations available based on limited vision of 20/70 |
| 302.3 Without Perception of Color | Supports | At least one mode of operation that does not require user perception of color is available |
| 302.4 Without Hearing | Supports | One mode of operation that does not require user hearing is available |
| 302.5 With Limited Hearing | Supports | One mode of operation that does not require user limited hearing is available |
| 302.6 Without Speech | Not applicable | Speech is not required for this product |
| 302.7 With Limited Manipulation | Supports | At least one mode of operation that does not require fine motor control or simultaneous manual operations is available |
| 302.8 With Limited Reach and Strength | Supports | At least one mode of operation that does not require limited reach and limited strength is available |
| 302.9 With limited Language, Cognitive, and Learning Abilities | Supports | Features are provided for individuals with limited cognitive, language, and learning abilities for simpler and easier use |

Chapter 4: Hardware

| Criteria | Conformance Level | Remarks and explanations |
|---|--------------------------|--|
| 402 Closed Functionality | | |
| 402.1 General | | |
| 402.2 Speech-Output Enabled | | |
| 402.2.1 Information Displayed On-Screen | Supports | Speech is enabled via XCA. However machine cannot be powered on/off via XCA. |
| 402.2.2 Transactional Outputs | Not applicable | There is no transactional output |
| 402.2.3 Speech Delivery Type and Coordination | Supports | Speech is enabled via XCA and can be directed to individuals via headsets. However, machine cannot be powered on/off via XCA |
| 402.2.4 User Control | Supports with exceptions | Speech is enabled via XCA. However, there is no repeat and pause option |
| 402.2.5 Braille Instructions | Supports with exceptions | Speech output is not supported in the machine but is via XCA. XCA is specifically set up to enable speech. Using XCA it is assumed the user is aware of the accessibility features |
| 402.3 Volume | | |
| 402.3.1 Private Listening | Supports | This product provides a mode of operation for controlling the volume when in private listening mode |
| 402.3.2 Non-private Listening | Supports with exceptions | On / Off is not a feature of XCA. On/Off operations are |

| Criteria | Conformance Level | Remarks and explanations |
|---|--------------------------|---|
| | | done in hardware but the device does not provide speech output Speech is enabled via XCA. However, there are no volume controls in XCA." |
| 402.4 Characters on Display Screens | Supports | At least one mode of characters displayed on the screen is in sans serif font is available |
| 402.5 Characters on Variable Message Signs | Not applicable | This product does not have variable message signs |
| 403 Biometrics | | |
| 403.1 General | Not applicable | Biometric forms are not used. |
| 404 Preservation of Information Provided for Accessibility | | |
| 404.1 General | Not applicable | The device does not transmit or conduct information or communication. |
| 405 Privacy | | |
| 405.1 General | Supports | The same degree of privacy of input and output is provided to all individuals |
| 406 Standard Connections | | |
| 406.1 General | Supports | The data connections are fax line and internet cable and they are industry standard formats |
| 407 Operable Parts | | |
| 407.2 Contrast | Supports | The product provides keys and controls with contrast visually from background surfaces |
| 407.3 Input Controls | | |
| 407.3.1 Tactilely Discernible | Supports | Input controls are operable by touch and tactilely discernible without activation. |
| 407.3.2 Alphabetic Keys | Supports with exceptions | Through external keyboard, user can enter the text for providing the email destination of the job but user will not be able to go to that 'editable text' field in LUI via keyboard |
| 407.3.3 Numeric Keys | Supports with exceptions | Through external keyboard, user can enter the numeric values for providing the quantity of the job but user will not be able to go to that 'quantity' field in LUI via keyboard |
| 407.4 Key Repeat | Not applicable | Key repeat is not supported. |
| 407.5 Timed Response | Supports with exceptions | Alert provided only visually but not by sound |
| 407.6 Operation | Supports | Controls do not require simultaneous use of two hands, and the force to activate hand-operated controls is less than 5 lbs. |
| 407.7 Tickets, Fare Cards, and Keycards | Not applicable | Tickets, Fare card or keycard is not used in product |
| 407.8 Reach Height and Depth | | |

| Criteria | Conformance Level | Remarks and explanations |
|---|-------------------|---|
| 407.8.1 Vertical Reference Plane | Supports | At least one of each type of operable part of stationary ICT at a height conforming to 407.8.2 or 407.8.3 is available |
| 407.8.1.1 Vertical Plane for Side Reach | Supports | Where a side reach is provided, the vertical reference plane is 48 inches (1220 mm) long minimum. |
| 407.8.1.2 Vertical Plane for Forward Reach. | Supports | Where a forward reach is provided, the vertical reference plane is 30 inches (760 mm) long minimum |
| 407.8.2 Side Reach | Supports | Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT is 34 inches (865 mm) maximum. |
| 407.8.2.1 Unobstructed Side Reach | Supports | Where the operable part is located 10 inches (255 mm) or less beyond the vertical reference plane, the operable part is 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor. |
| 407.8.2.2 Obstructed Side Reach | Supports | All operable controls are within specification. |
| 407.8.3 Forward Reach | Supports | Where a forward reach allows a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum |
| 407.8.3.1 Unobstructed Forward Reach | Supports | The operable part is 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor |
| 407.8.3.2 Obstructed Forward Reach | Supports | Supports maximum allowable forward reach to an operable part is 25inches |
| 407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach | Supports | All operable parts are within specification |
| 407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach | Not applicable | There are no operable controls. |
| 408 Display Screens | | |
| 408.2 Visibility | Supports | At least one display screen is visible from a point located 40inches above floor space |
| 408.3 Flashing | Supports | The power key LED conforms |
| 409 Status Indicators | | |
| 409.1 General | Supports | Rocker switch provides visual and tactile feedback |
| 410 Color Coding | | |
| 410.1 General | Supports | Color coding and additional means of unique identification (e.g., text and symbols) are used. |
| 411 Audible Signals | | |
| 411.1 General | Supports | Audible signals and additional means of unique identification (e.g., cues) are used. |
| 412 ICT with Two-Way Voice Communication | | |
| 412.2 Volume Gain | | |
| 412.2.1 Volume Gain for Wireline Telephones | Not applicable | This product does not use analog or digital wireline telephones. |
| 412.2.2 Volume Gain for Non- | Not applicable | The device does not support bi-directional voice |

| Criteria | Conformance Level | Remarks and explanations |
|--|-------------------|---|
| Wireline ICT | | communication over a telephone line. |
| 412.3 Interference Reductions and Magnetic Coupling | | |
| 412.3.1 Wireless Handsets | Not applicable | The product does not produce electromagnetic fields. |
| 412.3.2 Wireline Handsets | Not applicable | The product does not produce electromagnetic fields. |
| 412.4 Digital Encoding of Speech | Not applicable | This product does not support digital encoding of speech |
| 412.5 Real-time Text Functionality | Not applicable | This product does not support real-time text functionality |
| 412.6 Called ID | Not applicable | Caller ID and/or similar telecommunications are not present. |
| 412.7 Video Communication | Not applicable | The product is not a video or multi-media product. |
| 413 Closed Caption Processing Technologies | | |
| 413.1.1 Decoding and Display of Closed Captions | Not applicable | The product is not a video or multi-media product. |
| 413.1.2 Pass-Through of Closed Caption Data | Not applicable | The device does not transmit or conduct information or communication. |
| 414 Audio Description Processing Technologies | | |
| 414.1.1 Digital Television Tuners | Not applicable | The product is not a video or multi-media product. |
| 414.1.2 Other ICT | Not applicable | The product is not a video or multi-media product. |
| 415 User Controls for Captions and Audio Descriptions | | |
| 415.1.1 Caption Controls | Not applicable | The product is not a video or multi-media product. |
| 415.1.2 Audio Description Controls | Not applicable | The product is not a video or multi-media product. |

Chapter 6 Support Documentation and Services

| Criteria | Conformance Level | Remarks and explanations |
|---|-------------------|--|
| 601.1 Scope | | |
| 602 Support Documentation | | |
| 602.2 Accessibility and Compatibility Features | Supports | Accessibility and compatibility information is available on www.xerox.com/section508/ . |
| 602.3 Electronic Support Documentation | Supports | Website provides guide to the device |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Supports | User guide is provided as an E-book to the customer |
| 603 Support Services | | |
| 603.2 Information on Accessibility and Compatibility Features | Supports | XCA is provided to the customer with the user guide |

| Criteria | Conformance Level | Remarks and explanations |
|---|-------------------|--|
| 603.3 Accommodation of Communication Needs | Not applicable | Customer support service contact details available in the user guide and also available on website. Specific support for persons with disability not provided. |

What is the Voluntary Product Accessibility Template (VPAT)?

The purpose of the Voluntary Product Accessibility Template is to assist Federal contracting officials in making preliminary assessments regarding the availability of commercial Electronic and Information Technology products and services with features that support accessibility.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. In the subsequent tables, the first column contains the numbered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

For additional information on these and other accessories, contact your Xerox sales representative or call 1-800-ASK-XEROX (1-800-275-9376).

© 2017 Xerox Corporation. All rights reserved. Xerox® and Xerox and Design® are trademarks of Xerox Corporation in the United States and/or other countries. BR22162
Other company trademarks are also acknowledged.
Document Version: 1.0 (January 2017).

Voluntary Product Accessibility Template® and VPAT® are registered service marks of the Information Technology Industry Council (ITI).